

**MINUTES OF THE 283<sup>rd</sup> MEETING OF NMA**

Venue – Conference room of NMA

Time & Date – 9<sup>th</sup> October, 2020 at 11am

\*\*\*\*\*

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairman, NMA.
2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA.
3. Prof. (Dr.) Ajay Khare, Whole Time Member, NMA (through video conference).
4. Prof. Vinay Kumar Rao, Part Time Member, NMA.

**Agenda no. 01**

The minutes of 281st and 282nd meetings were confirmed.

**Agenda no. 02**

**Consideration of NOC applications**

**Public project**

**Case no. 01**

**(The Executive Engineer, Karnataka Niravari Nigam Ltd., Singatalur Lift Irrigation Scheme, Divisions no. 01, Mundargi, Gadag District, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of retaining wall and rest room. Proposed construction in the prohibited area, the applicant should enter into a MoU with the Archaeological Survey of India to carry out the work further. However, it may be ensured that there is no construction as defined under section 2 (dc) of AMASR Act.

**Defer case**

**Case no. 01**

**(The Dharmodayam Company Trustee, The Dharmodayam Company, Round East, Thrissur-680005, Kerala)**

After perusal of the application and revised building plan received from CA, Kerala, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2+Terrace floor with the total height of 11.90 mtrs (including mummy,

parapet, water storage tank etc.) at Survey no. 465/P, Village Taluk and Corporation Thrissur. The following area details as mentioned below:

Floors	Plinth area
Basement floor	581.55 sqm
Ground Floor	595.14 sqm
First Floor	595.14 sqm
Second Floor	595.14 sqm
Terrace floor	67.00 sqm

**Case no. 02**

**(Mr. Firose Khan, Razak Manzil, Kallingal, Bekal Fort. P.O., Kasargod-671316, Kerala)**

After perusal of the application and revised building plan received from CA, Kerala, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+1 floor with the total height of 7.4 mtrs (including mumty, parapet, water storage tank etc.) at R.Survey no. 112/19 (Old-370/5B), Village Pallikkara, Panchayath Pallikkara, Taluk Hosdurg, District Kasargod; with plinth area of Basement=163.87 with depth = 3.1mtrs, GF=FF=163.87sqm.

**Reconsideration cases**

**Case no. 01**

**(Sri. K.A. Sivadasan, Kozhiparambil House, Kakkad, kunnamkulam. P.O., Thirssur-680503, Kerala)**

After perusal of the application and revised building plan received from CA, Kerala, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 6.65 mtrs (including mumty, parapet, water storage tank etc.) at Re. Sy. No. 91/6, Ward No. VIII, Village KKM, Municipality Kunnamkulam, Thalappilly Thaluk, Thrissur District; with plinth area of GF =104.95 sqm, FF= 38.41 sqm.

**Case no. 02**

**(Shri. Umesh Mohanan, 10/224, Dhanya, Kannadi, Palakkad-678701, Kerala)**

After perusal of the application and revised building plan received from CA, Kerala, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+1+Terrace floor with the total height of 13.82 mtrs (including mumty, parapet, water storage tank etc.) at Survey no. 3276/3Apt,3277/3Bpt,3284/2Cpt,3304/1pt, ward no. 5 Block no. 66 Village Palakkad-III, Municipality Palakkad, Taluk Palakkad, District Palakkad; with plinth area of Basement=1327sqm with depth 3.16mtrs GF=FF=1327 sqm, Terrace Floor=180 sqm.

**Case no. 03**

**(The Additional City Engineer (Water Project, Ahmedabad Municipal Corporation, 5<sup>th</sup> floor, Danaith, Ahmedabad-380001, Gujarat)**

After perusal of the application and clarification given by Addl. City Engineer (Water Project), Ahmadabad Municipal Corporation regarding the public utility project, it was decided to **recommend** grant of NOC for reconstruction of over head water tank including ventilator with total height of 24 mtrs at S.P. no. 31/2, F.P. no. 31, T.P.S. no. 14, Shahibaug, Ahmedabad, Gujarat. This should be treated as a special case concerning drinking water supply to public and should not be quoted as precedent.

**Fresh cases**

**Case no. 01**

**(Smt. Rukmini Bai, w/o Venkobarao, #3199 Darji Street, Srirangapatna-571438, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 10.50 mtrs (including mumty, parapet, water storage tank etc.) at Katha No. 1775/1694, Chikka janigara beedi, Srirangapatana Town; with floor area of GF=FF=SF=37.63 sqm.

**Case no. 02**

**(Sri. T S Nagendra Kumar, S/o Late. T C Sundar Raju, Old street, Talakadu, 6th Block, T Narasipura Taluk, Mysore District, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 3.60 mtrs (including mumty, parapet, water storage tank etc.) at Assesment No. 152200702010801905 (1711-6/223)Talakadu; with floor area of GF=56.64 sqm.

**Case no. 03**

**(Smt. B.M. Vasanthi, W/o R. Chandrappa, S.27, T.B. Board, Qater`s, Amaravathi, Hospet Taluk, Bellary District, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.82 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. C-11, ASST No. C 11, Survey No. 87(P), Shiva Jyothi nagar area, Malapana Grama Gudi, Hospete Taluk; with floor area of GF=FF=66.87 sqm.

**Case no. 04**

**(Smt. Padmini Patilw/o S.P. Vijay Kumar, No.13, Club Premises, S.V. Colony, Club Road, Bellary-583103, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt(above GF)+GF+2 floors with the total height of 12.25 mtrs (including mumty, parapet, water storage tank etc.) at P.No. 26 & 27, ASST. No. 48927/26 & 48863/A/27, SY.No. 351/1/A, Ward No.35, Club Road, Bellary; with floor area of Stilt(above GF)=76.29 sqm, GF=FF=SF= 69.18 sqm.

**Case no. 05**

**(Sri. U. Madhu Sudhan Reddy, Site No. 179/A, Nethaji Nagar, K.H.B Colony, Infantry Road, Opposite Vasavi School, Bellary-583104, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+GF+2 floors with the total height of 12.25 mtrs (including mumty, parapet, water storage tank etc.) at W.No-31, SY. No-519/2, OPD (TS) Extension, Near KHB Colony, Bellary; with floor area of Stilt=48.30 sqm, GF=FF=SF= 48.30 sqm.

**Case no. 06**

**(Dr. Kedaresvar M Dandin, S/o Late Dr. Mruthyunjaya. V. Dandin, House No. 93, 7th Ward, Opposite Society, Chapparadahalli, Ananthshayanagudi, Hospete taluk, Bellary District-583201, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.67 mtrs (including mumty, parapet, water storage tank etc.) at Plot No.37, ASST No. 964, SY Nos. 29/A2 & 29/B2B, 7th Ward, Shivashakthi nagar area, Ananthashyena Gudi Gram, Hosapete; with floor area of GF=FF=147.00 sqm.

**Case no. 07**

**(Sri. M. Shivadas, D.no. 1-68/8, "Shree Ganesh" Kuloor, Kavour Road, Bangra Kuloor, Mangalore-575013, Karnataka)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 12.4 mtrs (inclusive all).

**Case no. 08**

**(The Chief Executive Officer (CEO), Kodagu District, Co-operative Central Bank Ltd (K D C C Bank), General Thimmaiah Circle, Madikeri, Kodagu District-571201, Karnataka)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 10.7 mtrs (inclusive all).

**Case no. 09**

**(Sri. Varadi Chand, S/o Changan Lal, Sharadhan Bankers, Main Road, Srirangapatna, Mandya District-571438, Karnataka)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 9.5 mtrs (inclusive all).

**Case no. 10**

**(Sri. Ashok Math, Ramarayara Street, Ward No.9, Fort, Belur Taluk, Belur, Hassan District-573115, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.46 mtrs (including mumty, parapet, water storage tank etc.) at KH No. 3913/2801, Ward no. 9, Ramarayara Street, Fort Belur Purasabhe, Belur; with floor area of GF=FF=30.80 sqm.

**Case no. 11**

**(Smt. Shobha Bellundagi, W/o Gurappa, Kannur, Vijayapur Taluk & District-586119, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.71 mtrs (including mumty, parapet, water storage tank etc.) at Sy.No.811C, plot no.58, Mahalbagayat, Vijayapur; with floor area of GF=35.00 sqm.

**Case no. 12**

**(Sri. Mairaj M Sindagikar, House No.646, Jadar Galli, Bread Batti, Station Road, Vijayapur District-586101, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 4.73 mtrs (including mumty, parapet, water storage tank etc.) at Sy.No. 774 A, Plot No.21, Vijayapur; with floor area of GF=64.00 sqm.

**Case no. 13**

**(Sri. Sanjay Kumar Kote, S/o Bandeppa Kote, Kote Nilaya, H.no 8-9-481 & 482, Near Bus stand, Devi Colony, Bidar District-585401, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.90 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 10, CMC No: 8-11-549(N), Sy.No:48/A-2, Devi Colony, Gullar Haveli, Bidar; with floor area of GF=34.01 sqm, FF= 58.23 sqm.

**Case no. 14**

**(Smt. Mahananda D/o Mallappa Bhusagond W/o Nagappa Killed, #86/B Sector No.20, Navanagar, Bagalkot, Bagalkot Taluk & District-587103, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.58 mtrs (including mumty, parapet,

water storage tank etc.) at Sy No.811/C Plot No.86+87, Ward No 12, Near West Side Ring Road, Mahalbagayat; with floor area of GF=FF=58.71sqm.

**Case no. 15**

**(Sri. Sharanappa S/o Hanumantappa Bidari, Kote Road, Vittala Beedi, Rattihalli Post & Taluk, Haveri District-581116, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.876 mtrs (including mumty, parapet, water storage tank etc.) at V.P.C No .35, Kote Road, Vittala Beedi Rattihalli, Rattihalli Taluk; with floor area of GF=90.05sqm.

**Case no. 16**

**(The General Manager Shiddeshwar Co-op Bank Ltd, S.S Road, Vijayapur District, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF with the total height of 8.17 mtrs (including mumty, parapet, water storage tank etc.) at CTS No.303A/1A2/B & 303A/1A3, Ward No. V, Vijayapura; with floor area of Basement = 112.57 sqm with depth = 1.20 mtrs and GF= 108.19 sqm.

**Case no. 17**

**(Sri. Heerachand S/o Dhingadmal Jain (Oswal), R/o Kirana Bazar, Vijayapur Taluk & District-586101, Karnataka)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 10.60mtrs (including mumty, parapet, water storage tank etc.) at Sy No.21G, Plot No.35, M Bagayat Village, Vijayapur; with floor area of GF= 62.23 sqm and FF=SF=145.00 sqm.

**Case no. 18**

**(Mr. Prakash Kumar Biswal & Others, Plot No. 28, Bapuji Nagar, Bhubaneswar Dist-Khurda, Odisha)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 7.00 mtrs (inclusive all).

**Case no. 19**

**(Mr. Ashok Kumar Patro, Plot No. 14/3734, Behind Bhubaneswar Hotel Cuttack Road, Po- Bhudheswari,, Bhubaneswar-6, Odisha)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 12.5 mtrs (inclusive all).

**Case no. 20**

**(Shri. Prabash Kumar Sahoo & Others, Plot No. 3596/5103, Gouri Nagar, Old Town, Lane-10 P.S- Shree Lingaraj, Bhubaneswar, Dist- Khurda, State- Odisha)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 7.00 mtrs (inclusive all).

**Case no. 21**

**(Shri. Keshab Parida, Plot No. 498, Nageswartangi, Bhubaneswar 751002, Dist. Khurda, Odisha. )**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 7.00 mtr (inclusive all)

**Case no. 22**

**(Mr. Bidhu Bhushan Rath (Md of SADC Estates & Promoters Pvt. Ltd), B2/1, Unit-3, Kharvel Nagar, Bhubneswar Dist- Khurda, Odisha.)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of the building restricted to 7.00 mtr (inclusive all)

**Case no. 23**

**(Mrs. Prabhjot Kaur, Mrs. Amarjot Kaur Kapur, Mrs. Gurpreet Kaur Bawa, Mrs. Jasbir Kaur Dhingra and Mrs. Gurmat Kaur Puri, N-59, Panchsheel Park, New Delhi)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mumty, parapet, water storage tank etc.) at N-59, Panchsheel Park, New Delhi; with floor area of Basement = 357.24 sqm with depth = 4.00 mtrs. Stilt=GF=FF=SF= 376.25 sqm and TF= 357.09 sqm

**Case no. 24**

**(Mrs. Julie & Tinto, Paravalappil House, Chowannoor. P.O., Thrissur-6805017.)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of **GF+Stair room** with the total height of 7.45 mtrs (including mumty, parapet, water storage tank etc.) at Rs No. 102/26 Exi. D/No. 13/84 in Thalappilly Thaluk Chowannur Village and Kunnaakulam Municipality; with plinth area of GF=91.87 sqm. and FF=7.23 sqm.

**Case no. 25**

**(Smt. Sheela Devi W/o Sh. Hansraj, Agroha, Khasa Road Vill. Agroha Distt. Hissar, Haryana)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1Mumty/FF with the total height of 6.09 mtrs (including mumty, parapet, water storage tank etc.) at Plot No 195, ward 9 in Kila No. 23, Khewat No. 125, Khasra No. 107/4(80) Vill. Agroha; with floor area of GF= 124.18 sqm, Mumty/FF=57.29 sqm.

**Case no. 26**

**(Smt. V. Saraswathi & Shri V. Sankar, D. No. 769/2, Keezharajaveedhi, Nagammra Lane, Kondirajapalayam, Thanjavur- 613 002)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with the total height of 7.51 mtrs (including mumty, parapet, water storage tank etc.) at Ward No. 3, Block No. 16, T.S. No. 769/2, Door Keezharaja Veedhi, Nagamara Lane, Kondirajapalayam, Thanjavur City Municipal Corporation Limit.; with floor area of Proposed ground floor = 61.07 sqm, Proposed first floor = 61.07 sqm.

**Prohibited Case no. 1**

**(Shri Dipak Mahadeo Mahadik, A/P-Tal-Khanapur, Dist-Sangli-415307)**

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised site plan demarcating the setback from the prohibited area and construction site in the Regulated area.

**Prohibited Case no. 2**

**(The Executive Engineer (Ele) BESCO Devanagere, C, O & M Division, BESCO, Hadadi Road, Devanagere)**

Since the proposed construction falls in the prohibited area of the monument, it was decided to **reject** the case since it is outside the preview of NMA.

**SCN Case**

**Case No. 1**

**(Shri J. Muthukrishnan S/o Janagiraman, D. No. 2445, Sonjiyappa Lane, South Street, Thanjavur- 613 001.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.



**Case No. 2**

**(Smt. S. Guruvammal, Door No. 3, T.S. No. 2809, Ward No. 1, Block No. 22, Sodikodutha Vinayagar Kovil Street, Srivilliputtur- 626 125.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 3**

**(Sri. Prabhakar, S/o Narayana Sherigar, Hosala Village, Barkur Post, Brahmavara, Udupi District -576210)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 4**

**(Sri. Sijauddin & Sri. Nijauddin, S/o Suleman Ranebennur, Naregal, Hangal Taluk, Haveri District.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 5**

**(Sri. Siddappa Rudrappa Kayakad, Near Hanuman Temple, Rattihalli Post, Hirekerur Taluk, Haveri District- 581 116.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 6**

**(Sri Siju K, C-IV/6, Income Tax Enclave, Babugudda, Attavar, Mangalore-575001)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 7**

**(Sri Someshappa, S/o Late Nanjegowda, Kolada Beedi, Nagamangala, Nagamangala Taluk, Mandya District-571432)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 8**

**(Smt. Vineetha V Shetty, APT 803, Atlantis, Bendoorwell, Mangalore, Dakshina Kannada District-572002)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 9**

**(Smt. Susheela, W/o Sundara Devadiga, no. 5/214, Padabettu, Hiriyangadi, Karkala Taluk, Udupi District-574104)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 10**

**(Sri. Basavaraj Minazagi, Vijaya Road, opp. Maharashtra Bank, Minazagi Compound, Dharwad District)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 11**

**(Sri. Maruthi Kenjodi, Ward no. 1, Near Duragamma Temple, Malapanagudi, Hospet Taluk, Bellary District-583239)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 12**

**(Smt. Vidyavati w/o Vaijanath Dastapur, Kale Layout, Near Mahadev Mandir, Lalgiri, Brahmpur, Kalaburgi District-585102)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 13**

**(Smt. Pallavi Dayanandgouda, Kumarvyasa Road, Hanuman Garadi Palled Oni, Ward No.20, Gadag District- 582102)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 14**

**(Sri. N.P Mahadevaiah, S/o Late Police Puttamadaiah, # 1683, Thopena Beedi, Nanjangud, Mysore District-571301)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 15**

**(Sri. Chukkankal Linga Reddy, Sathagiri, Plot No. 36, Vishweshwarayya Nagar, Kalasapur Road, Gadag District-682101.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 16**

**(Sri. Aadam S/o Hasansab Sunkad, Kote, Tumminakatti Road, Rattihalli post, Rattihalli Taluk, Haveri District- 581116.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 17**

**(Smt. Shashikala Parashuram Sungandi, Sri. Ragavendra, Sri Aravind & Sri Manjunath, Shimpigalli, Handal, Haveri District-581104.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 18**

**(Smt. Sangeeta W/o Raghavendra Guttal, Kote, Uppar Oni, Rattihalli Post & Taluk, Haveri District-581116.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.



**Case No. 19**

**(Sri. Munirsaheb S/o Sannakhader Saheb, Saikalgar, Rattihalli, Hirekerur Taluk, Haveri District-581116.)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 20**

**(Smt Ratanavva w/o Fakkirappa Advannanavar, Gowrigudi Road, Jadara Oni, Naregal, Hangal Taluk, Haveri District -581148)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 21**

**(Sri Siddalingappa R Bulla, Near Parshwanath Road, Bulla Galli, Gadag Post & Taluk, Gadag District)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 22**

**(Sri Muttappa Suragappa Hulle, Ward No. 8, Rajaji Nagar, Behind RTO Office, Bagalkot Road, Vijayapur District)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

**Case No. 23**

**(Smt Sujata Nivruti Jadhav, 177/78 South Kasba, Solapur Datta Chowk, Dist-Solapur-413007)**

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.



### **Additional Agenda no. 01**

#### **Online cases**

#### **Case no. 422/2**

**(Mr. Harsh Azad, S-89, Panchsheel Park, New Delhi-110017)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mummy, parapet, water storage tank etc.) at S-89, Panchsheel Park, New Delhi-110017; with floor area of Basement = 204.37 sqm with depth = 2.80 mtrs, Stilt=GF=FF= 204.37 sqm, SF=194.77 sqm, TF= 145.32 sqm and Terrace toilet= 4sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

#### **Case no. 463**

**(Mr. Jai Deep Anand, 81, Udai Park, Masjid Moth Ext., New Delhi)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mummy, parapet, water storage tank etc.) at 81, Udai Park, Masjid Moth Ext., New Delhi; with floor area of Basement= 157.42sqm with depth = 4.20mtrs, Stilt=GF=FF=SF=TF= 157.42 sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

### **Additional Agenda no. 02**

**(Project Manager, Unit-13, C & D.S., UP Jal Nigam, T.C-38-B, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh-226010)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of institutional building for spine centre, sports medicine, paediatric, orthopaedic and arthroplasty unit having 2 Basements+GF+6 floors with the height of 28.50 mtrs+4.0mtrs high OHT/AHU (excluding lift machine room) at I.D.H Block, K.G.M.U, Near Surajkund Road, Lucknow; The floor area is recommended for Lower Basement =1915.89 sqm, Upper Basement=2039.76 sqm, GF= 2105.03 sqm, FF= 1811.03 sqm, SF=1916.03 sqm, TF=1811.03 sqm, Fourth F= 1811.03 sqm, Fifth F = 1887.50 sqm, Six F=1810.94 sqm; The recommendation is subject to compliance of mitigation measures contained in HIA report. A compliance report may be submitted to Competent Authority within three months.



### **Any Other Item 01**

**(M/s DMRC through its Chief Project Manager-4 Shri Anil Kumar Mishra, Seed Bed Park, Opposite Gurudwara, Shakarpur, Delhi for Construction of Surghat Metro Station at Wazirabad, Delhi for Metro Rail, Phase- IV of Delhi MRTS- Maujpur to Mukundpur Corridor)**

After perusal of the application and site visit by Shri Tarun Vijay, Chairman and Shri Vinay Kumar Rao, Part Time Member, it was decided to **recommend** grant of NOC in this case for construction of Surghat Metro Station and Viaduct of Basement+FF+SF with the total height of 20.57mtrs including roof at Surghat Metro Station at Wazirabad, Delhi for Metro Rail, Phase- IV of Delhi MRTS- Maujpur to Mukundpur Corridor; with floor area of Basement =135.8 sqm with depth= 3.30 mtrs, FF= 3290.60 sqm, SF= 2638.10 sqm, Viaduct Length=507 m, Maximum height of Viaduct = 16.829 and Number of Piers in Viaduct=28.

### **Any Other Item 02**

It was decided that the Authority will visit Jageshwar Temple Complex, Almora and Visnupur, West Bengal after the Dussehra Festival for finalizing the Heritage Bye Laws of the Centrally Protected Monuments.

↓