

MINUTES OF THE 155th MEETING OF NMA

Venue - Conference Hall, NMA Hqrs, 24, Tilak Marg,
New Delhi 110001

Time & Date - 10.30 A.M on 20th & 21st June, 2017

The meeting was attended by the following:

1. Ms. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA.
4. Sh. Satish Kumar, Whole Time Member, NMA.
5. Sh. Navneet Soni, Member Secretary

Agenda No. 1

The minutes of 153rd meeting held on 25th May, 2017 were confirmed.

Agenda No. 2

Consideration of NOC applications

Fresh Cases:

Case No. 1


(Sri. Ravinayak, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.50 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Khatha No. - S-17/16, Railway Station Road, Srirangapatan; with floor area of GF=78.26 sqm.

Case No. 2

(Sri. Prasad B.S, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.20 mtrs. (including mumty, parapet, lift



room, water-storage tank etc.) at Khatha No. - S-3474/3/5605 Poornaiah Road, Srirangapatan; with floor area of GF=FF=40.40 sqm.

Case No. 3

(Sri. Rahamathulla, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.90 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Asst. No. 163/155/2852, Kacheri Mohalla, Sira Town, Tumkur District; with floor area of GF=114.30 sqm.

Case No. 4

(Smt. Shakunthala, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.50 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Khatha No. S-2475/2373, Anchkeri Road, Srirangapatna; with floor area of GF=14.15 sqm.

Case No. 5

(Smt. B.A. Sowjanya & Sri. Ramaprasad, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Khatha No. S-3542/113/114/43, Ranganatha Nagara, Srirangapatna; with floor area of GF=FF=63.83 sqm.

Case No. 6

(Sri. B. N. Nagaraja Shetty, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.86 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Kh. No. 4243/3099/A/B, Kere Beedi, Ward No. 11, Fort Belur, Purasabhe, Belur; with floor area of GF=FF=43.41 sqm.

Case No. 7

(Sri. Ashok S/o Narasingh Bhan, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 9.90 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at House No. (Corporation) No. 9-932, CTS No. 878, Sheet No. 38, Block No. 1, Shubhash Nagar, Shah Bazar, Kalaburgi; with floor area of GF=FF=71.27 sqm.

Case No. 8

(Sri. Saifuddin Yane Atiq, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 5.00 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Assessment No. 3264/3264, Sihineeru Bavi Road, Channagiri Taluk, Davangere District; with floor area of GF=76.67 sqm.

Case No. 9

(Sri. N. R. Thukaram Rao, Karnataka) Distance-219.00 mtrs.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of building restricted to 7.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Property No. 3-504-25, Assessment No. 1173/1043 (East Part), Gowramma Beedi, Channagiri; subject to submission of revised building plan/floor area upto total height 7.60 mtrs. (all inclusive).

Case No. 10

(Sri. N.R. Manjunath Rao, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of building restricted to 7.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Property No. 3-504-25, Assessment No. 1173/1043 (West Part), Gowramma Beedi, Channagiri; subject to submission of revised building plan/floor area upto total height 7.60 mtrs. (all inclusive).

Case No. 11

(Sri. Sadhu Shetty, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement + Ground floor with the total height of 4.57 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at S. No. 86-13, Karkala Kasba Village, Karkala Taluk, Udupi District; with floor area of GF=124.01 sqm. & Basement=107.74 sqm.

Case No. 12

(Sri. S.P. Lokesh, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.36 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Kh. No. 4716/3537, Ward No. 12, J.P. Nagar, Belur Purasabhe, Belur; with floor area of GF=FF=51.12 sqm.

Case No. 13

(Sri. N. R. Thukaram Rao, Karnataka) Distance-201.00 mtrs.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of building restricted to 7.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Property No. 3-11-26 & 3-11-24, Assessment No. 1251/1119 & 1250/1118, Kalammana Beedi, Channagiri; subject to submission of revised building plan/floor area upto total height 7.60 mtrs. (all inclusive).

Case No. 14

(Sri. N. Srinivasu, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.20 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Khatha No. S-2682/2583, Near B.M. Road, Srirangapatna; with floor area of GF=FF=182.65 sqm.

Case No. 15

(Sri. Kashinath Pakkirappa Kalal, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.57 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at T.M.C. No. 3019, Somavara Pete Hangal, Hangal Taluk, Haveri; with floor area of GF=18.2 sqm.

Case No. 16

(Sri. Shivayogiswamy A, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of Ground Floor + First Floor only.

Case No. 17

(Sri. Mahamad Shareef Abdul Rahim Chudigar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.67 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at T.M.C. No. 621/C, Hanji Oni, Hangal, Haveri District; with floor area of GF=47.25 sqm.

Case No. 18

(Smt. Siddamma w/o Siddaraju, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 19

(Smt. Chikkatayamma w/o Swamy, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 20

(Smt. Mani w/o Late Muthaiah, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 21

(Smt. Rajamma w/o Late Purshaiah, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 22

(Smt. Sakamma w/o Venkatesh, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 23

(Smt. Mahadevamma w/o Mahadeva, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 24

(Smt. Javanamma w/o Late Rangaiah, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 25

(Smt. Devamma w/o Ningaiah, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 3.60 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Somanathapura G.P., Somanathapura Village, T. Narasipura Taluk.

Case No. 26

(Shri Ramakrishna Guduppa Kurubar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 5.10 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at S. No. 9999/Plot No. 337, Banavasi; with floor area of GF=62.67 sqm.

Case No. 27

(Sri. Naveen, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant the land use of the proposed site and also submit separate proposals for two plots.

Case No. 28

(Smt. Shalini Ganesh Torgal, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.61 mtrs. (including mumty, parapet, lift

room, water-storage tank etc.) at S. No. 9999/Plot No. 336, Banavasi; with floor area of GF=FF=62.67 sqm.

Case No. 29

(Smt. Gayathri B, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Khatha No. 2315/2223, A Ramanna Road, Srirangapatna; with floor area of GF=FF=51.08 sqm.

Case No. 30

(Smt. Mehrunnisa, Karnataka)

After perusal of the application and in view of the explanation given by the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.8 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at House No. 6-90, Near Osmaniya Masjid, Khari Bowli, Mominpura, Gulbarga District; with floor area of GF=FF=55.7 sqm.

Case No. 31

(Dr. Rajalakshmi, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of Ground Floor + First Floor only with the total height of building not to exceed 7.0 mtrs. (including mumty, parapet, lift room, water-storage tank etc.).

Case No. 32

(Sri. Srikant V Amman, Karnataka)

After perusal of the application and in view of the explanation given by the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+2 Floors with the total height of 9.56 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Corporation No. 4-991/A1, Maktampur, Near Ganesh Mandir, Saraf Bazar, Kalaburgi; with floor area of GF=FF=SF=17.8 sqm.

Case No. 33

(Sh. B. Shridhar, Puducherry)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.0 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at R.S. No.: 35/5, Plot No.: 106 & 105 pt., in Thirubuvanai Revenue Village, Thirukannur, Mannadipet Commune, Puducherry; with floor area of GF=FF=62.475 sqm.

Case No. 34

(Smt. S. Rajeswari, Puducherry)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.6 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at R.S. No.: 35/9 & 35/10, Plot No. 140, in 5th Cross Street, Sri Ragavendra Nagar, Thirubuvanai, Thirukannur, Thirubuvanai Revenue Village, Mannadipet Commune, Puducherry; with floor area of GF=FF=67.65 sqm.

Case No. 35

(Sh. V. Vijaya, Puducherry) Distance - 165.2 mtrs. & 142.7 mtrs.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.0 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at R.S. No.: 35/5 & 35/9, Plot No.: 108 pt. & 109, in Thirubuvanai Revenue Village, Thirukannur, Mannadipet Commune, Puducherry; with floor area of GF=FF=87.588 sqm.

Case No. 36

(Sh. S. Selvam, Puducherry)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.0 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at R.S. No.: 35/5 & 35/9 of Plot No.: 110, in Thirubuvanai Revenue Village, Thirukannur, Mannadipet Commune, Puducherry; with floor area of GF=FF=62.475 sqm.

Case No. 37

(Sh. V. Vijaya, Puducherry) Distance – 164.9 mtrs. & 142.4 mtrs.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.0 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at R.S. No.: 35/5 & 35/9, Plot No.: 107 & 108 pt., in Thirubuvanai Revenue Village, Thirukannur, Mannadipet Commune, Puducherry; with floor area of GF=FF=87.588 sqm.

Case No. 38

(Shri Rajpal Singh S/o Shri Sada Singh, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No- 299, Khasra No- 80min, Tanda Ujjain, Tehsil- Kashipur, Distt. U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 39

(Nitin Agarwal and Tushar Agarwal S/o Shri Surendra Kumar Agarwal, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-0413, Khasra No- 275Min, Mauza- Jaspur Khurd, Teh.- Kashipur Distt.- U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 40

(Shri Ramesh Chandra Pal, Shri Naresh Kumar, Shri Mahesh Chandra, Shri Sushil Pal S/o late Umraw Singh, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-059, Khasra No- 44Min, Mauza- Ujjain, Kundeshwari Road, Tehsil- Kashipur, U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 41

(Smt. Kanchan Suman W/o Radhika Raman, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-59, Khasra No- 44Min, Moh.- Ujjain, Kundeshwari Road, Tehsil- Kashipur, U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 42

(Shri Pradeep Sharma S/o Krishna Bihari Sharma , Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-158, Khasra No- 45 Min, Moh.- Ujjain, Kundeshwari Road, Kashipur, U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.



Case No. 43

(Smt. Shweta Agarwal W/o Shri Saurabh Agarwal, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-022, Khasra No- 322/1Min, Mauza- Ujjain, Tehsil- Kashipur, U.S. Nagar, Uttarakhand. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 44

(Smt. Meenal Agarwal W/o Shri Saurabh Agarwal, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-22, Khasra No- 322 Min, Bajpur Road, Ujjain, Kashipur, U.S. Nagar, Uttarakhand. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 45

(Shri Pankaj Kumar S/o Shri Suresh Chandra, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No- 022, Khasra No- 322/1 Min, Mauza- Ujjain, Tehsil- Kashipur, Distt. U.S. Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 46

(Mrs. Kuldeep Kaur W/o Mr. Sukhpal Singh D/o Mr. Gurcharan Singh Cheema, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.79 mtrs. (including mumty, parapet, water-storage tank etc.); at Village- Ujjain (Khasra No. 148, 238, 248, 249, 254, 262, 264) (Joint Holder) Tehsil- Kashipur Distt.- Udham Singh Nagar; with covered area of GF=83.17 Sqm. & FF=83.17 Sqm.

Case No. 47

(Smt. Beena Agarwal W/o Shri Atul Agarwal , Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-059, Khasra No- 44 Min, Mauza- Ujjain, Tehsil- Kashipur, Kundeshwari Road, U.S. Nagar, Uttarakhand. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 48

(Mahendra Singh and Narendra Singh S/o Late Jag Ram Singh, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No-0413, Khasra No-275Min Mauza- Jaspur Khurd, Tehsil- Kashipur, Distt. Udham Singh Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 49

(Smt. Mamta W/o Dharendra Kumar, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No- 59, Khasra No- 44 Min Mauza- Ujjain, Kundeshwari Road, Tehsil- Kashipur, Distt. Udham Singh Nagar, Uttarakhand. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 50

(Smt. Bharti Sharma W/o Satya Prakash Sharma, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty, parapet, water-tank etc.) at Khata No- 59, Khasra No- 44 Min Mauza- Ujjain, Kundeshwari Road, Tehsil- Kashipur, Distt. Udham Singh Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 51

(Smt. Anjali Chauhan W/o Arjun Singh, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 11.36 mtrs. (including mumty,

parapet, water-tank etc.) at Khata No- 59, Khasra No- 44 Min Mauza- Ujjain, Kundeshwari Road, Tehsil- Kashipur, Distt. Udham Singh Nagar. A copy of revised building plan with the total height of building 11.36 mtrs. (inclusive all) should be submitted by the applicant.

Case No. 52

(Shri Ashok Kumar S/o Shri Dharampal, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition, alteration, repair and construction of kitchen and toilet on the existing G.F with the total height of 6.55 mtrs. (including mumty, parapet, water-storage tank etc.); at Old M.C. No. 5894-B & New M.C.B. Z- 1/06104, Mohalla Telliana Wala Bathinda-151001; with area of proposed GF= 113.15 Sqm.

Case No. 53

(Shri Jagdish Rai S/o Late Kulwant Rai, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 9.75 mtrs. (including mumty, parapet, water-storage tank etc.); at Sonu Boot House, Old M.C. No. 3969 & New M.C.B./Z-1/09073, Mehna Chowk, Bathinda-151001, Punjab; with covered area of GF =81.86 Sqm & FF=40.93 sqm.

Case No. 54

(Shri Munish Kumar S/o Shri Kishan Chand, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition, alteration, repair of the wall and construction of F.F. on the existing G.F. with the total height of 8.22 mtrs. (including mumty, parapet, water-storage tank etc.); at Old M.C.No. 5277 & New MCB Z1-06366, Sirki Bazar, Bathinda- 151001, Punjab; with covered area of proposed FF=26.83 sqm.

Case No. 55

(Shri Baljit Singh S/o Shri Mohinder Singh, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 8.42 mtrs. (including mumty, parapet, water-storage tank etc.); at Neeta Street, Street No. 1/7, MCB Z-1/09081, Mehna Chowk, Bathinda-151001, Punjab; with covered area of GF =74.40 Sqm & FF=35.30 sqm.

Case No. 56

(Shri Noor Mohammad S/o Shri Khair Deen, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 8.6 mtrs. (including mumty, parapet, water-storage tank etc.); at In red line area of Village & P.O., Sanghol, Tehsil Khamano, Distt. Fatehgarh Sahib, Punjab; with covered area of GF =168.25 Sqm & FF=125.44 Sqm.

Case No. 57

(Shri Dogar Khan S/o Shri Khair Deen, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.); at In red line area of Village & P.O., Sanghol, Tehsil Khamano, Distt. Fatehgarh Sahib, Punjab; with covered area of GF =154.34 Sqm & FF=124 Sqm.

Case No. 58

(Shri Nathu Ram S/o Late Pandit Kishan Chand, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on S.F. of existing G+2 with the total height of 11.65 mtrs. (including mumty, parapet, water-storage tank etc.); at B- 3/88, Mohalla Sheikhan, Nurmahal, Tehsil Phillaur Dist. Jalandhar- 1440390; with covered area of proposed SF =17.882 Sqm.

Case No. 59

(Shri Hardev Singh S/o Shri Kehar Singh, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.95 mtrs. (including mumty, parapet, water-storage tank etc.); at M.C. No. 8098 & M.C.B.Z 1-03537 Gali Comnista Wali, Neem Wala Chowk, Bathinda-151001; with floor area of GF=196.00 Sqm & FF=87.00 Sqm.

Case No. 60

(Smt. Deepka W/o Shri Som Nath, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 11.615 mtrs. (including mumty, parapet, water-storage tank etc.); at Aujla Colony, Opp. Samra Markit, Nurmahal, Jalandhar Pin No. 144039; with floor area of GF=25.87 Sqm, FF=11.19 Sqm & SF= 11.19 Sqm.

Case No. 61

(Smt. Meena Bery, Brig Vinod Chand Khanna and Shri Vinay Chand Khanna, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 Floors with the total height of 18 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at S-17, Panchsheel Park, New Delhi ; with floor area of Stilt=GF=384.75 Sqm., FF= SF=TF=372.51 sqm & Basement=367.99 Sqm. with depth: 3.45 mtrs.

Case No. 62

(Smt. Lal Devi Kalra, Shri Ashok Kalra, Shri Narinder Kalra and Shri Joginder Kalra, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction in Ground Floor to Second Floor and construction of Third Floor with the total height of 16.28 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C-78, Malviya Nagar, New Delhi; with floor area of proposed GF=FF=SF=32.85 Sqm TF=179.14 Sqm.

Case No. 63

(Smt. Seema Jindal, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on First Floor at Flat No. 234, Block- DA, Shalimar Bagh, New Delhi; with floor area of proposed FF=40.22 Sqm.

Case No. 64

(Shri K.R. Chauhan and Smt. Madhu Chauhan, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on Second Floor at Flat No. 235, Block- DA, Shalimar Bagh, New Delhi; with floor area of proposed SF=40.22 Sqm.


Case No. 65

(Smt. Yogita Dutta, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on Ground Floor at Flat No. 233, Block- DA, Shalimar Bagh, New Delhi; with floor area of proposed GF=28.43 Sqm.

Case No. 66

(Shri Amit Sethi, New Delhi)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on third floor with the total height of 11.87 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Flat No. 236, Block- DA, Shalimar Bagh, New Delhi; with floor area of proposed SF=40.22 Sqm.

Case No. 67

(Smt. Uma Saini, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of second floor and third floor with the total height of 17.98 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at 1-A, Khasra No. 544/415 MIN, Village Masjid Moth, New Delhi; with floor area of proposed SF=TF=132.40 Sqm.

Case No. 68

(Shri Jamiat Singh, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on ground floor to second floor and basement and construction of third floor with the total height of 16.05 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at D-11, NDSE-II, New Delhi; with floor area of proposed GF=FF=12.40 Sqm, SF=118.08 Sqm, TF= 317.23 Sqm & Basement=17.43 Sqm. with depth: 2.90 mtrs.

Case No. 69

(Mrs. Kamla Devi, Haryana)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of GF+1 Floor with the total height of the building restricted to 8.00 mtrs. (including mumty, parapet, water-tank etc.). Thereafter, the case would be considered.

Case No. 70

(Sh. Dinesh Kumar S/o Sh. Heeralal Saini, Haryana)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of GF+1 Floor with the total height of the building restricted to 8.00 mtrs. (including mumty, parapet, water-tank etc.). Thereafter, the case would be considered.

Case No. 71

(Sh. Ishwer Singh S/o Sh.Dulli Chand, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.92 mtrs. (including mumty, parapet, water-storage tank etc.); at Ward No-4, Delhi Gate, Farraukhnagar; with floor area of GF=FF =55.63 Sqm.

Case No. 72

(Sh. Sahab Ram, Haryana)

After perusal of the application and explanation received by the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.760mtrs. (including mumty, parapet, water-storage tank etc.); at Village Mirapur, P.O Bhagrola, The & Distt. Palwal; with floor area of GF=FF =772.369 Sqm

Case No.73

(Shri Bhupinder s/o Sh. Mohan Lal, Himachal Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.44 mtrs. (including mumty, parapet, water-storage tank etc.); at Kh. No. 802 & 806 Mohal Samkhetar, Mandi Town, Distt. Mandi, H.P; with floor area of GF=FF=19.48 Sqm.

Case No.74

(Shri Hans Raj Vaidya s/o Late Sh. Mayadhar Vaidya, Himachal Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floors with the total height of 7.20 mtrs. (including mumty, parapet, water-storage tank etc.); at Kh. No. 782 Mohal- Samkhter, Teh.- Balh, Distt.- Mandi (H.P.) ; with floor area of GF=27.91 Sqm and FF=27.97Sqm.

Case No.75

(Shri Umesh Kumar Shukla, Himachal Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors at Kh. No. 919,920,921,922, Muhal Samkhetar, Teh.- Sadar, Distt.- Mandi (H.P.); with floor area of GF=FF=SF=29.58 Sqm.

Case No. 76

(M/s. Harshman Spaces LLP., 104, Rose Residency, Dixit Road, off Shardhanand Road, Ville Parle (E)- 400057, Mumbai)

After perusal of the application, it was decided to defer the case and to direct the CA to engage recognized Heritage Body e.g. INTACH for Heritage Impact Assessment in

respect of the proposed construction. The payment for the agency will be routed through Competent Authority, West.

Case No. 77

(Shri Balasaheb Baburao Sadguru, C.T.S. No. 186/A, Shaniwar Peth, Pune- 411002)

After perusal of the application, it was decided to recommend grant of NOC in this case for reconstruction of Parking+4 Floors of residential building with the total height of 18.25 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.T.S. No. 136, Budhwar Peth, Dist.- Pune; with floor area of 1st to 4th Floor- 76.93sqmt. (Each Floor).

Case No. 78

(Smt. Rajlaxmi Vitthal and Ramesh Puppal, 1454, Ramchandra Khunt, Ahmednagar- 414001)

After perusal of the application and reply of show cause notice, it was decided to recommend grant of NOC in this case for construction of Parking+2 Floors of residential building with the total height of 9.65 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Plot No. 7048, Ahmednagar; with floor area of PF=GF=36.63sqmt.; FF= 24.57sqmt.

Case No. 79

(Shri Raghunath Asharam Sarada, 467 A/2, Somwar Peth, Karad, Dist- Satara- 415110)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Parking+ 1 Floor of residential building with the total height of 10.5 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.S. No. 467 A/2, Somwar Peth, Karad, Dist- Satara- 415110; with floor area of Ground Floor= 53.46sqmt.

Case No. 80

(Shri Subhash Vyankatrao Dubal, 245/A/3 & 245/1A/4, Shukrawar Path, Karad, Dist- Satara- (M.S.)- 415110)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of GF+ 1 Floor of residential building with the total height of 11.00 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.T.S. No. 245/1/A/3 & 245/1/A/4, Karad, Dist- Satara; with floor area of Ground Floor= 218.44sqmt.; First Floor= 204.36sqmt.

Case No. 81

(Shri Ashok Ambadas Bhawsar, At. Post. Lonar, Khateshwar Nagar, Lonar, Taluka-Lonar, dist- Buldhana- 443302)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor of residential building with the total height of 04.90 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at S. No. 281/1, plot No. 23 At-Lonar, Tq-Lonar, Dist- Buldhana; with floor area of Ground Floor=46.54sqmt.

Case No. 82

(Shri Eknath Tukaram Dhembare, 360, Kasba Peth, Pawar Galli, Phaltan, Dist- Satara- 415523)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+2 floors of residential building with the total height of 12.10 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at CTS. No. 3960, 3961, Phaltan, Dist- Satara; with floor area of GF=37.44sqmt.; FF= 37.44sqmt.; and SF= 18.37sqmt. The construction work should be undertaken under ASI supervision to ensure that there is no construction in prohibited area.

Case No. 83

(Shri Vijay Chandrakant Pawar, Shri Vinayak Chandrakant Pawar, Raiwar Peth, Pawar Galli, Phaltan, Tal- Phaltan, Dist- Satara- 415523)


After perusal of the application, it was decided to **defer** the case and ask concerned Superintending Archeologist to file FIR against the applicant.

Case No. 84

(Shri Abdul Kadir Mo. Juned Bharucha, 12/669, Rani Talao, Nr. Masjid, Laligate, Surat- 395003 (Gujarat)

After perusal of the application, it was decided to ask the applicant to submit revised building plan with height restricted to 22.80 m (including mumty, parapet, water-tank etc). Thereafter the case would be considered again.

Case No. 85



(Shri Mangesh K.Patel and Shri Chirag J. Patel, P.O.A.H. of Shri Parag Ananad Kumar and Others, C/o, ZalaHitendrasinh, B-38/906, Gujarat Housing Board, Meghaninagar Last Bus Stop, Meghaninagar, Ahmedabad-380016 (Gujarat)

After perusal of the application, it was decided to defer the case and to direct the CA to engage recognized Heritage Body e.g. INTACH for Heritage Impact Assessment in respect of the proposed construction. The payment for the agency will be routed through Competent Authority West.

Case No. 86

(Shri Salim Yakub Shaikh, C/o. Jala Ashish Consulting Engineer, 402, Sundram Apt. Opp. Mudita Mithai, Beside Hill's Nursery School, Palia Street, Nanpura, Surat-395001 (Gujarat)

After perusal of the application, it was decided to recommend grant of NOC in this case for reconstruction of GF+ 4 Floors of residential building with the total height of 22.80 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.S.No.1575,1576,1577/A, 1577/B and 1578, Ward No. 7; with proposed floor area of FF=SF=TF=FF=55.12sqm.

Case No. 87

(Shri Usman Ibrahim Umarji Self and P.O.A.H. of Shri Abubakar Ibrahimbai and others, Er. M.P.Gajjar, Off.I, Prince Terrace, Godha Street, Nr. Jupiter Class, Nanpura, Timaliyawad, Surat-1(Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+ 5 Floors of residential building with the total height of 20.90 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.S.No.2086/D/Paiki, Ward No. 7; with floor area of GF to FF= 70.63sqmt. (each floor).

Case No. 88

(Shri Usman Ibrahim Umarji Self and P.O.A.H. of Shri Abubakar Ibrahimbai and others, Er. M.P.Gajjar, Off.I, Prince Terrace, Godha Street, Nr. Jupiter Class, Nanpura, Timaliyawad, Surat-1(Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+ 5 Floors of residential and commercial building with the total height of 21.35 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.S.No.2088 to 2093, Ward No. 7; with floor area of GF to FF= 112.08sqmt.; Fifth Floor= 35.72sqmt.

Case No. 89

(Shri Usman Ibrahim Umarji Self and P.O.A.H. of Shri Abubakar Ibrahimbai and others, Er. M.P.Gajjar, Off.I, Prince Terrace, Godha Street, Nr. Jupiter Class, Nanpura, Timaliyawad, Surat-1(Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+ 5 Floors of residential building with the total height of 21.35 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at C.S.No.2094,2086/D/Part (South Side), Ward No. 7; with floor area of Basement to FF= 116.23sqmt.; Fifth Floor= 82.31sqmt.

Case No. 90

(Trustee, Bapushree Mahotsav Smruti Trust, Gujarat)

After perusal of the application, it was decided to ask the applicant to submit revised building plan with height restricted to 22.80 m (including mumty, parapet, water-tank etc). CA, West is directed to engage recognized Heritage Body e.g. INTACH for Heritage Impact Assessment in respect of the proposed construction. The payment for the agency will be routed through Competent Authority, West.

Case No. 91

(The Additional City Engineer (Bridge, Ahmedabad Municipal Corporation, Sardar Patel Bhavan, Danapith, Ahmedabad-380001 (Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Fly over Bridge of Public purpose with the total height of 06.80 mtrs. at T.P.Road.

Case No. 92

(Mr. Biswajit Senapati(Minor)C/o-Baisahab Charan Senapati, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 7.20 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 3602/5894, khata No. 1331/882. Mouza-Goutam Nagar, Unit-28, Bhubaneswar, Dist- Khurda, State-Odisha; with floor area of GF=FF=128.09 sqm.

Case No. 93

(Mr. Rama Chandra Pattnaik, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition to the existing GF and construction of FF with the total height of 6.75 mtrs. (including

mumty, parapet, water-storage tank etc.) at Plot no. EA-19, Revenue Plot No. 4484/8421, Khata No. 1611/1152, Mouza-Bargarh, Unit-35, Bhubaneswar, Dist- Khurda, State Odisha; with floor area of GF= 37.185 sqm; FF=21.794 sqm.

Case No. 94

(Mrs. Minati Biswal, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.30 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 387, Lay out plot No- A-6/19, Khata No. 117, Mouza -Lingipur, Bhubaneswar, Dist-Khurda, State -Odisha; with floor area of GF= FF =71.654 sqm.

Case No. 95

(Mr. Pradeep Kumar Patro, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 9.45 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 1082 (P) & 1082/3016, khata No. 604/971, and 604/1291, Mouza -Rajarani, Bhubaneswar, Dist - Khurda, Pin - 751002, Odisha; with floor area of GF=FF=279.257 sqm.

Case No. 96

(Mr. Biswajaya Dagra, Odisha)

After perusal of the application, it was decided to ask the applicant to submit separate proposals for two plots and also submit site plan indicating both the plots.

Case No. 97

(Mr. Subramanian, Valiyath House, Kadavallur, P.O. Thrissur-680543, Kerala)

After perusal of the application and in view of the explanation, it was decided to **recommend** grant of NOC in this extension work on the existing GF and FF with the total height 7.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 749/3, Talappilly- Taluk, Thrissur- District-680543; with proposed plinth area of GF = 13.90 sqm (extension); Porch = 11.74 sqm (extension); FF = 21.23 sqm (extension).

Case No. 98

(Sri. Velayudhan. C.M., Madani House, Ariyannoor, P.O., Thrissur - 680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF and FF of the existing GF+1 with the total height of 6.55 mtrs. (excluding mumty, parapet, water-storage tank etc.) at Survey No. 314/3, existing house, No.IV/388, Kandanassery Panchayath, Aloor Village, Madani House, Ariyannur, Thrissur; with proposed plinth area of GF = 22.45 sqm; FF = 62.43 sqm.

Case No. 99

(Mr. Shajahan & Muneera, Ambalaparambil House, Vellarkkad, P.O., Erumapetty via, Thrissur-680584, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 7.56 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 614/1; nearest door no. IX/236, Kadangod – Panchayath, Vellarkkad Village, Thalappilly Taluk; with plinth area of GF=107.93 sqm; FF = 41.91 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 100

(Sri. Shameer and Hamsa, Panikkaveetil House, Ariyannoor, P.O., Thrissur-680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+stair room with the total height of 6.05 mtrs. (including mumty, parapet, water-storage tank etc.) at Survey No. 313/6, nearest door no. IV/318, kandanassery Panchayath, Aloor Village, Thalappilly Taluk; with plinth area of GF=75.10 sqm; Stair Room=7.66 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 101

(Mr. Abhilash. V.R., Vilakkathra House, Kadavallur, P.O., Thrissur-680543, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 584/2, Ward No. 1 of Kadavallur Panchayath, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=89.77 sqm; FF=58.81 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 102

(Sri. Stephen, Kottappuram, Thankassery, P.O., Kollam-691009, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+stair room with the total height of 6.25 mtrs. (including mumty, parapet,

water-storage tank etc.) at Sy. No. 256/22/2 in Kollam West Village at Kollam Corporation; with plinth area of GF=105.57 sqm; FF= 9.22 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 103

(Mrs. Kamalakshi, Vadakkath House, Kadavallur, P.O., Thrissur-680543, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+stair room with the total height of 6.05 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 588/2, Ward No. 20 of Kadavallur Panchayath, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=109.86 sqm; Stair room = 8.32 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 104

(Mr. Sayyid Hyderali Shihab Thangal, Block Panchayath Office, Pattambi, P.O., Palakkad-679303, kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 161/9, Ward No. XXI at Pattambi Municipality, Pattambi Village, Palakkad District; with plinth area of GF=132.79 sqm; FF = 143.86 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 105

(Mr. Chandran K.S., Kunduparambil House, Chemmanthitta, Eyyal, P.O., Thrissur-680501, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of FF & compound wall with the total height of 7.08 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 99/3 Chemmanthitta Village, Thalappily Taluk, Thrissur District, Chowannur Grama Panchayath; with proposed plinth area of FF = 66.23 sqm and the proposed length of compound wall = 118.18 mtrs. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 106

(Smt. Sreevidhya, Sree Shylam, Vellanthara, Chittoor, P.O., Palakkad-678101, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of FF with the total height of 6.55 mtrs. (including mumty, parapet, water-storage tank etc.) at R. Sy. Nos. 5/29, 1722/1A pt, Ward no. 5, Block 29, TP No. KOP 5; at Kenathuparambu, Fort Maidan Palakkad Municipality District; with proposed plinth area of FF = 68.00 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 107

(Mr. Balakrishnan, Pullickaparambil House, Thiruvanchikulam, Kodungallur, P.O., Thrissur-680664, kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.55 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 37/3, Ward No. XX Village, Kodungallur Municipality, Kodungallur Dt Thrissur; with plinth area of GF = 82.06 sqm; FF = 44.78 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 108

(Sri. Radhakrishnan P., Sreenilayam, Maniyankad House, Koppam, Palakkad, P.O., Palakkad-678001, kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 10.35 mtrs. (including mumty, parapet, water-storage tank etc.) at R. Sy No. 27, Old Sy No. 1905, 1906, Block No. 33, Ward No. 5, Yakkara Village in Palakkad Municipality, Palakkad Taluk and District; with plinth area of GF = 141.40; FF = SF = 143.69 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 109

(Sri. Jayarajan, Mandakathingal House, Pengamukku, P.O., Thrissur – 680544, kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.78 mtrs. (including mumty, parapet, water-storage tank etc.) at R. Sy. No. 86/2, Part at Kunnankulam Village Kakkadu Desom Kukkankulam Municipality, Ward No. VIII; with plinth area of GF = 130.90 sqm; FF = 61.41 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while the constructing the building.

Case No. 110

(Sri. Satheesh S Nair & Sreeja, T.C. 64/2358, 'Bhavana', Thiruvallam, P.O., Thiruvananthapuram -695027, Kerala)

drawing his attention to the fact that Municipal Corporation concerned issued the building permit to the applicant in violation of AMASR Act.

Case No. 111

(Sri. Khalid, Oilassery House, Chirakkal, Kattakampal, P.O., Thrissur-680544, Kerala)

After perusal of the application and representation, it was decided to **reject** the case and ask the SA to file the FIR against the applicant.

Case No. 112

(Secretary, Thalassery Municipality, Thalassery, P.O. Kannur-670101, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor of entrance block and alteration of existing basket ball court with the total height of 9.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 5, Block No. 10, T.S. No. 166/1, Election Ward No. 48, Thalassery Municipality; with floor area of GF = 132.27 sqm; FF = 120.10 sqm.

Case no. 113

(Mr. Mulla Anwar Mulla Hussain, Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground Floor of structure I with the total height 3.00 mtrs (excluding mumty, parapet, water-tank etc.) and Ground Floor of structure II with the total height of 3.20 mtrs (excluding mumty, parapet, water-tank etc.) at Survey No. 236/1, Village Bandora, Ponda Goa with area of Structure I- 127.53 sqm & Structure II-137.149 sqm.

Case no. 114

(Shri Shankar Singh S/o Shri Mukut Singh Chauhan, Punasa, Khandwa, M.P)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+1 floor with the total height of 8.10 mtrs including mumty, parapet, water-tank etc. on Plot No. 68, Mandhata Dreams Colony, Onkareshwar, Khandwa, M.P with floor area of G.F=54.45 sqm & F.F = 60.23 sqm.

Case no. 115

(Shri Rakesh S/o Shri Narayan Bansawal, Khandwa, M.P)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floors with the total height of 11.20 mtrs including mumty, parapet, water-tank etc. on Plot No. 67, Mandhata Dreams Colony, Onkareshwar, Khandwa (M.P) with floor area; G.F=76.90 sqm, F.F=66.93 sqm & S.F= 51.98 sqm.

Case no. 116

(Shri Devendra S/o Shri Parasram Chaturvedi, Punasa, Khandwa, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floors with the total height of 11.20 mtrs including mumty, parapet, water-tank etc. on Plot No. 71, Mandhata Dreams Colony, Onkareshwar, Khandwa (M.P) with floor area; G.F=52.42 sqm, F.F= 62.36 sqm, S.F= 24.30 sqm.

Case no. 117

(Shri Tilak Chand S/o Shri Jhadu Mahajan Kachwahe, Lanji, Balaghat, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of residential Ground floor with the total height of 4.85 mtrs including mumty, parapet, water-tank etc. at Khasra No. 489/2/Kh, Sha. No. 489/3 Kh, Halka-Lanji; with floor area of G.F= 77.50 sqm.

Case no. 118

(Secretary, Scindia Education Society, Gwalior, Madhya Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for re-construction of pathway and stone kharanja on Survey No. 777, Gwalior (M.P) with total area- 2324 sqm.

Case no. 119

(Smt. Pushpa Pandey & Smt. Kiran Pandey, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+1 floor with the total height of 9.05 mtrs including mumty, parapet, water-tank etc. at Arazi No. 75, Mauza-Tilmapur, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F= 63.12 sqm.

Case no. 120

(Shri Sanjesh Kumar Yadav, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floors with the total height of 12.41 mtrs including mumty, parapet, water-tank etc. at Arazi No. 131, Mauza- Ganj, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F= 117.14 sqm & S.F= 95.44 sqm.

Case no. 121

(Smt. Poonam Singh W/o Shri Parvind Kumar Singh, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floor with the total height of 12.79 mtrs including mumty, parapet, water-tank etc. at Arazi No. 130, Mauza-Ganj, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F=S.F= 85.46 sqm.

Case no. 122

(Shri Ajit Kumar Maurya & Sh. Ravi Kumar Maurya, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+1 floor with the total height of 9.14 mtrs including mumty, parapet, water-tank etc. at Arazi No. 52/1, Mauza-Ganj, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F= 66.98 sqm.

Case no. 123

(Shri Gopal Prasad Gupta S/o Late Shri Ramdhani, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floor with the total height of 13.20 mtrs including mumty, parapet, water-tank etc. at Arazi No. 44/5, Mauza-Ganj, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F=S.F = 37.91 sqm.

Case no. 124

(Smt. Anjela Singh W/o Shri Sanjiv Kumar, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floor with the total height of 12.65 mtrs including mumty, parapet, water-tank etc. at Arazi No. 8, Mauza- Baraipur, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F= 138.41 sqm & S.F= 76.02 sqm.

Case no. 125

(Smt. Chamela Gupta W/o Shri Gopal Prasad, Varanasi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+2 floor with the total height of 12.96 mtrs including mumty, parapet, water-tank etc. at Arazi No. 366, Mauza- Baraipur, Pargana-Shivpur, Sarnath, Varanasi with floor area; G.F=F.F= 61.58 sqm & S.F= 48.78 sqm.

Case no. 126

(Shri Ankur Bairathi S/o Shri Babulal Bairathi & Smt. Anita Bairathi, Jaipur, Rajasthan)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of second floor over existing G+1 floor with the total height of 12.95 mtrs including mumty, parapet, water-tank etc. on Plot No. 4 & 5, Sitaram Bazar, Brahmपुरi, Jaipur with proposed S.F area= 251.22 sqm.

Case no. 127

(Smt. Sweety Jain W/o Shri Yogesh Jain, Jhansi, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+1 floor with the total height of 8.80 mtrs including mumty, parapet, water-tank etc. on Plot No. 57, Jhansi Khas outside Khanderao Gate, Jhansi with floor area; G.F=F.F= 59.80 sqm.

Case no. 128

(Shri Mohammad Farooque, Siddharth Nagar, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential ground floor with the total height of 5.73 mtrs including mumty, parapet, water-tank etc. on Khata No. 76, Gata No. 1993/0.051 Heq., Aligarhwa, Birdpur No.-1, Tehsil-Navgarh, District-Siddharth Nagar (U.P); with floor area; G.F=191.54 sqm.

Case no. 129

(Shri Rajkumar, Kapilvastu, Siddharth Nagar, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential ground floor+stair room with the total height of 6.94 mtrs including mumty, parapet, water-tank etc. on Plot No. 1772 at Birdpur No. 1, Tola-Aligarhwa, Kapilvastu, Tappa Ghosh, Pargana & Tehsil-Nawgarh, District-Siddharth Nagar (U.P) with floor area; G.F=55.06 sqm.

Case no. 130



(Shri Laxmi Narayan, Kapilvastu, Siddharth Nagar, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of commercial G+1 with the total height of 9.14 mtrs including mumty, parapet, water-tank etc. on Plot No. 1768 at Birdpur No. 1, Tola-Aligarhwa, Kapilvastu, Tappa Ghosh, Pargana & Tehsil-Nawgarh, District-Siddharth Nagar (U.P) with floor area; G.F=F.F= 62.74 sqm.

Case no. 131

(Shri Premchand, Kapilvastu, Siddharth Nagar, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G.F+stair room with the total height of 6.82 mtrs including mumty, parapet, water-tank etc. on Plot No. 1772 at Birdpur No. 1, Tola-Aligarhwa, Kapilvastu, Tappa Ghosh, Pargana & Tehsil-Nawgarh, District-Siddharth Nagar (U.P) with floor area; G.F=42.05 sqm.

Case no. 132

(Manager, City Montessori School, Lucknow, Uttar Pradesh)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Basement+GF+3 floors with the total height of 12 mtrs including mumty, parapet, water-tank etc. in City Montessori School, Sector-O, Aliganj, Lucknow (U.P) with floor area; Basement=G.F=F.F=S.F=T.F= 701 sqm.

Case No. 133

(Shri. T.E. Elangovan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of FF over existing GF with the total height of 9.36 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 1, Mahalakshmi Nagar, S.No. 318/2A (New S.No. 318/2A1B), Kunrathur Village, Kunrathur Town Panchayath Limit, Sriperumbudur Taluk, Kanchipuram District; with proposed floor area of FF = 82.03 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 134

(Smt. S. Roseline, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with head room with the total height of 10.64 mtrs. (including mumty, parapet, water-storage tank etc.) at Old S.No. 7/12 Part, Patta New S.No. 7/12A2, Naduveerapattu Village, Sriperumbudur Taluk, Kunrathur Panchayat Union Limit, Kanchipuram

District; with floor area of GF=87.45 sqm; FF= 99.62 sqm and Head Room = 10.78 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 135

(Smt. Y. Sundari W/o R. Yogeeswaran, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+head room with the total height of 6.47 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 10, "Om Sakthi Temple Nagar", S.No. 412/1, Kunrathur Village, Sripermpudur Taluk, Kanchipuram District; with floor area of GF=65.58 sqm; Car parking & staircase=18.30 sqm and Head Room = 9.10 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 136

(Smt. R. Sowmya, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Anna Nagar, 1st Main Road, S.No. 354/2B1B, Naduveerpattu Madura Kandikai Darkas Village, Sriperambudur Taluk, Kanchipuram District; with floor area of GF=FF = 189.51 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 137

(Smt. C. Shanthi w/o Chandramani, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 36/160, Ward – C, Block – 5, T.s. No. 208, 209, Patta No. 1468, Thillaipuram Main Road, Namakkal Town, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF = 23.39 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 138

(Shri. R. Ramasrinivasan S/o N.V. Ramachandran & Smt. S. Ushadevi W/o R. Ramasrinivasan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 79, 81, 83 & 85, Rangarsannathi Street, Ward – B, Block – 10, T.S.No. 300, 301, 302, 303, Namakkal Municipality, Namakkal Taluk & District; with floor area of GF=FF=SF= 117.46 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 139

(Smt. R. Jayavani D/o T. Raghuchandran, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with head room with the total height of 9.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 9, S.No. 359/39, Naduveerapattu Village, Kundrathur Panchayat Union, Sriperambudur Taluk, Kanchipuram District; with floor area of GF=FF=129.86 sqm; Head room= 10.70 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 140

(Smt. R. Ramya W/o Karthik Raja, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Anna Nagar, 1st Main Road, S.No. 354/5B6A6B, Naduveerapattu Madura Kandikaidarkas Village, Sriperambudur Taluk, Kanchipuram District; with floor area of GF=FF=189.51 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 141

(Shri. S. Balasubramaniam S/o Srinivasan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 34/161, Ward No. C, Block No.5, T.S. No. 208, 209, Patta No. 1468, Thillaiapuram Main Road, Namakkal Town, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF=23.55 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 142

(Shri. P. Subramaniam S/o Ponnusamy, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 71, New S.F. No. 514/51 (Part), 515/51 (Part) T.S. No. 85, Ward No. C, Block No. 8, Thillaiapuram First Street, Namakkal Municipality, Namakkal Taluk & District; with floor area of GF=FF=SF= 62.85 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.143

(Shri P. Selvaraj S/o Palani Gounder, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at T. S. No. 105/3, 112/2, 113/1 (Pt), Ward – C, Block – 6, Paramathi Road, Namakkal Municipality, Namakkal Taluk & District.; with plinth area:

Plinth Area	Commercial	Residential
Ground Floor	32.85	30.68
First Floor	32.85	30.68
Second Floor	32.85	30.68

The color scheme of the monument should be kept in view while constructing the building.

Case No. 144

(Shri. R. Arjunan S/o Ramswamy Gounder, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 180/84, 180A, S.F. No. 288/1, Part, Ward No. A, Block No.11, T.S. No. 191/2, Plot No. 6, A.S. Pettai, Namakkal Town, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF= 44.87 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 145

(Shri S. Mani S/o Singaram Pillai, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at S.F.No. 49, Ward No. C, Block No. 1, T.S. No. 18, 19, 20, 21, Bodhupatty Road, A.S. Pettai, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF= 105.20 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 146

(Shri S. Boopathi S/o Selvaraj, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 10.80 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 37/22B, Ward No. C, Block No. 3, T.S. No. 6/6, Patta No. 7707, Sellandiamman Kovil Street, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF=SF= 74.16 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 147

(Shri J. Vijaya Raghavan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/GF+2 floors with the total height of 11.43 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 4 & 5, Sri Mahalakshmi Nagar, S.No. 318/2A1B, (As Per Patta), Kunrathur Village, Kunrathur Town Panchayath, Sriperumbudur Taluk, Kanchipuram District; with floor area of Stilt = 100.08 sqm; GF=75.25 sqm; FF=175.34 sqm; SF= 109.60 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 148

(Shri. S. Padamanathan S/o V. Sankaran, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 9.60 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 20/239, 16/241, Patta No. 6834, 6835, Ward-B, Block -7, T.S. No. 44, 45/1, 45/2, 46, 47/1, 47/2, 48/1, 48/2, Salem Road, Namakkal Municipal Limit, Namakkal Taluk & District; with floor area of GF=FF= 70.00 sqm; SF= 38.43 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 149

(Shri. C. Balaji S/o Chokalingam Mudallaiyar, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.69 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S. No. 330/1, 2(P), Ward No. 3, Block No. 15, Door No. 16/28 'D, Mundy Street, Vellore City & District; with floor area of GF=FF= 57.80 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 150

(Shri. K. Nataraj S/o P. Karuppan (Late), Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S.No. 101, 102, 103, 104, 105/1, Ward - C, Block - 6, Paramathi Road, Namakkal Municipality, Namakkal Taluk & District; with floor area of GF=FF=SF= 142.47 sqm. The color scheme of the monument should be kept in view while the constructing the building.

Case No. 151

(Smt. S. Ettammal W/o Jeyaraman, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S. No. 105/2, 112/1, Ward - C, Block - 6, Paramathi Road, Namakkal Municipality, Namakkal Taluk & District; with floor area:

Plinth Area	Commercial	Residential
Ground Floor	32.85	30.68
First Floor	32.85	30.68
Second Floor	32.85	30.68

The color scheme of the monument should be kept in view while constructing the building.

Case No. 152

(Smt. A. Radhika, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.72 mtrs. (including mumty, parapet, water-storage tank etc.) at R.S. No. 57/16B, Kavarai Street, Darasuram Village and Panchayat, Kumbakonam Taluk, Thanjavur District; with floor area of GF= 90.86 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 153

(M/s RAR Sons Realtors India Pvt Ltd, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Basement+GF at R.S. No. 57/16B, Kavarai Street, Darasuram Village and Panchayat, Kumbakonam Taluk, Thanjavur District; with floor area:

Area Statement	F.S.I Area	Non – F.S.I
Basement floor	---	463.16 sqmt
Stilt		40.29 sqmt
First floor	415.07	---
Second floor	415.07	---

The color scheme of the monument should be kept in view while constructing the building.

Case No. 154

(Shri Muniyasamy, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Head room with the total height of 6.52 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 19, Omsakthy Temple Nagar, S.No. 411/2, Kunrathur Village, Kunrathur Town Panchayath Limit, Sriperumbudur Taluk, Kanchipuram District.; with floor area of GF= 95.56 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 155

(Shri M. Elumalai, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt/GF+2 floors with the total height of 12.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 2, Surya Avenue, Survey No. 404/1, Patta Survey No. 404/8, Kunrathur Village and Town Panchayath, Sriperumbudur Taluk, Kanchipuram District; with floor area of Stilt = 33.07 sqm; GF=SF= 43.76 sqm; FF= 75.90 sqm; head room = 11.70 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 156

(Smt. A. Devaki w/o M. Appu, Smt. D. Saroja, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.74 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 58B & 58B/1A, Jawaharlal Street, T.S.No. 1469/1A1, 1A2, 1A3 & 1A4, Ward No. 4, Block No. 18, Kanchipuram Town, Taluk & District; with floor area of GF= 65.20 sqm; FF= 48.06 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 157

(Shri. G. Balasubramanian S/o Govindaraja Mudaliyar, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 9.13 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 48/1, Ubathalivar Pharamacivam Street, T.S. No. 394/2B, Ward No. 4, Block No. 5, Kanchipuram Town; with floor area of GF= 174.23 sqm; FF= 115.52 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 158

(Shri. G. Balasubramanian S/o Govindaraja Mudaliyar, Shri. B. Viswanathan S/o G. Balasubramanian, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 9.13 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 11AB, Upperikulam Street, T.S. No. 225/1B2, Ward No. 4, Block No. 41, Kanchipuram Town; with floor area of GF= 174.23 sqm; FF= 115.52 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 159

(Shri. C. Venkatesan S/o Chandrasekar Mudaliyar, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+2 floors with the total height of 10.28 mtrs. (including mumty, parapet, water-storage tank etc.) at Door NO. 1A, Vaikundaperumal Koil Street, T.S. No.823/1A, Ward No.4, Block No. 11, Kanchipuram Town; with floor area of Stilt = 112.19 sqm; FF=SF= 104.56 sqm. The color scheme of the monument should be kept in view while the constructing building.

Case No. 160

(Shri. B.A. Janakiraman, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.70 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 81, Ekambaranathar Koil Sannathi Street, Ward No. 4, Block No. 28, Kanchipuram Town, Taluk and District; with floor area of GF=FF=81.6 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 161

(Smt. R. Geetha, Smt. Alarmelu Mangai, Shri Aravindan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+2 floors with the total height of 8.70 mtrs. (including mumty, parapet, water-storage tank etc.) at D.No. 14B, Kalandar Street, T.S.No. 1403/1, 1434/2A, Ward No. 4, Block No. 18, Kanchipuram Town, Taluk & District; with floor area of Stilt= 103.00 sqm; FF=SF= 110.00 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 162

(Shri M. Dayalan, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.19 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S. NO. 2111/1, Ward No. 4, Block No. 50, Door No. 57, Kullappan Street, Kanchipuram Town, Taluk and District; with floor area of GF=FF= 117.47 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 163

(Shri. U. Shankar, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.19 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S. No. 700/1, Ward No.4, Block No. 9, Door No. 3B, East Raja Street, Kanchipuram Town, Taluk & District; with floor area of GF=FF= 67.10 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 164

(Shri. N. Paneer Selvam, Smt. S. Vinothini, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.85 mtrs. (including mumty, parapet, water-storage tank etc.) at T.S. Old T.S. No. 2370, New T.S. No. 2370/1C5, Ward-3, Block-47, Plot No. 50, Anna Salai, Mullai Nagar, Kailasanathar Koil Mettu Street, Salabogam, Kanchipuram Town, Taluk and District; with floor area of GF= 133.27 sqm; FF= 48.80 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 165

(Dr. Biren Das, Assam)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of FF and SF over existing GF with the total height of 12.30 mtrs. (including mumty, parapet, water-storage tank etc.) at Junaki nagar, Joysagar, Sivasagar, Assam; with proposed floor area of FF= SF= 105.30 sqm.

Case No. 166

(Md. Fulu Ali, Assam)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.9 mtrs. (including mumty, parapet, water-storage tank etc.) at Jaysagar near Ranghar, Dag No. 6989, P.P No. 1283; with floor area of GF= FF= 98.28 sqm.

Case No. 167

(Mrs. Runu Begum, Assam)


After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.1 mtrs. (including mumty, parapet, water-storage tank etc.) at Jaysagar near Ranghar, Dag No. 7812, P.P No. 6638; with floor area of GF= 75.60 sqm.

Deferred Cases

Case no. 1

(Shri Yogesh Yadav & Smt. Kavita Yadav, Agra, Uttar Pradesh)

After perusal of the application, it was decided that NMA officials may visit the proposed site and submit a report in this case.



Case no. 2

(Smt. Sangita Agarwal W/o Shri Vishnu Kumar Agarwal, Udham Singh Nagar Uttarakhand)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential and commercial G+1 floor with the total height of 8.69 mtrs including mummy, parapet, water-tank etc. on Khata No. 481, Khasra No. 368Min, Village-Jaspur Khurd, Tehsil-Kashipur, Uttarakhand with floor area; G.F=176.17 sqm & F.F= 72.96 sqm subject to the condition that ASI may ensure no construction would be done in prohibited area.

Case no. 3

(Shri Anand Swaroop Rastogi and Anup Kumar Urf Anupam Kumar, Udham Singh Nagar, Uttarakhand)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential and commercial G+1 floor with the total height of 8.84 mtrs including mummy, parapet, water-tank etc. on Khata No. 300, Khasra No. 75, Village-Ujjain, Tehsil-Kashipur, Uttarakhand with floor area; (Part of Anupam Rastogi) G.F=173.29 sqm & F.F= 73.95 sqm and (part of Anand Rastogi) – G.F= 169.62 sqm & F.F= 78.64 sqm subject to the condition that ASI may ensure no construction would be done in prohibited area.

Case no. 4

(Shri Om Prakash Agarwal S/o Late Shri M.L. Agarwal, Udham Singh Nagar, Uttarakhand)

After perusal of the application, it was decided to get the information in Schedule II format and to ask CA and SA to verify the exact distance of the proposed site from the protected monument.

Case no. 5

(Secretary/Chairman of Cama and Nahar Association, Ahmedabad, Gujarat)

After perusal of the revised building plan, it was observed that there is an existing building on the proposed site, whereas, as per Form II, proposed site is vacant. Therefore, it was decided to **defer** the case and ask the CA to clarify the same as in the revised building plan, the existing area is also mentioned alongwith proposed area.

Case no. 6

(Shri Rupeshbhai B. Sachaniya and others, Ahmedabad, Gujarat)

After perusal of the revised building plan, it was decided to recommend grant of NOC in this case for reconstruction of residential G+5+stair cabin+lift room with the total height of 22.80 mtrs including mumty, parapet, water-tank etc. at Tena No. 3, T.P. No. 4, F.P. No. 82/3, Maninagar, Ahmedabad with floor area; G.F=F.F=S.F=T.F=F.F=F.F=107.01 sqm.

Case no. 7

(Shri Mohammad Asif Abdul Latif Shaikh, Surat, Gujarat)

After perusal of the revised building plan, it was decided to recommend grant of NOC in this case for reconstruction of residential parking/G.F+4+stair room with the total height of 17.50 mtrs including mumty, parapet, water-tank etc. at Ward No. 07, C.S No. 1898 & 1899 Surat with floor area; G.F=F.F=S.F=T.F=F.F= 50.11 sqm.

Case no. 8

(Shri Rizvan Ishmilebhai Sopariwali and Irfan Ishmilebhai Sopraiwala, Surat, Gujarat)

After perusal of the application, it was decided to defer the case and ask for complete Schedule II information as the information furnished in column IV is not in conformity with the ground situation of Surat. Land use in the vicinity of the monument is required to be identified.

Case no. 9

(Jahedabanu Abdul Hamid Ansari and others, Surat, Gujarat)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential G+5 floors with the total height of 17.50 mtrs including mumty, parapet, water-tank etc. at C.S No. 1841/B, Ward No. 7, Sheet No. 35, Surat with floor area; G.F=F.F=S.F=T.F=F.F=F.F= 61.50 sqm.

Case no. 10

(M/s Aero Promoters Pvt. Ltd. Through its Director Sh. Nimish Arora, Masjid Moth, New Delhi)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential basement+stilt+4 floors with the total height of 18 mtrs including mumty, parapet, water-tank etc. at 3-B, Khasra No. 416 (2-14) & 417 (3-19), Masjid Moth, with floor area; Stilt=G.F=769.76 sqm; F.F=S.F=T.F=754.84 sqm & Basement area=769.76 sqm with depth= 3.85 mtrs. The recommendation is subject to complying with mitigations measures recommended in HIA report.

Case no. 11

(Shri Deshmukh Anant Umakant, Aurangabad, Maharashtra)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of residential stilt/parking/GF+3 floors with the total height of 14.00 mtrs including mumty, parapet, water-tank etc. on Plot No. 06, CTS. No. 1579, Taleshwar Co-op housing society, Maqbara Road, Aurangabad with floor area; Stilt/G.F=F.F=S.F=T.F= 115.362 sqm.

Review Cases

Case no. 1

(Smt. Geeta, Haveri, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case with the total height as per building plan.

Case no. 2

(M/s Neocon Infrastructure Services Pvt. Ltd, Borivali, Maharashtra)

After perusal of the application and revised plan submitted by the applicant, it was decided to **recommend** grant of NOC in this case for construction of basement+G.F+9 upper floor with the total height of 38.80 mtrs including mumty, parapet, water-tank etc.

Case no. 3

(Shri Surjit Singh Jolly and others, N-115, Panchsheel Park, New Delhi)

The case was earlier recommended in 138th meeting of NMA held on 27th & 28th June, 2016, wherein, after perusal of the site plan leaving setback of 24 mtrs. and architectural drawings of the building submitted by CA, it was decided to grant the permission for construction of Basement+Stilt+4 floors in the regulated area only (as per revised Building Plan submitted) with the total height of 18 mtrs. (including mumty, parapet, water-tank etc.) at N-115, Panchsheel Park, New Delhi; with floor area of Stilt=GF=FF=SF=TF=322.13 sqm. & Basement = 307.97 sqm. with depth: 3.65 mtrs. C.A. vide his letter F. No. 12/157/2017-CA/Delhi/UID: 1133/150 dated 03/04/2017, forwarded the revised drawing submitted by the applicant for increase in floor area as well as basement. After perusal of the representation and revised building plan submitted by the applicant, it was decided to **reject the revised proposal for increase in FAR.**

Case no. 4

(Shri Pranay Choudhary, J-18, NDSE-I, New Delhi)

After consideration of the application, it was decided to give extension of 3 years from 21st June, 2017 with the proposed FAR only for basement as per local bye laws.

Case no. 5

(M/s Trillium Holding Pvt. Ltd. Through Director Sh. Rakesh Gulshan, J-17, NDSE-I, Delhi)

After consideration of the application, it was decided to give extension of 3 years from 21st June, 2017 with the proposed FAR only for basement as per local bye laws.

Case no. 6

(Smt. Shashi Puri and Shri Mohit Puri, A-1/36, Panchsheel Enclave, New Delhi)

After perusal of the revised plan, it was decided to recommend the case and ask CA to submit the revised building plan after leaving setback of 9.2 mtrs from the front of the plot with the condition that no new construction including boundary wall should be done within the prohibited area.

Case no. 7

(Shri Vikas Mehra C/o Mukut House Developers Pvt. Ltd., Punjab)

After perusal of the revised application and presentation made by the Architect, it was decided to recommend grant of NOC in this case for construction of Basement+LGF+UGF+FF+SF+TF with the total height of 24.39 (including mumty, parapet, water-tank etc.) at Hadvast No. 387, Plot No. 3, Amritsar Urban Estate, Mall Road, Amritsar, Punjab with total floor area LGF = 2748.48 sqm; UGF= 2613.39 sqm; FF= SF=TF=2413.09 sqm.

Reconsideration cases

Case no. 1

(Mr. Joy, Thrissur, Kerala)

After perusal of the representation by CA, it was decided to recommend grant of NOC in this case for construction of G+1 floor with the total height of 9.50 mtrs including mumty, parapet, water-tank etc.) with floor area of GF= 167 sqm; FF = 110 sqm.

Case no. 2

(Mrs. Vasantha K.P, Kerala)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of GF+stair room with the total height of 7.00 mtrs (including mumty, parapet, water-tank etc.) with floor area of GF=95.76 sqm; Stair room = 7.22 sqm.


Case no. 3

(Mr. Eldho, Kerala)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of GF+2 floors with the total height of 10.46 mtrs (including mumty, parapet, water-tank etc.) with floor area GF=FF=SF= 292.68 sqm.

Agenda No. 3: Discussion about Heritage Impact Assessment Report/Schedule II information regarding Mumbai Cases.

The minutes on this agenda is being issued separately.

A handwritten signature in black ink, consisting of stylized cursive letters, is positioned in the upper middle section of the page. The signature is underlined with a single horizontal stroke.

Additional Agenda 1:

(The City Mamlatdar, Revenue Department, Government of Gujarat)

After perusal of the information submitted by the C.A., it was decided to **suspend** the NOC till the court case is decided.

Additional Agenda 2:

(Smt. Kamla w/o Sh. Dayal Patidar & Smt. Premila w/o Sh. Satish Patidar, Rajasthan)

After perusal of the information submitted by the C.A., it was decided to **withdraw** the NOC issued in both the cases and ask ASI to initiate proceedings as per law for unauthorized construction.

Additional Agenda 3:

(Sh. Santosh Kumar Goyal s/o Sh. Jagdish Kumar Goyal, Rajasthan)

After perusal of the information submitted by the C.A., it was decided to ask ASI to take necessary action as per law.

Additional Agenda 4:

(Mr. Sathian P.M., Kerala)

After perusal of the case, it was decided to **recommend** grant of NOC in this case for construction of compound wall and GF+1 Floor of commercial building with the total height of 11.65 mtrs. (including mummy, parapet, lift room, water-storage tank etc.) at Survey No. 262/33 Cherpu Gramapanchayath, Chevoor Village, Thrissur Taluk, Thrissur (Dist.); with floor area of GF=80.00 sqm. & FF=66.00 sqm.

Additional Agenda 5:

(Kolkata Municipal Corporation, West Bengal)

After perusal of the case, it was observed that the proposed construction will affect the visual integrity of the monument. Moreover, the proposed construction site is in prohibited area, which is not permissible.

Additional Agenda 6:

(Shri Nand Kishore, Madhya Pradesh)

After perusal of the case, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 3.15 mtrs (including mummy, parapet, water-storage tank etc.) at Khasra No. 187/137/Kh, Halka- Lanji, Balaghat, MP; with total built up area =105.71 sqm. subject to condition that distance from the protected limit should be re-verified .