

MINUTES OF THE 167th MEETING OF NMA

Venue - Conference Hall, NMA Hqrs, 24, Tilak Marg,
New Delhi 110001

Time & Date - 10.30 A.M on 18th December, 2017

The meeting was attended by the following:

1. Ms. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA.
4. Sh. Satish Kumar, Whole Time Member, NMA
5. Sh. Navneet Soni, Member Secretary

Agenda No. 1

The minutes of 164th meeting held on 3rd November, 2017 were confirmed.

Agenda No. 2

(Director, Museum, Bihar, Dept. of Art, Culture & Youth, Govt. of Bihar, Patna)

The project was examined and in view of the review petition and Powerpoint presentation, the proposal is recommended subject to following conditions:-

- i) Proposed new Stupa should be shifted beyond regulated area
- ii) It should not look like a medieaval structure but should reflect the aesthetics of ancient Buddhist Stupa architecture.
- iii) The imposing structure of the proposed new Stupa should be scaled down to merge with the ancient site.

Agenda 3:

Consideration of NOC applications

Fresh Cases

Case No. 01

(Shri Prem Narayan Sharma, Flat No. 275, Block-DA, Shalimar Bagh, New Delhi)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.

Case No. 02

(Shri Bipin Kumar Mishra and Smt. Madhu Mishra, Flat No. 274, Block-DA, Shalimar Bagh, New Delhi)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.

Case No. 03

(Smt. Magna Chauhan, Flat No.276, Block-DA, Shalimar Bagh, New Delhi)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.

Case No. 04

(Smt. Varsha Aggarwal, Flat No. 273, Block-DA, Shalimar Bagh, New Delhi)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.

Case No. 05

(Shri Sandeep Gupta, 96, Anand Lok, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+4 Floors with the total height of 18 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at 96, Anand Lok, New Delhi; with floor area of Stilt=GF=192.08 sqmt., FF=SF=186.62 sqmt, TF=173.26 sqm. & Basement=145.66 sqm. with depth: -3.05 mtrs.

Case No. 06

(Smt. Amarjit Malik, B-1/23, Safdarjung Enclave, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on ground floor to second floor and construction of third floor of residential building with the total height of building restricted to 16.158 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at B-1/23, Safdarjung Enclave, New Delhi; with proposed area on GF=FF=3.42 sqmt., SF=101.34sqmt. & TF=226.71sqmt.

Case No. 07

(Smt. Nitoo Das and Shri Sanjay Gautam, Flat No.480, Block-DA, Shalimar Bagh, New Delhi)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.

Case No. 08

(Smt. Reema and Shri Hari Prasad, Flat No.532, Block-DA, Shalimar Bagh, New Delhi)

~~After perusal of the application, it was decided to **defer** the case and ask the applicant to submit complete approved block plan. Thereafter, the case will be considered again.~~

Case No. 09

(M/s. Uppal Housing Pvt. Ltd. through its Authorized Signatory Shri Rakesh Uppal, D-29 A, Hauz Khas, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+4 Floors with the total height of 18 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at D-29 A, Hauz Khas, New Delhi; with floor area of Stilt=GF=FF=SF=TF=158.00 sqm. & Basement=100.60 sqm. with depth: -2.90 mtrs.

Case No. 10

(M/s Alliance Francaise de Delhi Through its President Shri Jawahar Lal Sarin, Alliance Francaise de Delhi, 72, Lodi Estate, K.K. Birla Lane, New Delhi- 110013)

After perusal of the application, it was decided to **cancel the NOC granted earlier in the 159th meeting and recommend** grant of NOC in this case for construction of two security guard rooms with the total height of 3.2 mtrs. (including mumty, parapet, water-storage tank etc.); floor area of 1st guard room=4.41 sqm. & 2nd guard room=4.4 sqm. and construction of

boundary wall with the total height of 1.8 mtr. at Alliance Francaise de Delhi, 72, Lodi Estate, K.K. Birla Lane, New Delhi- 110013.

Case No. 11

(Shri Sandeep Kamboj, Property No. 106 & 108, B.K. Dutt Colony, Aliganj, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on second floor (Barsati) over an existing G+1 storey of residential building with the total height of building restricted to 12.03 mtrs. (including mumty, parapet, water-storage tank etc.) at 106 & 108, B.K. Dutt Colony, Aliganj, New Delhi; with proposed floor area of SF (Barsati Floor)=19.63 sqmt.

Case no. 12

(Shri Sandeep Ramakant Waghmare, A-10, Suryakiran Model Town, 4 Bungalows, Andheri (W), Mumbai- 400053 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Museum Cum Art Gallery of Stilt + GF with the total height of 10.75 mtrs (including mumty, parapet, water-tank etc.) at Plot No. 4, Lohagad Village, Tal.- Maval, Dist.- Pune; with floor area of G.F=105.32 sqmt. The color scheme of the monument should be kept in view while constructing the building.

Case no. 13

(Shri Suresh Vinayak Tathe, Tathe Nivas, H. No. 1/6/37-I, Maliwada, Begampura, Dist.- Aurangabad- 431004 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+3 floors with the total height of 14.18 mtrs (including mumty, parapet, water-storage tank etc.) at P. No. 1-6-37/1, C.T.S. No. 1543/P, Maliwada at Begampura, Aurangabad; with built up area of GF=FF=127.85 sqmt. & SF= 97.17 sqmt.

Case No. 14

(Smt. Madhuri Madan Demase, At Post, Pathardi, Tal & Dist. Nashik- 422010)

After perusal of the application, it was decided to inform the applicant that the proposed project should be shifted beyond the regulated area of the centrally protected monument.

Case no. 15

(Shri Pradeep Umakant Dixit, 676, South Kasba, Solapur- 413007)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+3 floors with the total height of 17.90 mtrs (including mumty, parapet, water-storage tank, Lift room etc.) at S. No. 726, House No.- 676, South Kasba, Solapur; with floor area of GF=38.95 sqmt & FF=SF=TF= 83.52 sqmt.

Case no. 16

(Shri Nagesh Ramakant Itai, House No. 701 & 702 at South Kasba, Solapur- 413007, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF/Parking+5 floors of residential building with the total height of 17.95 mtrs (including mumty, parapet, water-tank, lift room etc.) at C.S. No. 748 & 749, House No.- 701 & 702, South Kasba, Solapur; with floor area of FF=SF=TF=FF=72.98 sqmt. & FF=13.20sqmt.

Case no. 17


(Shri Shriram G. Khadilkar and Shri Bhalchandra G. Khadilkar, 529, South Kasba, Solapur- 413007, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors of residential and commercial building with the total height of 12.60 mtrs (including mumty, parapet, water-tank, etc.) at C.S. No. 563, South Kasba, Solapur; with floor area of GF=79.91 sqmt. & F.F=S.F=163.73 sqmt.; subject to production of copy of approval by local authority for verification.

Case no. 18

(Shri Shankar Baburao Kamble, Kasba Peth, Burud Galli, Phaltan, Dist.- Satara- 415523 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor of residential building with the total height of 9.90 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 2566, At- Kasba Peth, Tal. Phaltan, Dist.- Satara; with floor area of GF=FF=27.04 sqmt.



Case no. 19

(Shri Abaso Ganpatrao Ghadage, 396, Budhwar Peth, Teli Galli, Tal- Phaltan, Dist.- Satara- 415523 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF/parking+3 floors of residential building with the total height of 14.50 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 5767, 5769, At. Budhwar Peth, Panhala, Dist.- Satara; with floor area of GF=28.08 sqmt. & FF=SF=TF=22.55 sqmt.

Case no. 20

(Shri Dhyaneshwar Allas Balasaheb Bhausahab Ghodge Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor of residential building with the total height of 9.70 mtrs (including mumty, parapet, water-tank, etc.) at C.S. No. 2552, 2553, 2554, 2623, At-Kasba Peth, Phaltan, Dist.- Satara; with floor area of GF=FF=73.05 sqmt.

Case no. 21

(Shri Sanjay Dattatraya Malve, A.P. Shree Complex, Narali Baugh, Phaltan, Tal- Phaltan, Dist.- Satara- 415523 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor of commercial building with the total height of 9.60 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 5489, 5490, 5491, At- Phaltan, Tal- Phaltan, Dist.- Satara; with floor area of GF=FF=37.75 sqmt.

Case no. 22

(Shri Rohan Makarand Kulkarni and Shri Mahavir Suresh Bhandari, Marc House Nagar- Shridi Highway; Savedi, Dist.- Ahmednagar- 414001 Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of parking+GF+1floor of residential building with the total height of 11.20 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 5442, Gujar Lane, Ahmednagar, Maharashtra; with floor area of GF=FF=42.44 sqmt.



Case no. 23

(Shri Balasaheb Baburao More , Hari Om Saree Center, Umaji Naik Chowk, Raviwar Peth, Phaltan, Dist.- Satara- 415523, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors of commercial building with the total height of 13.90 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 5605, At/Tal.- Phaltan, Dist.- Satara, Maharashtra; with floor area of GF=FF=155.96 sqmt., SF=62.55 sqmt. & Basement depth -2.00 mtr.

Case no. 24

(Shri Rajendra Babanrao Godase, C/o. Mahendra Jadhav, Amar plaza, Tal- Phaltan, Dist.- Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor of residential building with the total height of 10.30 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 1665, At.- Phaltan, Tal- Phaltan, Dist- Satara, Maharashtra; with floor area of GF=FF=32.47 sqmt.

Case no. 25


(Shri Shivnath S. Pund and Shri Manish S. Pund, House No. 1-5-67, Tarkas Galli, Begampura, Aurangabad- 431001, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor of 16 row houses with the total height of 6.50 mtrs. (including mumty, parapet, water-tank, etc.) at Survey No. 96, at Pahadsingpura, Aurangabad, Maharashtra; with floor area of GF=FF=38.91 sqmt. of each house.

Case no. 26

(Phaltan Municipal Council, Phaltan Municipal Council, Raviwar Peth, Phaltan- 415523, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 11.82 mtrs (including mumty, parapet, water-tank, etc.) at C.T.S. No. 2522, At/Tal.- Phaltan, Dist.- Satara, Maharashtra; with floor area of GF=FF=369.09 sqmt.



Case no. 27

(Shri Umesh Yashwant Shikhare, 563 B, Tirtharaj Opp. Post Office, Trimbakeshwar, Nashik-422212, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors of residential and commercial building with the total height of 12.00 mtrs (including mumty, parapet, water-tank, etc.) on C.T.S No. 935, House No. 493/2, Patil Galli, At.- Trimbakeshwar, Dist.- Nashik, Maharashtra; with floor area of GF=45.45 sqmt., FF=78.75 sqmt. & SF= 68.30 sqmt.

Case No. 28

(Mrs. Lucy, Pallikkunnath House, Valappad, P.O., Triprayer, Thrissur-680567, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF and truss work on FF and SF of existing GF+1 floor with the total height of building restricted to 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 299/4, Nattika-Village, Nattika- Panchayath, Chavakkad-Taluk, Thrissur-Dist; with proposed plinth area of GF=55.14 sqm. & truss work area=127.18 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 29

(Smt. Thankam, Madani House, Ariyannoor, P.O., Thrissur- 680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Stair Room with the total height of 6.45 mtrs. (including mumty, parapet, water-storage tank etc.) at Survey No. 314/3, Kandanssery Panchayath; with plinth area of GF =79 sqm. & Stair room= 11.60 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 30

(Sri. E.T. Pankajan, Ezhuthupurakkal House, Kakkad, Kunnamkulam, P.O., Thrissur- 680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.69 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 88/15, Ward No. VIII, Village Kunnamkulam, Kunnamkulam Municipality, District- Thrissur; with plinth area of GF=111.36 sqm. & Stair room=64.99 sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No. 31

(Sri. Dayas. P.D., Chathamkatil House, Ariyannoor, P.O., Thrissur-680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 5.71 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 1030/2 Kandanassery Village and Panchayath; with plinth area of GF=136.25 sqm. & FF=24.78 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 32

(Smt. Vijayalekshmi, Chennalath House, Ariyannoor, P.O., Thrissur-680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on FF of existing GF+1 floor with the total height of building restricted to 6.69 mtrs. (excluding parapet) at Survey No. 99/5, Existing House No. IV/255, Kandanassery Panchayath, Kandanssery Village, Thalappilly Taluk; with proposed plinth area of FF=47.47 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 33

(Mr. Shinobin K.T., Kangaparambil House, Karamukku, Vallachira, P.O., Thrissur - 680562 Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+1 floor with the total height of 11.30 mtrs. (including mumty, parapet, water-storage tank, lift room, etc.) at Survey No. 368/9, Cherrpu Village, Thrissur Taluk, Cherrpu Grama Panchayath, Ward No. XX; with plinth area of Basement=514.40 sqm., GF=533.60 sqm., FF=527.54 sqm. & Terrace floor=5.76 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 34

(Mr. Sharafudheen & Faseela, Pulakkal House, Vellarkkad, Cherumanangad, P.O., Thrissur-680604)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Stair Room with the total height of 5.75 mtrs. (including mumty, parapet, water-storage tank, etc.) at Sy. No. 506/1P, Chiramanegad Village, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=116.82 sqm. & Stair room=7.37 sqm. The construction work should

incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 35

(Smt. Susmitha & Haridasan K., Kalippurath Thazahathehil House, Ariyannoor, P.O., Thrissur-680102)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF and construction of FF with the total height of building restricted to 6.65 mtrs. (excluding parapet) at Sy. No. 1000/3, Existing House No. IV/382, Kandansserry Panchayath, Kandansserry Village, Thalappilly Taluk; with proposed plinth area of GF=12.57 sqm. & FF=13.42 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 36

(Sri. Biju P.K., Ponnarasserri House, Fire Station Road, Kakkad, Kunnamkulam, P.O., Thrissur-680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.45 mtrs. (including mumty, parapet, water-storage tank, etc.) at R. Sy. No. 85 20/1, Ward No. VII Nearest Door No. VIII/446, Kunnamkulam- Municipality, Kakkad- Desam, Kunnamkulam Village, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=99.93 sqm. & FF=18.81 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 37

(Smt. Sindhu Aramngan, Kanamkott House, Kakkad, Kunnamkulam, P.O., Thrissur -680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.25 mtrs. (including mumty, parapet, water-storage tank, etc.) at Survey No. 89/16, Kunnamkulam Municipality, Ward No. VII, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=61.45 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 38

(Smt. Jiya Joju, Chungath House, Kakkad, Kunnamkulam, P.O., Thrissur-680503 Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.25 mtrs (including mumty, parapet, water-storage

tank, etc.) at R. Sy No. 89/16, 89/22, Kunnamkulam Village, Ward No. VIII, Kunnamkulam Municipality; with plinth area of GF=61.45 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 39

(Sri. Paul Simon & Silvi Mathew, Prince Dale, Neelamthotaam, Lekshmi Nada, Cachery, P.O., Kollam-691007)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.31 mtrs. (including mumty, parapet, water-storage tank, etc.) at Re- Survey No. 39/1/2, Kollam West Village at Kollam Corporation; with plinth area of GF=61.98 sqm. & FF=19.20 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 40

(Smt. Kamala, Karimbanakkal House, Kakkad, Kunnamkulam, P.O., Thrissur -680503 , Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF and construction of FF with the total height of building restricted to 8.73 mtrs. (including mumty, parapet, water-storage tank, etc.) at R. Sy. No. 92/92, Ward No. 8, Municipality Kunnamkulam, Village Kunnamkulam, Taluk Thalappily, District Thrissur; with proposed plinth area of GF=55.38 sqm. & FF=88.05 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 41

(Sri. Raju S.I., Srmbikal House, Kakkad, Kunnamkulam, P.O., Thrissur – 680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.35 mtrs. (including mumty, parapet, water-storage tank, etc.) at Sy. No. 92/15, Municipality Kunnamkulam, Ward No. VIII, Taluk Thalappily, Village Kunnamkulam, Dt. Thrissur; with plinth area of GF=59.91 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 42

(Mr. Sadarudheen V.J., Valiyakath House, Cherumanangad, P.O., Thrissur-680604 Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Stair Room with the total height of 5.65 mtrs. (including mumty, parapet, water-storage tank, etc.) at R.S. No. 509/2, Ward No. 9, Chiramanangad, Grama Panchayath,

Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=134.98 sqm. & Stair room=24.30 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

Case No. 43

(Sri. Jobi P.V., Pulikkottil House, Ariyannoor, P.O., Thrissur -680102, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF of GF+1+porch with truss work and construction of compound wall with the total height of building restricted to 6.65 mtrs. (excluding parapet) at R. Sy. No. 998/2, Nearest Door No. IV/322, Kandanssery Panchayath, Kandanssery Village, Thalappilly Taluk; with proposed plinth area of GF=6.57 sqm. and height of compound wall=1.50 mtrs. The color scheme of the monument should be kept in view while constructing the building.

Case No. 44

(Sri. T.S. Sivaramakrishnan & T.S. Gopalkrishnan, Thippillissery Madam, Thippillissery P.O., Thrissur -680519, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Stair Room with the total height of 5.29 mtrs. (including mumty, parapet, water-storage tank, etc.) at R. Sy No. 85/22 (Old No. 63/1) at Kunnamkulam Village & Municipality, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF=69.56 sqm. & Stair room=6.30 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 45

(Mr. Shovan Ray, C/o Prof. Rita Ray, 423, Swarnapuri, KIIT, Bhubaneswar-751024, Dt- Khurda, Odisha)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor of bungalow with the total height of 10.7 mtrs. (including mumty, parapet, water-storage tank, lift room, etc.); with floor area of GF=209.84 sqm. & FF=166.37 sqm. and construction of GF+1 of studio apartment with the total height of 9.6 mtrs. (including mumty, parapet, water-storage tank, etc.); with floor area of GF=61.77 sqm. & FF=68.85 sqm. at Plot No. 122, Khata No. 276/63, Mouza- Dhauli, Bhubaneswar, Dist - Khurda, State – Odisha.

Case No. 46

(Shri Mukeshkumar Mohanlal Bariya, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor for residential purpose with the total height of building 10.80 mtrs.

(including mumty, parapet, water-storage tank etc.) at Plot No.54/A, C.S.No.1711/1, Sheet No. 28, Talaja, Dist. Bhavnagar, Gujarat; with proposed built up area of GF=134.93 sqm and FF=127.39 sqm.

Case No. 47

(Shri Ibrahim Gulam Hussain Fruitwala and others, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 Floors for residential purpose with the total height of building 14.10 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S.No.4449 and 4450, Ward No. 4, Dist. Bharuch, Gujarat; with proposed built up area of GF=FF=SF=90.81 sqm.

Case No. 48

(The Deputy Executive Engineer, R & B Sub Division, Kadi, Gujarat)

After perusal of the application, it was decided to ask the CA & SA to decide jointly as per Rule 6 & 8 of the Ancient Monuments and Archaeological Sites and Remains (Framing of Heritage Bye-Laws and other functions of the Competent Authority) Rules, 2011 under intimation to the authority.

Case No. 49

(Shri Iqbal Mamad Vaiyani, President of Dwarka Meman Jamat, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 Floor for commercial purpose with the total height of building 8.80 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S.No. 1191-1192 and 1193/Part, Sheet No. 31, Dwarka Dist. Devbhumi Dwarka, Gujarat; with proposed built up area of GF=FF=104.50 sqm.

Case No. 50

(Shri Aslaji Genaji Prajapati, Gujarat)

After perusal of the application and reply of the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+Mezzanine+1 Floor with the total height of 8.85 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S.No. 711 and 712, Sheet No. 19, Dariyapur-1, Ahmedabad, Gujarat; with built up area of GF=53.11 sqm, Mezzanine=17.11 sqm and FF=53.11 sqm.



Case No. 51

(Smt. Suman W/o Sunil Kumar, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 6.09 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Ward No. 2, near Boys Sr. Sec. School, Farrukhnagar, Gurgaon (Hr); with covered area of GF= 46.5 Sqm. & FF=24.16 sqm.

Case No. 52

(Shri M.H. Meeran Thangal and M.A. Ayisha Razeena Parveen, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 9.45 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Old S. No. 20/1, New S. No. 20/58A, Shop No.2, Patta No. 4618, Senthamil Naga, Sholinganllur taluk, Sithalapakkam Gramam, Kanchipuram District; with plinth area of GF=54.03 sqm. & FF=72.32 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 53


(Shri S. Padmanaban S/o Shri G. Shanmugam, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 6.58 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at S. No. 136/3B, T.K.M. Road, Mamallapuram Panchayat, Thirukalukundram Taluk, Kanchipuram District; with plinth area of GF=35.8 sqm. & FF=35.8 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 54

(Shri K. Kanniyappan S/o Shri Kothandan, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 6.58 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at S. No. 136/3A2, T.K.M. Road, Mamallapuram Panchayat, Thirukalukundram Taluk, Kanchipuram District; with plinth area of GF=33.7 sqm. & FF=33.7 sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No. 55

(Shri R. Chitra, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor with the total height of 10.67 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No.29, Arunodhayam Nagar Extention, S. No. 303/1-B-1, New Patta S. No. 303/57, New Patta No. 4055, Nanmangalam Village, St. Thomas Mount Panchayat Union, Sholinganallur Taluk, Kanchipuram District; with plinth area of GF=94.05 sqm. & FF=104.18 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 56

(Shri J. Panneer Selvam, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors+Staircase with the total height of 11.47 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. B2, (Krishna Road), Old S. No. 158/5A Part, Patta Sub Division No. 158/42, Patta No. 1889, Perunglathur Village, Perunglathur Town Panchayat, Tambaram Taluk, Kanchipuram District; with plinth area of Stilt=53.44 sqm., FF=61.52 sqm., SF=61.52 sqm. and Staircase= 6.32 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 57


(Smt. Arbuthamani W/o G. Stephen, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on stilt & first floor and construction of second floor with head room and lift area over existing GF+1 with the total height of 11.32 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Door No. 11/7, Jawaharlal Nehru Street, Old S. No. 148/2C and 148/3C New, S. No. 148/8 and 148/17, Patta No. 25, Perungalathur Village and Town Panchayat, Tambaram Taluk, Kanchipuram District; with proposed plinth area of Stilt=98.23 sqm., FF=SF=99.07 sqm. & Headroom & lift room=15.33 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 58

(Smt. S. Swarnalatha, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors with the total height of 13.11 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. 28, S. No. 163A/7B & 163A/7C, Patta New S. No.



163A/46, Rajarathinam Nagar, Vandalur Village, Chengalpet Taluk, Kancheepuram District, Kattankolathur Panchayat Union; with plinth area of Stilt=FF=SF=95.88 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 59

(Shri Alanso Theonse, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor+Headroom with the total height of 9.82 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. 1N, Palm Avenue, S. No. 88/3B, Sithalapakkam Village, Chennai, Sholinganallur Taluk, Kanchipuram District, St. Thomas Mount Panchayat Union Limit; with plinth area of GF=56.02 sqm., FF=69.12 sqm. and Head room=12.17 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 60

(Shri V. Carlson Vijo, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor+Headroom with the total height of 10.96 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. 2N, Old S. No. 88/3B, Patta No. 4041 Patta S. No. 88/3B2, Palm Avenue, Sithlapakkam Village, Sholinganallur Taluk, St. Thomas Mount Panchayat Union Limit, Kanchipuram District; with plinth area of GF=72.12 sqm., FF=75.65 sqm & Head room=14.78 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 61

(M/s SFabrics India Pvt. Ltd, Represented by its Directors (Shri S. Shankar & Shri S. Arumugam), Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground+1 Floor + Headroom with the total height of 9.50 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Gandhi Street, Vandalur, Old S .No. 197, Patta S. No. 197/1A5C, Vandalur Village, Chengalpet Taluk, Kanchipuram District; with plinth area of GF=FF=270.42 sqm. & Head room=11.24 sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No. 62

(Shri Jugal Kishor S/o Shri Ram Sarup, Punjab)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of Ground Floor+2 Floors. Thereafter, the case will be considered again.

Case No. 63

(Shri Bhim Sain S/o Shri Kastoori Lal, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.13 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Old M.C. 6106, New Z-1/05985, Gali Ganga Ram, Mohalla Nohrian Wala, Bathinda-151001; with covered area of GF=FF=122.16 Sqm.

Case No. 64

(Shri Krishan Lal Arora S/o Shri Manohar Lal, Smt. Poonam Arora W/o Shri Krishan Lal Arora, Shri Yanu Arora S/o Shri Krishan Lal Arora, Shri Karan Arora S/o Shri Krishan Lal Arora, Smt Radhika Arora W/o Shri Yanu Arora, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.07 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. 74, bearing Khasra No. 1326 min 3539/1326 min, Khatouni No. 329/380, 328/379 Rakba Amritsar Urban Circle No. 110, Abadi Joshi Colony near hukam Singh Road, Amritsar, Pin No.-143001; with covered area of GF=FF=234.80 Sqm.

Case No. 65

(Dr. Uttam Chandra Garg S/o Late Shri Roshan Lal Garg, Agra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 13.20 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) at Plot No. 38, Property No. 1/188-B, Delhi Gate, Hariparwat Ward, Agra; with covered area of Basement=83.00 Sqm., GF=FF=137.22 Sqm. & SF=121.87 Sqm.



Case No. 66

(Shri Ashok Khetarpal, Agra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+3 floors with the total height of 16 mtrs. (including mumty, parapet, water-storage tank, lift room etc.) and Basement depth 2.55 mtrs. at Plot No.-77, Property No. A-14, New Agra, Agra; with covered area of Basement=285.89 Sqm, Stilt Floor=295.13 Sqm. & FF=SF=TF=287.63 Sqm.

Case No. 67

(Sri Ishwar Anandappa Ramadurga, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 68

(Sri. Chandrashekar S.M, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 69

(Sri. R.A. Abdul Rahaman, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Asst. No. 2618/2520/8400, Site No. 281, P.H Colony (Asim Sab Layout), Sira Town, Tumkur District; with floor area of GF=58.33 sqm.

Case No. 70

(Sri. Chandrashekar, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 71

(Sri. Uday Bapu Kulkarni, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 72

(Sri. R. Srinivasu, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khata No. S-1041/993, Alasingha Pandithara Road, Srirangapatana; with floor area of GF=FF=35.04 sqm.

Case No. 73

(Sri. Santosh Kumar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 2 Floors with the total height of 11.27 mtrs. (including mumty, parapet, water-storage tank etc.) at H. No. 9-222, Having CTS No. 1232, Sheet No. 1232, Sheet No. 39, Chalta No. 130, Block No. 1, Shahbazar, Katgarpura, Kalaburgi; with floor area of GF=FF=65.05 sqm. & SF=47.39 sqm.

Case No. 74

(Smt. Jyotilaxmi w/o Shivakumar Seeri, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 75

(Sri. Shrenik S/o Chandranath Dolle, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 76

(Smt. Amita Ganapati Mahale/Veda Ganjanan Pai & Sri. Ganjanan Hanumant Pai, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Cellar + Ground Floor + 2 Floors with the total height of 8 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 449/A/K, Hissa 5A, Nellikeri, Kumta, Uttar Kannada-581343; with floor area of Cellar=GF=FF=SF=91.51 sqm. and construction of Cellar + Ground Floor + 2 Floors with the total height of 8 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 449/A/K, Hissa 5B, Nellikeri, Kumta, Uttar Kannada-581343; with floor area of Cellar=GF=FF=SF=193.10 sqm.

Case No. 77

(Sri. Sai Shankar, Karnataka)

After perusal of the case and letter received from the S.A., it was decided to **reject** the case and return the file to C.A. for necessary action as the applicant has violated the AMASR Act.

Case No. 78

(Sri. Uday S/o Laxman Raikar, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 79

(Sri. Chandrashekar S/o Basappa Ganachari, Karnataka)

After perusal of the application, it was decided to **reject** the case as the applicant started the construction without prior approval of NMA and show cause notice has been issued by SA, ASI.

Case No. 80


(Sri. Nagaraj S/o Babu Patil, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor and Second Floor over existing Ground Floor with the total height of building restricted to 11.10 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 36/1A+2A, Plot No. 21, Bailhongal Mahadev Swamy Mathad Road, Bailhongal Taluk, Belgaum District; with proposed floor area of FF=SF=77.67 sqm.

Case No. 81

(Sri. D.S. Satyanarayana S/o Lt. Suregowda, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Site No. 65/3, Bastihalli, Hassan; with floor area of GF=55.96 sqm. and construction of Ground Floor with the total height of 4.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Site No. 66/2, Bastihalli, Hassan; with floor area of GF=55.96 sqm.



Case No. 82

(Sri. N.M Karibasappa, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 115/3(P), Plot No. 25, Maruthi Nagar, Hospet; with floor area of GF=FF=66.50 sqm.

Case No. 83

(Sri N.S. Nagaraju S/o. Late N.M. Srinivas, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of building restricted to 7.575 mtrs. (including mumty, parapet, water-storage tank etc.) at Assessment No. 1205/1166, PID No. 40-507-198, Nanjangudu; with proposed floor area of FF=68.30 sqm.

Case No. 84

(Smt. A. Radha, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement + Ground Floor + 2 Floors with the total height of 10.95 mtrs. (including mumty, parapet, water-storage tank etc.) at TS No. 519/2, Plot No. 08, Housing Board Colony, Ward No. 25, Netaji Nagar, Infantry Road, Contonment, Bellary-583101; with floor area of GF=FF=SF=106.52 sqm. and Basement=150.00 sqm. with depth – 2.40 mtrs.

Case No. 85

(Sri Yekanth Hegde S/o. K Ramesh Hegde, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.14 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 465/6A of IIIrd Ward, Karkala Village; with floor area of GF=121.23 sqm. & FF=124.11 sqm.

Case No. 86

(Smt. Vimala W/o. A. Prakash Rao, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of Ground Floor + 2 Floors. Thereafter, the case will be considered again.

Case No. 87

(Sri B Raghavendra S/o. B Kanakappa, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 115/3(P), Plot No. 29, 7th Ward, Maruthi Nagar, Ananthasayana Gudi, Hospet; with floor area of GF=FF=66.50 sqm.

Case No. 88

(Sri D. Hanumanthu, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement/Cellar + Ground Floor + 2 Floors with the total height of 11.29 mtrs. (including mumty, parapet, water-storage tank etc.) at T S No. 351/1 & 319/4, P No. 24, Fire Station Layout, Bellary; with floor area of GF=FF=SF=24.09 sqm. & Basement=24.09 sqm. with depth -2.57 mtrs.

Case No. 89

(Sri Ramachandra Sankus Harikantra, Karnataka)

~~After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.92 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 465 J, Near State Bank of India, Old Fish Market Road, Kumta Taluk, Uttar Kannada; with floor area of GF=FF=111.52 sqm.~~

Case No. 90

(Smt. Poornima C, W/o. Chandrashakar S., Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of building restricted to 6.75 mtrs. (including mumty, parapet, water-storage tank etc.) at Assessment No. 1148/1111, PID No. 40-512-135, Ward No. 4, Nanjangudu; with proposed floor area of FF=45.63 sqm.

Case No. 91

(Sri Prakash S/o. Somappa Hallur, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.86 mtrs. (including mumty, parapet, water-storage tank etc.) at P. No. 26 (Part) of R.S. No. 36/1A+2A, T.M.C. No. 733/CB/26, Bolashetti Chawl, Bailhongal; with floor area of GF=FF=17.95 sqm.

Case No. 92

(Sri Abdul Rehaman Channasab Naregal, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.97 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 586, Hangal, Hangal Taluk, Haveri District; with floor area of GF=32.70 sqm.

Case No. 93

(Sri Yallappa Parasappa Thippanna Gajipur, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.57 mtrs. (including mumty, parapet, water-storage tank etc.) at TMC No. 2608, Chalavadi Oni, Hangal, Haveri District; with floor area of GF=63.19 sqm.

Case No. 94

(Sri. Somashekar, Panchayath Development Officer, Tumkur, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. 1008/932/766, Madhugiri; with floor area of GF=71.89 sqm.

Case No. 95

(Sri. Imamsab Abdulkarim Sab Mitaigar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.67 mtrs. (including mumty, parapet, water-storage tank etc.) at TMC No. 172, 172/1, Kanchagar Oni (Ward No. 09), Hangal, Haveri District; with floor area of GF=56.59 sqm.

Case No. 96

(Smt. Parvatavva Ningappa Jangli, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.50 mtrs. (including mumty, parapet, water-storage tank etc.) at TMC No. 2801, Kurubageri Street, Hangal, Hangal Taluk, Haveri District; with floor area of GF=86.08 sqm.



Case No. 97

(Sri. Ramesh Basavanneppa Dasayyar, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.57 mtrs. (including mumty, parapet, water-storage tank etc.) at TMC No. 3211, TMC No. 3212, TMC No. 3213, Near Urdu School, KC Road, Hangal; with floor area of GF=64.40 sqm.

Case No. 98

(Smt. Ranuka w/o Late Kashi Rao, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor + 1 Floor with the total height of 7.50 mtrs. (including mumty, parapet, water-storage tank etc.) at A. No. 1204/1165 A, Kayangadi Street, Nanjangud; with floor area of GF=FF=16.72 sqm.

Case No. 99

(Sri N. Venu S/o Late M. Naga Naika, Karnataka)

After perusal of the application, it was decided to ask the C.A to take appropriate decision as per Rule 16 of the Ancient Monuments and Archaeological Sites and Remains (Framing of Heritage Bye-Laws and other functions of the Competent Authority) Rules, 2011.

Deferred Cases

Case No. 1

(Mrs. Sreeja, Varott Kallazhi House, Kadavallur, P.O., Thrissur-680543, Kerala)

After perusal of the application and information submitted by CA, it was decided to **recommend** grant of NOC in this case for construction of Ground floor +1 floors with the total height of 6.95 mtrs. (including mumty, parapet, water-storage tank etc.) at R. Sy. No. 605/1, Ward No. 1 of Kadavallur Panchayath, Thalappily Taluk, Thrissur Dt.; with plinth area of GF=91.62 sqm. , FF= 48.38 sqm.

Case No. 2

(Executive Engineer Huda Bahadurgarh, Bahadurgarh, Jhajjar, Badli Road, Haryana)

After perusal of the application and representation submitted by applicant, it was decided to **defer** this case and to ask the Executive Engineer/ Senior Engineer to make a Powerpoint

presentation to the authority. It was also decided to call the CA, Haryana to be present in the meeting for a clear understanding of the project.

Case No. 3

(Shri Yogesh Yadav & Mrs. Kavita Yadav , 43/117, Sikandra, Agra-282007)

After perusal of the application and information submitted by applicant, it was decided to **defer** the case till NMA officials make a visit to the proposed site and submit a report to the authority. However, it has been noted from the submitted information that there is no legal dispute concerning to the proposed site.

Case No. 4

(Sri. Shivayogiswamy A, S/o Pattad Mallikarjunaswami Hiremath, C/o Gourimath, MG Road, Opp. Head Post Office, Haveri-581110, Karnataka)

~~After perusal of the application and revised plan received from CA, it was decided to~~ **recommend** grant of NOC in this case for renovation of existing ground floor & construction of first floor of institutional building with the total height of 7.20 mtrs (including mumty, parapet, water-storage tank etc) at CTS No.-2926, M.G. Road, Opp. Head Post Office, Haveri; with floor area of FF=201.70 sqm.

Case No. 5

(Sri B.M. Ishq M/s Mercara Group, Flat no.201, Latich Aysha Apartment near Rama Laxman Hall, Mangalore District)

After perusal of the application, revised plan and the communication forwarded by CA, it was decided to **recommend** grant of NOC in this case for construction of 2 Basements+Lower GF+GF+Upper GF+1 floors commercial building with the total height of 11.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 13/3, 13,13/1,13/2,12/12, 12/9 and 12/8 main road, Madakeri, Kodagu District ; with floor area of Basement 2 =2561.87 sqmt, Basement 1= Lower GF=2573.24 sqmt, Ground floor =2665.06 sqmt , Upper Ground Floor: GF=FF=2539.75 sqmt. It was also decided that the NOC is recommended to be granted subject to the conditions mentioned in the HIA report in this regard.



Case No. 6A

(Sri. Naveen, S/o Rajashekar Shettar, Plot No. 2, Near Ghavarchand Cross, Athani Road, Bijapur District-586103)

After perusal of the application and the information submitted by CA, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.95 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot no. 2 , Mahalbagayat, Ittangihal Road, Vijayapur; with floor area of GF=FF= 80.82 sqm.

Case No. 6B

(Sri. Naveen, S/o Rajashekar Shettar, Plot No. 2, Near Ghavarchand Cross, Athani Road, Bijapur District-586103, Karnataka)

After perusal of the application and the information submitted by CA, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 7.95 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot no. 46 , Mahalbagayat, Ittangihal Road, Vijayapur; with floor area of GF=FF= 70 sqm.

Case No. 7

(Smt. S. Lakshmi Priya, A7, Golden Jubilee Apartments, No. 37, Anna main road, K.K Nagar, Chennai)

After perusal of the application and clarification received from applicant that no basement is proposed, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 6.85 m (including mumty, parapet, water-storage tank etc.) at T.S. No.2049, T. S. W. No.1, Block No. 17, D. No.44, kandhadai Street, Srivilliputtur Municipality, Virudhunagar; with the floor area GF=FF= 63.17 sqm. It was also decided to ask the CA, Chennai to be cautious while examining the applications.

Case No. 8

(Mr. Vilas Kashinath Patil, Kantilal Rupchand Jain, Vijay Rupchand Jain, Ravindra Kashinath Patil, Maharashtra)

After perusal of the application and information given by CA, it was decided that the proposed project of Row House construction may be pushed beyond the regulated area of the CPM i.e "Seven Mohammedan & Three Mohammedan Tomb".



Review Cases

Case No. 1

(Shri Pranay Choudhry, J-18, NDSE-I, New Delhi)

After perusal of the application and information forwarded by CA, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+4 floors with the total height of 18 m(including mumty, parapet, water-storage tank etc.) at J-18, NDSE-I, New Delhi; with the floor area as following:

Floors	Floor area
Stilt	161.20 sqmt.
Ground Floor	161.20sqmt.
First Floor	158.65 sqmt.
Second Floor	158.65sqmt.
Third Floor	158.65sqmt.
Basement	110.55 sqmt. with depth of 2.90mt.

Case No. 2

(Mrs. Runu Begam, C/o Kutub Hazarika, Namti Chariali, P.O. Namti Chariali, Dist. Sivasagar, Assam)

After perusal of the application and clarification forwarded by CA, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of 9.90 m(including mumty, parapet, water-storage tank etc.) at Dag No-7812,P.P.No:6638, Joysagar, Sivasagar town, K.No 19, Under Nagarmahal Mouza, District - Sivasagar; with the floor area GF=FF=75.60 sqm.

Reconsideration Cases

Case No. 1

(Mr. Rajula. K.M, Alikapeedikayil House, Vellarkkad, P.O., Erumapetty, Thrissur)

After perusal of the application and information submitted by CA, it was decided to not to accept the proposal in this regard as there is a major deviation in the construction work from what was granted earlier to him. CA, Kerala is directed to take necessary action against the violation as per law.

Case No. 2

(Mr. Moosa Haji & Sulaima Haji, Elayadath Puthernveetil House, Akaladu, P.O., Chavakkad, Thrissur)

After perusal of the application and information given by CA, it was decided that the proposed project of commercial building may be shifted beyond the regulated area of the CPM i.e "Kaithali Siva Temple". It was decided to request ASI to monitor this project.

Case No. 3

(Sh. P.S. Gopinathan, Puthiyedathu, Marathu House, Thiruvanchikulam, P.O-Kodungallur, Thrissur)

After perusal of the application and information forwarded by CA, it was decided to **recommend** grant of NOC for GF+1 floors with the total height 7.19 m (including mummy, parapet, water-storage tank etc.) at Sy. No. 39/8, ward no. VII, Vill Methala, Taluk Kodungallur, Thrissur; with floor area 150.98 sqm. The construction work should incorporate Mangalore tiled sloping roof and the colour scheme of the monument should be kept in view while constructing the building.

Case No. 4

(Shri Nileshbhai Narotamdas Bathiya & others (P.O.A.H) of Partner of Krishna Developers, Near Swaminarayan School, M.G.Road, Dwarka-361335, Dist. Jamnagar (Gujarat))

After perusal of the application and information forwarded by CA, it was decided to **reject** the request for extension permit in this case as extension beyond 5 years cannot be granted by the authority.

Case No. 5

(Sh. V. Ajit kumar (General manager Slurry pipeline project) Slurry pipeline project NMDC Ltd. Bailadila Bhawan, Geedam Road, Jagdapr-494001, Chhattisgarh)

After perusal of the application and representation submitted by applicant, it was decided that

- i) The laying of underground slurry pipeline in the regulated area of "Kama Memorial" at Khasra no. 234,248 and 250 of tehsil Darbha, district. Jagadalpur may be recommended.

- ii) The laying of underground slurry pipeline in the prohibited area of "Megalithic site Uraskal" – It has been decided to ask the applicant to shift the project in regulated area and re-apply to this authority.
- iii) The NOC dated 07.06.2017 granted to this applicant is hereby cancelled as the project details found wrongly mentioned in the earlier recommendation.

Additional Agenda – Online case

(Smt. Sudha Chadha, N-1 Panchsheel Park, New Delhi)

After perusal of the application and the Schedule- II information, it was decided to recommend grant of NOC for Basement+Stilt+4 floors with the total height of 18 m(including mummy, parapet, water-storage tank etc.) at N-1 Panchsheel Park, New Delhi; with floor area Stilt=GF=385.91 sqm, FF=375.31 sqm, S.F=372.31 sqm, TF=371.76 sqm & Basement= 354.61 sqm with depth -3.20 m.

Agenda No. 4

Report of Online NOC applications approved by NMA

The following applications were received through single window clearance system and approved online. The same have been ratified:

1. Shri Pran Krishan Murgai, S-145, Panchsheel Park, Delhi
2. Smt. Sheela Gehlot, C-40, Hauz Khas Enclave, Delhi
3. Shri Gautam Bir Singh Nijjar, Plot No. 02, Block-A, G.T. Road, Adarsh Nagar, Delhi
4. Smt. Govinder Kaur Chhatwal and Shri Balbir Singh through its GPA Smt. Govindar Kaur Chhatwal, Plot No. C-6, Nizamuddin East, Delhi
5. Shri Arvind Jain, 29, Veer Nagar, Jain Colony, Delhi
6. Shri Mehtab Chand Parakh, Plot No.-14, Block-D, Rana Pratap Bagh, Delhi
7. Shi Manoj Aggarwal through Power of Attorney, S-250, Panchsheel Park, Delhi
8. Smt. Ganga Devi, Property No. D-3/2, Situated at Rana Pratap Bagh, Delhi
9. Shri Ajay Rawla, Mr. Bharata Rawla, Mrs. Anuradha Navlakha through their Power of Attorney
10. Shri Amitabh Sinha, B-17, NDSE-II, Delhi
11. Shri Mukesh Kumar Jain and Smt. Sunita Jain through their GPA Mr. Harish Arora and Shri Sandeep Chawla
12. Shri Pranav Gupta, 4259, Northern Side at 3 no., Ansari Road, Delhi
13. Mrs. Sarita Aggarwal, Shri Sanjay Kataria and Mrs. Ritu Menon All through its SPA Mrs. Anita Kataria, L-1/18, Hauz Khas Enclave, Delhi
14. Mrs. Rani Mehra, Mrs. Uma Kumar, Mrs. Shashi Nanda, Mrs. Vinod Ahluwalia, D-15, Nizamuddin East, Delhi

15. Mrs. Vijay Lakshmi Sharma and Mr. Avish Kumar Sharma, U-35, Green Park Main, Delhi
16. Brig. (Retd.) P.S. Sethee, Plot No. C-46, Situated at East of Kailash, Delhi
17. Smt. Kanta Saluja and Smt. Mitu Jain, C-47, Green Park Main, Delhi

A handwritten signature in black ink, appearing to read 'Avish', with a long horizontal line extending to the right from the end of the signature.