

**MINUTES OF THE 176<sup>th</sup> MEETING (1<sup>st</sup> DAY) OF NMA**

- Venue - Conference Room at 2nd floor of ASI building, 24,  
Tilak Marg, New Delhi-110001
- Time & Date - 10.30 A.M on 3rd May, 2018

\*\*\*\*\*

The meeting was attended by the following:

1. Ms. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA.
4. Sh. Satish Kumar, Whole Time Member, NMA
5. Sh. Navneet Soni, Member Secretary

**Agenda No. 1**

The minutes of 175<sup>th</sup> meeting held on 18<sup>th</sup> April, 2018 were confirmed.

**Agenda No. 2**

**Consideration of NOC applications**

**Fresh Cases**

**Case no. 01**

(H.S. Rajendra S/o Shanthappa Ballava, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of building restricted to 7.31 mtrs. (including mummy, parapet, water-storage tank etc.) at Dr. No. 142, Humcha Village; with floor area of GF=FF=74.81 sqm.

**Case no. 02**

(Smt. Ugama Devi, Plot No. 97, Sy. No. 13, Asst. No. 1106, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.00 mtrs. (including mummy, parapet,



water-storage tank etc.) at Plot No. 97, Sy. No. 13, Asst. No. 1106, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet; with floor area of GF=FF=64.75 sqm.

**Case no. 03**

(Smt. Ugama Devi, Plot No. 75, Asst. No. 1084, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.00 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 75, Asst. No. 1084, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet; with floor area of GF=FF=64.75 sqm.

**Case no. 04**

(Smt. Ugama Devi, Plot No. 28, Asst. No. 1037, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.00 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 28, Asst. No. 1037, 8<sup>th</sup> Ward, Amrit Shakti Nagar, A.S. Gudi, Hospet; with floor area of GF=FF=87.50 sqm.

**Case no. 05**

(Sri. Kurra Srinivasalu Setty and Sri. Kurra Venkatesulu, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 8.10 mtrs. (including mumty, parapet, water-storage tank etc.) at H. No. 57, MIG-II, Sy. No. 519/2, at KHB colony, near OPD Bellary; with floor area of GF=FF=61.61 sqm.

**Case no. 06**

(Sri. Thimma Reddy C & Smt. Shobha, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+GF+2 Floors with the total height of 11.46 mtrs. (including mumty, parapet, water-storage tank etc.) at Municipal Ward No. 31, C.M.C. No. 25, Sy. No. 519/2, H. No. MIG-II-63, Asst. No. 41580/63, Nethaji Nagar, K.H.B. Colony, Bellary-583104; with floor area of Stilt=112.97 sqm., GF=101.53 sqm. & FF=SF=71.00 sqm.

**Case no. 07**

(Shri. G. Umashankar S/o Late S. R Gundappa, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet,



water-storage tank etc.) at Katha No. S-1251/1194/1192/1193/1195, Pete Narayana Swamy Road, Srirangapatan; with floor area of GF=FF=94.99 sqm.

**Case no. 08**

(S. Saleem Ahmed, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. LIG 155, CMC Ward No. 25, RS No. 519/2, KHB Colony, Netaji Nagar, Bellary; with floor area of GF=FF=53.90 sqm.

**Case no. 09**

(Shri. G. R. Gopala Krishna, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 6.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Asst. No. 42/44/33, 2<sup>nd</sup> Division, 7<sup>th</sup> Ward, K.R.C. Road, Gundlupet; with floor area of GF=FF=68.69 sqm.

**Case no. 10**

(Shri. H.A. Jagathpala S/o Late Adhiraja Indra, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. 201, Humcha Grama, Hosanagar Taluk, Shivamogga District; with floor area of GF=97.58 sqm.

**Case no. 11**

(Smt. Sheetal Veerandra Kumar Runwal & Smt. Ruchika Sheetal Runwal, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+GF+2 Floors with the total height of 10.90 mtrs. (including mumty, parapet, water-storage tank etc.) at CTS No. 417/1, Ward No. II, Vijaypur; with floor area of GF=FF=44.96 sqm, SF=50.35 sqm. & Basement=72.41 sqm. with depth -2.65 mtrs. The permission is granted as it is heavily constructed area with structures including GF+3 Floors.

**Case no. 12**

(Sri. Mallikarjun N. Badiger, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.87 mtrs. (including mumty,



parapet, water-storage tank etc.) at CTS No. 2687 A/1, near Govt. School No. 2, Gadag; with floor area of GF=53.24 sqm.

**Case no. 13**

(Sri Rajesh Manjunath Mashaldi & Smt. Jayamma Nagaraj Mashaldi, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.29 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 9999, Plot No. 249/GR, Holemath Road, Banavasi, Sirsi Taluk; with floor area of GF=FF=56.20 sqm.

**Case no. 14**

(Smt. Chandramma W/o T. Thirumalaiah, Khatha No. S-1859/1774, Dodda Jonigara Road, Srirangapatna, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 3.75 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. S-1859/1774, Dodda Jonigara Road, Srirangapatna; with floor area of GF=73.15 sqm.

**Case no. 15**

(Smt. Chandramma W/o T. Thirumalaiah, Khatha No. S-1858/1773, Dodda Jonigara Road, Srirangapatna, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 3.75 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. S-1858/1773, Dodda Jonigara Road, Srirangapatna; with floor area of GF=73.15 sqm.

**Case no. 16**

(Sri. Sukeerthiraj Ajri , Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.42 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 203/6p3, at Karkala, Kasba Village, Karkala Taluk; with floor area of GF=101.98 sqm. & FF=68.98 sqm.

**Case no. 17**

(Shri. Nayaz Ahmed S/o Sheik Mohammed, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 8.21 mtrs. (including mumty, parapet,



water-storage tank etc.) at Kh. No. 4359/3202, at Ward No. 12, Old Mudigere Road, Belur Purasabhe, Belur Taluk, Hassan District; with floor area of GF=FF=77.94 sqm.

**Case no. 18**

(Sri. Suryakanth Narasing Jadhav, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 845/E, Plot No. 46 (45), Mahalbagayat, Vijayapura; with floor area of GF=FF=81.80 sqm.

**Case no. 19**

(Sri. Prakash Gurupadappa Chikkalki, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 8/1, Plot No. 1, Mahalbagayat, Vijaypur; with floor area of GF=FF=51.84 sqm.

**Case no. 20**

(Marehalli Sri Ramanuja Seva Trust, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 5.97 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 628, Marehalli Grama Panchayath Area, Near Lakshmi Narasimha Temple, Marehalli, Malavally Taluk; with floor area of GF=743.22 sqm.

**Case no. 21**

(Smt. Madevi W/o Shiva Sharnappa, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+2 Floors with the total height of 9.18 mtrs. (including mumty, parapet, water-storage tank etc.) at H. No. 4-656 & 656/1, Maktumpura, Kalburgi; with floor area of GF=28.06 sqm. & FF=SF=72.30 sqm.

**Case no. 22**

(Mrs. Ammini T.R., Karikkal House Thiruvanchikulam Kodungaloor P.O. Thrissur – 680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.20 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 372, Village Methala, Municipality Kodungallur, Taluk Kodungallur; with plinth area of GF=58.86 sqm. The construction work should incorporate



Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

**Case no. 23**

(Mr. Surendran, Adimachalil House, Thiruvanchikulam, Kodungallur, P.O., Thrissur - 680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 37/9, 13/3 Ward No. XXI, Village Methala, Taluk Kodungallur, Municipality Kodungallur, District Thrissur; with plinth area of GF=56.82 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

**Case no. 24**

(Mr. N.O. Korath, Nellissery House, Kottapuram, P.O., Kodungallur, Thrissur-680667, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 6.80 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 909/3, Ward No. XXIV, Village Methala, Taluk Kodungallur; with plinth area of GF=90.66 sqm. & FF=79.07 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 25**

(Mr. Reny K.R. & Indulekha, Kudilingal House, Anapuzha, Kodungallur, P.O., Thrissur-680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF + Stair room with the total height of 6.20 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 913/2, Ward No. XXI, Village Lokamaleshwaram, Municipality Kodungallur, Taluk Kodungallur; with plinth area of GF=117.82sqm. & Stair room=8.56 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

**Case no. 26**

(Mr. Rajive Paul Chungath, Chungath House, Asramam, Kadapakkada, P.O., Kollam-691008, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on Ground Floor & First Floor of existing building with the total height of building restricted to 9.72 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 169/11A-1, Village Fort Kochi, Taluk Kochi, District Ernakulam; with proposed plinth area of GF=59.85 sqm. & FF=48.76 sqm. The color scheme of the monument should be kept in view while constructing the building.



**Case no. 27**

(Mrs. Ammini, Karuvanveetil House, Eyyal, P.O., Thrissur-680501, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.35 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 1171/2, Thalappilly, Kadangode Grama Panchayat; with floor area of GF=76.46 sqm. & FF=57.70 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 28**

(Mr. Avarasukutty, Karengal House, Eyyal, P.O., Thrissur-680501, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.45 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 854/P, Thalappilly, Kadangode, Grama Panchayat; with floor area of GF=136.08 sqm. & FF=50.67 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 29**

(Mr. Mohan Menon, Kizhakkiveetil House, Anthikkad, P.O., Thrissur-680641, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF + truss work with the total height of 3.95 mtrs. (including mumty, parapet, water-storage tank etc.) at Survey No. 66, Village Urakam, Panchayath Cherrpu, Taluk Thrissur, Dt Thrissur; with plinth area of GF=75 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 30**

(Mrs. Rajalekshmi & Others, Puthumanaveetil House, Eyyal,P.O., Thrissur - 680501, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of compound wall with the total height of 1.50 mtrs. and construction of First floor over existing ground floor with the total height of building restricted to 7.20 mtrs. (including mumty, parapet, water-storage tank etc.) at R. Sy No. 100/5, Thalappilly Taluk, Kadangode Grama Panchayath; with plinth area of proposed FF=72.31 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

**Case no. 31**

(Mr. Shaheem, Kakalikkal House, Valappad, P.O., Triprayer, Thrissur-680567, Kerala)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floors of 2 shops with the total height of 6.00 mtrs. (including mumty, parapet, water-storage tank etc.) for both the shops at Sy No. 299/1, 298/2B in

Nattika Grama Panchayath, Nattika Village, Chavakkad Taluk, Thrissur Dt; with floor area of GF of shop 1=354.30 sqm. & shop 2=349.60 sqm. The color scheme of the monument should be kept in view while constructing the building.

### **Case no. 32**

(President of Shree Satvara Gnati Samast Trust, Gujarat)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit the following:

1. Approval of amalgamation of plots
2. Whether plan is approved by local authority
3. Translation of explanation of the applicant to the show cause notice issued.

Thereafter, the case will be considered.

### **Case no. 33**

(Mrs. Master Arefabibi Ibrahim, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+4 Floors with the total height of 18.06 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 3248, Ward No. 1, Surat, Gujarat; with built area of GF=FF=SF=TF=FF=39.79 sqm.

### **Case no. 34**

(Shri Mohammed Imran Sulemanbhai Vohra, Partner of Green Rose Associates, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 Floors with the total height of 17.50 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 4333, 3222/1, Kalupur Ward No. 1, Sheet No. 12, T.P.S. No. 5, Section No. 4, F.P. No. 49, Ahmedabad, Gujarat; with built up area of GF=FF=SF=TF= 135.45 sqm.

### **Case no. 35**

(Shri Pankajbhai Dhirajlal Bhavsar, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+2 Floors with the total height of 12.12 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 4824/A, Sheet No. 45, Shahpur-I, Ahmedabad, Gujarat; with built up area of GF=FF=SF=30.30 sqm.





**Case no. 36**

(Mr. Mohamad Ishmile Abdul Kadar, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+5 Floors with the total height of 20.90 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 868 and 869, Ward No. 8, Sangadia Wad, Gopipura, Surat, Gujarat; with floor area of GF=FF=SF=TF=FF=FF=46.08 sqm.

**Case no. 37**

(Shri Thakorbhai Trikambhai Rana, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 Floors with the total height of 10.92 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 141/2/Part, Vibhag-B, Tika No. 12/4, Brahampuri, Dandia Bazar, Vadodara, Gujarat; with built up area of GF=FF=SF=11.51 sqm.

**Case No. 38**

(Shri Ramkishan Punjaji Chauhan and others, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 12 mtrs. (including mumty, parapet, water-tank etc.) at C.S. No. 1855 & 1860, Kalupur-3, Sheet No. 35, Maninagar, Ahmedabad, Gujarat. A copy of revised building plan with the total height of building 12 mtrs. (inclusive all) should be submitted by the applicant.

**Case No. 39**

(Shri Hussainibhai Mohsinbhai Sabuwala and others, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 12 mtrs. (including mumty, parapet, water-tank etc.) and ground coverage as per local bye-laws at C.S. No. 1186 & 1187, Raikhad-I, Sheet No. 87, Maninagar, Ahmedabad, Gujarat. A copy of revised building plan with the total height of building 12 mtrs. (inclusive all) should be submitted by the applicant.

**Case No. 40**

(Dr. Yususfbhai Ismailbhai Shirawala (POAH) of Rehmatbibi Ismailbhai Shirawala and others, Gujarat)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 18 mtrs. (including mummy, parapet, water-tank etc.) and ground coverage as per local bye-laws at C.S. No. 1246, Sheet No. 85, Jamalpur-I, Ahmedabad, Gujarat. A copy of revised building plan with the total height of building 18 mtrs. (inclusive all) should be submitted by the applicant.

**Case No. 41**

(Shri Nasir Mohamad Humuddinbhai Painter, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of the building restricted to 18 mtrs. (including mummy, parapet, water-tank etc.) and ground coverage as per local bye-laws at C.S. No. 1268, Sheet No. 85, Jamalpur-I, Ahmedabad, Gujarat. A copy of revised building plan with the total height of building 18 mtrs. (inclusive all) should be submitted by the applicant.

**Case no. 42**

(Shri Hokabaj Mohsinaben Irfanbhai, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 Floors with the total height of 17.16 mtrs. (including mummy, parapet, water-storage tank etc.) at C.S. No. 5563, Sheet No. 80, Jamalpur-III, Ahmedabad, Gujarat; with built up area of GF=FF=SF=TF=43.35 sqm. The ground coverage should be as per local bye-laws.

**Case no. 43**

(The Executive Engineer, P.W.D Works Division-1 Fort Area, Government of UT, Moti Daman (Repair & internal works), Daman & Diu)

After perusal of the application, it was decided to ask the C.A. to consider the case as per Rules 6, 7 & 8 of the Ancient Monuments and Archaeological Sites and Remains (Framing of Heritage Bye-Laws and Other Functions of the Competent Authority) Rules, 2011.

**Case no. 44**

(The Executive Engineer, Public Works Department, Moti Daman-396220 (UT) (Construction of parking & witness shed), Daman & Diu)

After perusal of the application, it was decided that since the site of construction falls in the prohibited area of centrally protected monument, no new construction is permissible as per law, except public toilets.

**Case no. 45**

(Smt. Mithu Mukherjee, West Bengal)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 9.30 mtrs. (including mummy, parapet,

water-storage tank etc.) at R.S. No.-1647, J.L. No.-101, Plot No. 13350, L.R.-22334, Mouza-Bishnupur, Bankura, West Bengal; with floor area of GF=96.95 sqm. & FF=89.08 sqm.

**Case no. 46**

(Tower Vision India Pvt. Ltd., Maharashtra)

After perusal of the application, it was decided to **reject** the case and ask the applicant take the proposed construction of mobile tower beyond the regulated area of centrally protected monument.

**Case no. 47**

(Phaltan Education Society, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 12.20 mtrs. (including mummy, parapet, water-storage tank etc.) at C.T.S. No. 5592, Phaltan, Satara; with floor area of GF=FF=284.79 sqm.

**Case no. 48 to Case No. 56 and Case No. 58 to Case No. 60**

(Dr. Sonal Gupta, Flat No. 159, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Shri Rajesh Jain and Smt. Ritu Jain, Flat No. 529, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Shri Santosh Singh Bhatti, Flat No. 158, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Shri Gagan Khanna, Flat No. 157, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Smt. Pratima, Flat No. 40, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Shri Rakesh Kumar and Smt. Asha Georina, Flat No. 530, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Mohd. Rashid, Flat No. 531, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Smt. Reema and Shri Hari Prasad, Flat No. 532, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Smt. Narindar Kaur Sandhu, Flat No. 160, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Smt. Kavita Sanghi, Flat No. 232, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

(Shri Kunal Bhardwaj, Flat No. 460, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)



(Shri Surendra Kumar Mudgal and Smt. Sushil Mudgal, Flat No. 228, Block-DA, SFS Flats, Shalimar Bagh, New Delhi)

After perusal of the applications of SFS Flats of Shalimar Bagh, it was decided to **defer** the cases and ask DDA to clarify whether the applicants can carry out the additional constructions in their flats or not.

**Case no. 57**

(M/s Bharti RBM, Holdings Pvt. Ltd. through its Authorized Signatory Shri S.P. Dogra, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 11.73 mtrs. (including mumty, parapet, water-storage tank etc.) at 38, Amrita Shergil Marg, New Delhi; with floor area of GF=462.33 sqm. & FF=188.18 sqm.

**Case no. 61**

(Shri Navin Luther and Smt. Pooja Luther, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 Floors with the total height of 18 mtrs. (including mumty, parapet, water-storage tank etc.) at C-18, Geetanjali Enclave, New Delhi; with floor area of Stilt=GF=FF=SF=TF=187.49 sqm. & Basement=185.36 sqm. with depth -3.05 mtrs.

**Case no. 62**

(Mrs. Indu Mangain w/o Mr. Deep Kumar Mangain, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.56 mtrs. (including mumty, parapet, water-storage tank etc.) at Kha. No.-87 Ka MIN. (NEW), Kha No. 69 (Old), Mauza-Aamwala Tarla, Pargana-Parwadoon, Dehradun; with covered area of GF=110.32 sqm.

**Case no. 63**

(Smt. Usha Rani W/o Shri. Ishwar Dayal, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 Floors at MCB-Z-1-06562, Near Seth Gobind Ram Kala Mal, Dharmshala, Mall Godown Road, Bathinda. A copy of revised building plan of Basement+GF+2 Floors should be submitted by the applicant.

**Case no. 64**

(Smt. Mamta Sood W/o Shri Mukesh Sood, Punjab)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.92 mtrs. (including mumty, parapet, water-storage tank etc.) at M.C. No. 5284/1, M.C.B.-Z-1-06373, Sirki Bazar, Bathinda; with covered area of GF=32.742 sqm. & FF=16.371 sqm.

**Case no. 65**

(Shri Ravinder Monga & Shri Kamal Monga S/o Shri Mukand Lal Monga, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on Second Floor of existing building with the total height of building restricted to 11.66 mtrs. (including mumty, parapet, water-storage tank etc.) at Old House No. 4313 & New MCB Z-1/09788, Kirkar Bazar, Bathinda; with proposed covered area of SF=67.07 sqm.

**Case no. 66**

(Dr. Phuntsog Angchuk, Jammu & Kashmir)

After perusal of the application, it was decided that since the proposed boundary wall falls in the prohibited area of centrally protected monument, no new construction is permissible as per law.

**Case no. 67**

(Smt. Anju Jain, Smt. Preeti Jain, Shri Vikas Kumar Jain, Shri Alok Kumar Jain and Smt. Kavita Jain, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement/Stilt(Parking)+GF+2 Floors with the total height of 12.80 mtrs. (including mumty, parapet, water-storage tank etc.) at 78, Khedapati Colony, Gwalior; with covered area of GF=FF=SF=83.64 sqm. & Basement/Stilt(Parking)=83.64 sqm. with depth - 1.90 mtrs. from ground level.

**Case no. 68**

(Smt . Sunanda Goyal W/o Shri Prabhu Dayal Goyal, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 Floors with the total height of 12.00 mtrs. (including mumty, parapet, water-storage tank etc.) at H. No. 533, Ward No. 2/9, Golpada, Gwalior; with floor area of GF=FF=SF=59.50 sqm. & Basement=66.15 sqm. with depth -2.30 mtrs.

**Case no. 69**

(Smt. Tara Bai W/o Shri Sirpat Wagh, Madhya Pradesh)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with floor area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 70**

(Smt Zayda Begum W/o Shri Rahim Khan, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 71**

(Smt. Khushi Channe W/o Shri Rajaram Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 1187/213/Chh., P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 72**

(Smt. Akila Baegum W/o Shri Shaikh Rasool, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ka., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 73**

(Smt. Kamla Bai Neware W/o Shri Budhram Neware, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 74**

(Smt. Urmila Bai W/o Shri Holeshwar Sonewane, Madhya Pradesh)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 37/2/Kha, P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 75**

(Shri Sitaram Badme S/o Late Sadaram Badme, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/11/Kh, Halka, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 76**

(Smt. Chandrakala Badme W/o Shri Sunil Badme, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/63, P/H/N/ 19/60, Lanji; with built up area of GF=72.54 sqm.

**Case no. 77**

(Smt. Khairunisha W/o. Late Shri Mohd. Jabbar, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 78**

(Smt . Khurshid Begam W/o. Shri Nasim Khan, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 79**

(Shri Purushottam S/o. Late Shri Panditrao Thate, Madhya Pradesh)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/214/Chh., P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 80**

(Smt. Tahira Begam W/o. Shri Shaikh Ramjan, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 81**

(Smt. Pramila Channe W/o. Shri Devram Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 1187/213/Chh, P.H.N. 19, Lanji; with built up area of GF=47.90 sqm.

**Case no. 82**

(Smt. Jayawanta W/o. Late Shri Hulasram Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 1187/213/Ka, P.H.N. 19, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 83**

(Smt. Maqbool Bi W/o. Late Shri Shaikh Rahman, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga., P.H.N. 19/60, Lanji; with built up area of GF=30.20 sqm. & FF=12.30 sqm.

**Case no. 84**

(Smt. Godavari W/o. Shri Shravan Lal Kimapure, Madhya Pradesh)





After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/281, P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 85**

(Smt. Guni Bai W/o. Shri Ramachand Wankhede, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ch., P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 86**

(Smt. Kala Bai W/o. Late Shri Salik Ram Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ka., P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 87**

(Smt Akhtari Begum W/o. Late Shri Shaikh Ahamad, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ch, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 88**

(Smt. Anita Wagh W/o. Shri Mahadev Wagh, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 89**

(Shri Subhash Jain & Smt. Urmila Jain, Madhya Pradesh)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+GF+2 Floors with the total height of 10.20 mtrs. (including mumty, parapet, water-storage tank etc.) at 6, Prem Nagar, Gwalior; with floor area of GF=50.91 sqm. & FF=SF=54.91 sqm. & Basement=65.79 sqm. with depth -2.50 mtrs.

**Case no. 90**

(Smt. Afsana Ansari W/o Shri Mohd. Siddique Ansari, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 91**

(Smt. Lata Bai W/o. Shri Devanand tidke, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ch, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 92**

(Shri Abdul Wahab S/o. Late Shri Abdul Rashid Khan, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/281, P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 93**

(Smt. Malan Bai W/o Late Shri Beniram Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 94**



(Shri Yadorao S/o. Shri Jhanak Raw Murkute, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 37/2/Ga, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 95**

(Smt. Sayatra Bai W/o Shri Dayaram Neware, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 96**

(Smt. Rameshwari W/o. Late Shri Kachrual Channe, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=47.90 sqm.

**Case no. 97**

(Smt. Parveen Ansari W/o. Shri Mohd, Sadik Ansari, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 98**

(Shri Mohd. Rafiq S/o. Late Shri Mohd Karim, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).



**Case no. 99**

(Smt. Rubina W/o Shri Mohd. Asif Ansari, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty,

parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 100**

(Smt. Tara Bai W/o. Late Shri Ramesh Wagh, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ch, P.H.N. 19/60, Lanji; with built up area of GF=41.90 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 101**

(Smt. Sita Bai W/o Shri Ashok Wagh, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ga, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 102**

(Shri Sukhdev S/o late Shri Ramaji Wagh, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/213/Ch, P.H.N. 19/60, Lanji; with built up area of GF=50.10 sqm. The applicant should submit revised building plan with the total height of 4.85 mtrs. (including all).

**Case no. 103**

(Sh. Chandra Prakash Bhatia S/o Shri. Gopi Kishan Bhatia, Rajasthan)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for repair of hotel building and construction of GF+1 Floor with the total height of 7.91 mtrs. (including mumty, parapet, water-storage tank etc.) at 703, Sky Plaza, Officers Colony Circle, Jaisalmer; with floor area of GF=FF=330.72 sqm.

**Case no. 104**

(Sh. S. Saravanan, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 Floors with head room with the total height of 12.81 mtrs. (including mumty, parapet, water-storage tank etc.) at Old S. No. 140/3 Part, Patta S. No. 140/11, Thiru Vi Ka Street, Sembakkam Village, Tambaram Taluk, Kanchipuram District, St. Thomas Mount Panchayat Union Limits; with area of Stilt=74.07 sqm., FF=SF=76.85 sqm. & Head room=10.31 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 105**

(Sh. S. Rajthilak S/o K. Sevaraj (Power Agent), Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 4, Block No. 65, T. S. No. 59/2, Plot No. 67A, East Part, Giri Road, Srinivasapuram, Thanjavur City Municipal Corporation Limit; with area of GF=FF=48.98 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 106**

(Sh. P. Kondal Samrat, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.63 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 2, Block No. 94, T. S. No. 2814, Town Police Station Road, Keezhasaval, Thanjavur City Municipality Corporation Limit; with area of GF=FF=22.66 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 107**

(Sh. A. T. Sekar, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on ground floor of existing building and construction of first floor &



head room with the total height of building restricted to 9.95 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 26, Door No. 8/26, Amar Nagar, Mes Road, S. No. 129/2 & 132/2, Kadaperi Village, Tambaram Municipality Limits, Tambaram Taluk, Kanchipuram District; with proposed plinth area of GF=36.71 sqm., FF=109.29 sqm. & head room=10.87 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 108**

(Sh. I. Mohamed Bathusha, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 9.00 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 4, Block no. 35, T.S. No. 2741, South Rampart, Thanjavur City Municipality Corporation Limit; with area of GF=FF=92.87 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 109**

(Sh. K. Nandha Kumar S/o Krishnamoorthy Chettair, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.96 mtrs. (including mumty, parapet, water-storage tank etc.) at S. F. No. 234/3A, 2A, Valikandapuram Village Panchayat, Veppanthattai Taluk, Perambalur District; with built up area of GF=122.67 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 110**

(Sh. C.A. Varathan, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.90 mtrs. (including mumty, parapet, water-storage tank etc.) at New T. S. No. 30/4, 34/1 and 35, Ward No. A, Block No. 31, Door No. 184/C, North Andar Street, Srirangam Zone, Thiruchirappalli City Corporation; with floor area of GF=FF=69.24 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 111**

(Sh. D. Ilango, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF(Parking)+2 Floors with head room with the total height of 11.43 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 37, Survey No. 34/1, 34/5,



3/6A, 35/1, 35/2A, 36/1, 41/3B2 & 99/1, Patta No. 714, Survey No. 34/70, "Sankarapuram", Sithalapakkam Village, St. Thomas Mount Panchayat Union, Sholinganallur Taluk Taluk, Kanchipuram District; with plinth area of GF=196.40 sqm., FF=SF=208.84 sqm. & Head room=12.44 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 112**

(Sh. B. Baskaran & Sh. B. Amul Raj, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 Floors with head room with the total height of 12.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 22, Gramanatham Old Survey No. 140/2 (PT), New S. No. 140-2/15, As Per Patta No. 423, Mariamman Koil Street, Sembakkam Village, Tambaram Taluk, Sembakkam Municipality Limit, Kancheepuram District; with area of Stilt=140.00 sqm., FF=SF=154.96 sqm. & Head room=9.57 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 113**

(Shri. B. Selvam S/o Barker, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.77 mtrs. (including mumty, parapet, water-storage tank etc.) at S. F. No. 234/10, Vaikandapuram Village Panchayat, Veppanthattai Taluk, Perambalur District; with built up area of GF=55.97 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 114**

(Sh. L. Mani S/o Lakshmanaser, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 4, Block No. 66, T.S. No. 8, Plot No. 96, East Part & 97, Door No. 59/A/97, Rajan Road, Srinivasapuram, Thanjavur City Municipal Corporation Limit; with area of GF=FF=155.23 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 115**

(Smt. S. Indirani, Tamil Nadu)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.68 mtrs. (including mumty, parapet, water-storage tank etc.) at R. S. No. 65/8B, Alagarkovil Road, Guruvalapparkovil Madura Village, Gangaikonda Cholapuram Panchayat, Udayarpalayam Taluk, Ariyalur District; with area of GF=68.49 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 116**

(Sh. V. K. Murugesu, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 3, Block No. 16, T. S. No. 724/2, East Rampart, Thanjavur City Municipality Corporation Limit; with area of GF=FF=40.21 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 117**

(Sh. K. Srinivasa Iyyangar, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.97 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 11, T. S. No 2656, T.S. Ward No. 1, Block No.21, Natchiyar mela mada Veethy, Srivilliputtur Municipality Virundhunagar District; with plinth area of GF=41.74 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 118**

(Shri. S. D. Chandramouli (M/s. Hindustan Petroleum Corporation Ltd.), Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Petrol Bunk with the total height of 6.00 mtrs. for canopy and 3.9 mtrs. (inclusive all) for Sales room building at Survey No. 628/2A, Madambakkam Village, Tambaram Taluk, Kancheepuram District; with floor area as below:

Area Statement	In Sqm.
Area of Sale building	28.51 Sqmt
Area of Canopy	192.00 Sqmt
Area of Driveway	443.08 Sqmt

The color scheme of the monument should be kept in view while constructing the building.





**Case no. 116**

(Sh. V. K. Murugesu, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 3, Block No. 16, T. S. No. 724/2, East Rampart, Thanjavur City Municipality Corporation Limit; with area of GF=FF=40.21 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 117**

(Sh. K. Srinivasa Iyyengar, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.97 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 11, T. S. No 2656, T.S. Ward No. 1, Block No.21, Natchiyar mela mada Veethy, Srivilliputtur Municipality Virundhunagar District; with plinth area of GF=41.74 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 118**

(Shri. S. D. Chandramouli (M/s. Hindustan Petroleum Corporation Ltd.), Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Petrol Bunk with the total height of 6.00 mtrs. for canopy and 3.9 mtrs. (inclusive all) for Sales room building at Survey No. 628/2A, Madambakkam Village, Tambaram Taluk, Kancheepuram District; with floor area as below:

Area Statement	In Sqm.
Area of Sale building	28.51 Sqmt
Area of Canopy	192.00 Sqmt
Area of Driveway	443.08 Sqmt

The color scheme of the monument should be kept in view while constructing the building.

**Agenda No. 3**

(Powerpoint Presentation by Chief Officer, Town Municipal Council, Badami, Karnataka)

After perusal of the application and presentation given, it was decided that the portion where re-alignment is proposed falls in the protected area, DG(ASI) may take a decision as per the AMASR Act. As far as diversion of drainage network from the proposed route where artefacts/remains were found, the work may be carried out subject to the observations of S.A., Dharwad and terms and conditions already laid down for the project. The work should be carried out under the supervision of ASI.



**MINUTES OF THE 176<sup>th</sup> MEETING (2<sup>ND</sup> DAY) OF NMA**

Venue - Conference Room at 2nd floor of ASI building, 24,  
Tilak Marg, New Delhi-110001

Time & Date - 10.30 A.M on 4<sup>th</sup> May, 2018

\*\*\*\*\*

The meeting was attended by the following:

1. Ms. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA.
4. Sh. Satish Kumar, Whole Time Member, NMA.
5. Sh. Navneet Soni, Member Secretary

**Fresh Cases**

**Case no. 01**

(Shri B.V. Ramesh S/o. Late Venkataswamy B.S., Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Khata No. 4552/3381, Belur, Hassan District; with floor area of GF=FF=81.60 sqm.

**Case no. 02**

(Sri Krupakara Dixit S/o. N. Sathyanarayana Dixit, Nanjangud Town, Mysore, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.57 mtrs. (including mumty, parapet, water-storage tank etc.) at Asst. No. 1161/1124, Ward No. 5, at Kayangadi Beedi, Nanjangud Town; with floor area of GF=FF=62.33 sqm.

**Case no. 03**

(Shri H. Vijayendra S/o. Late T.S. Hanumanthachar, Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Katha No. S-1269/1211, Pete Narayana Swamy Temple Road, Srirangapatna; with built up area of GF=FF=29.56 sqm.



**Case no. 04**

(Sri. Sathyanarayana NB S/o. Gundappa, Humcha, Shimoga District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.5 mtrs. (including mumty, parapet, water-storage tank etc.) at Dr. No. 200, Humcha Village; with floor area of GF=66.89 sqm.

**Case no. 05**

(Smt. C N Shobha W/o. Sri. Manjunatha, Chamarajanagar District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 6.60 mtrs. (including mumty, parapet, water-storage tank etc.) at Asst. No. 349/292/B, 1<sup>st</sup> Division, 4<sup>th</sup> Ward, Marigudi Street, Gundlupet; with floor area of GF=FF=132.51 sqm.

**Case no. 06**

(Sri Venkatesh B. P. S/o. Late Putte Gowda, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.61 mtrs. (including mumty, parapet, water-storage tank etc.) at Kh. No. 4644/3469/A, Ward No. 15, Siddeswara Street, Fort, Belur Purasabhe, Belur; with floor area of GF=FF=40.50 sqm.

**Case no. 07**

(Smt. K.N. Lalitha, Belur, Hassan District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+GF+1 Floor with the total height of 7.10 mtrs. (including mumty, parapet, water-storage tank etc.) at Kh. No. 3793/2659 & 3794/2696, Temple Road Belur Taluk, Hassan District; with floor area of GF=FF=94.61 sqm. & basement depth: -2.50 mtrs.

**Case no. 08**

(Shri M.D. Kumar, Belur, Hassan District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.61 mtrs. (including mumty, parapet, water-storage tank etc.) at Kh. No. 3739/5135, Kempegowda Cross Road, Ward No. 9, Belur Purasabhe, Belur; with floor area of GF=87.50 sqm. & FF=24.22 sqm.



**Case no. 09**

(Sri. Shivaji Bangaranna Uppar, Karwar District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 56, Gavatan, Upparakeri, Banavasi; with floor area of GF=22.94 sqm.

**Case no. 10**

(Shri. S. Mahesh S/o. Late Subbaiahm Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. S-2206/2116, Jyothi Maheshwara Temple Road, Srirangapatna; with built up area of GF=FF=31.28 sqm.

**Case no. 11**

(Smt. Jayalakshmi S.M., Davanagere District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 8.23 mtrs. (including mumty, parapet, water-storage tank etc.) at K. No. 418-391-418, 'A' Division Temple Road, Harihara; with floor area of GF=75.28 sqm. & FF=30.79 sqm.

**Case no. 12**

(Sri. Nagaraj Subray Shet, Sirsa Taluk, Karwar District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 9999/102, Rathabeedi Road, Banavasi Taluk, Sirsi-581318; with built up area of GF=FF=80.53 sqm.

**Case no. 13**

(Sri Revanna S/o. Venkatappa, Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+2 Floors with the total height of 9.75 mtrs. (including mumty, parapet, water-storage tank etc.) at Khatha No. S-1692/1615, Mutta Behind Road, Srirangapatna; with built up area of GF=FF=SF=13.78 sqm.



**Case no. 14**

(Sri Sanganna S/o. Gurushantappa Padashetty, Fort Road, Gulbarga, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor of existing building with the total height of building restricted to 7.43 mtrs. (including mumty, parapet, water-storage tank etc.) at House No. 9-951/1, Janata Graha Nirman on Plot No. 11 N Sy. No. 23 of Brahampur, Gulbarga; with proposed floor area of FF=132.38 sqm.

**Case no. 15**

(Shri Shah Irfan Mohiuddin Quadri, Gole Khana, Bidar District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+GF+2 Floors with the total height of 13.30 mtrs. (including mumty, parapet, water-storage tank etc.) at CMC No. 7-2-34 (Old), 7-2-37 (New), Osman Gunj Road, Gorkha Galli, Bidar; with built up area of Basement=GF=FF=209.78 sqm. & SF=128.23 sqm. The applicant should retain the same architectural facade as it is of existing building.

**Case no. 16**

(Sri. Mohd. Arif Syed, Maktampur, Kalburgi District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of First Floor and construction of Second Floor on existing building with the total height of building restricted to 10.60 mtrs. (including mumty, parapet, water-storage tank etc.) at H. No. 4-841, City Survey No. 3751, Maktampur, Kalburgi; with proposed floor area of FF=18.76 sqm. & SF=61.24 sqm.

**Case no. 17**

(Smt. Jainaby W/o. G. Umarabba, Belur Taluk, Hassant District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for alteration of basement and alteration & extension of Ground Floor and construction of First Floor of existing building with the total height of building restricted to 8.70 mtrs. (including mumty, parapet, water-storage tank etc.) at Property No. 34-11-67, Asst. No. 4356/3199, Halemodigere Road, Belur Taluk, Hassan District; with proposed plinth area of GF=FF=192.18 sqm.

**Case no. 18**

(Sri H.D. Paniraj, Srirangapatan, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.50 mtrs. (including mumty, parapet,



water-storage tank etc.) at Katha No. 1528/2/1463/C, Ranganatha Swamy Temple Road, Srirangapatan; with built up area of GF=FF=41.26 sqm.

**Case no. 19**

(Mr. Parameswaran, Kodungallur, P.O. Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.55 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 37/5, Ward No. XX, Village Methala, Taluk Kodungallur, Municipality Kodungallur, Dt. Thrissur; with plinth area of GF=91.64 sqm. & FF=67.36 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 20**

(Dr. Hari N.R., Cherrpu P.O. Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 7.80 mtrs. (including mumty, parapet, water-storage tank etc.) at Re. Survey No. 368/9, Cherrpu Dasam, Cherrpu Village, Thrissur Taluk, Dt. Thrissur; with plinth area of GF=199.86 sqm. & FF=162.73 sqm. The construction work should incorporate Mangalore tiled sloping roof and the color scheme of the monument should be kept in view while constructing the building.

**Case no. 21**

(Mrs. Lily Cheru & Joy C.C., Kechery, Thrissur, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor of Main Building with the total height of building restricted to 8.00 mtrs. (including mumty, parapet, water-storage tank etc.) and construction of Ground Floor of Office Building with the total height of 4.35 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 1048/1, 1048/2, in Eyyal Village, Near Door No. XIV/108 in Kadangode Gramapanchayath, Thalappilly Taluk, Thrissur Dt.; with plinth area of GF of Main Building=180.00 sqm. & plinth area of GF of Office Building=32.03 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 22**

(Shri Santosh Laxman Kulkarni, Shani Chowk, Distt. Ahmednagar, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Parking+2 Floors with the total height of 11.85 mtrs. (including mumty, parapet, water-storage tank etc.) at C.T.S. No. 5374, Shani Lane, Ahmednagar, Maharashtra with built up area of Parking=54.88 sqm. & GF=FF=51.88 sqm.



**Case no. 23**

(Smt. Sangita Subhash Pawar, Panhala, Distt. Kolhapur, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+1 Floor with the total height of 10.28 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 103, Near S.T. Stand, Tal-Panhala, Dist. Kolhapur; with floor area of GF=58.01 sqm. & FF=62.77 sqm.

**Case no. 24**

(Shri Gorakh Narayan-Khandare and Shri Ulhas Narayan Khandare, Maliwada, Distt. Ahmednagar, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/GF+2 Floors with the total height of 12.775 mtrs. (including mumty, parapet, water-storage tank etc.) at CTS No. 4682 A, Par Galli, Near Vishal Ganesh Temple, Maliwada, Ahmednagar; with floor area of Stilt/GF=FF=72.76 sqm. & SF=22.42 sqm.

**Case no. 25**

(Shri Arvind Bansi Dalvi and Smt. Sharda Arvind Dalvi, Behind Savedi, Bus Stand, Ahmednagar, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Parking+2 Floors with the total height of 10.70 mtrs. (including mumty, parapet, water-storage tank etc.) at C.T.S. No. 1517, at Vanjar Lane, Gaothan, Ahmednagar-414001; with floor area of GF=FF=46.86 sqm.

**Case no. 26**

(Shri Imran Ayaz Shaikh, Sarjapura, Ahmednagar-414001, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Parking+2 Floors with the total height of 15.07 mtrs. (including mumty, parapet, water-storage tank etc.) at CTS No. 6430/2/2, At Sarjapura, Ahmednagar; with built up area of GF=FF=13.60 sqm.

**Case no. 27**

(Sri Pravinchandra Ranganath Hendre, New Shahupuri, Kolhapur -416201, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 9.00 mtrs. (including mumty, parapet, water-storage tank etc.) at CTS No. 596/A, At-Panhala, Tal-Panhala, Dist. Kolhapur; with floor area of GF=88.08 sqm. & FF=52.20 sqm.



**Case no. 28**

(Shri Vinay Suresh Kore, Tal-Panhala, Dist. Kolhapur, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt(Parking)+ 2 floors with the total height of 11.47 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 514/A, At Post-Panhala, Tal – Panhala, Dist. - Kolhapur; with built up area of Stilt (Parking)=5.95 sqm. & GF=FF=75.21 sqm.

**Case no. 29**

(Shri Rafique Ahmed Khan and Rasheed Ahmed Khan, Jaisingpura, Dist. Aurangabad, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 9.81 mtrs. (including mumty, parapet, water-storage tank etc.) at Gut No. 32, Plot No. 09, Himayat Nagar, Aurangabad; with built up area of GF=FF=106.35 sqm.

**Case no. 30**

(Shri Sunil Ganpat Karve, Tal-Phaltan, Dist. Satara, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+1 Floor with the total height of 9.22 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No. 2099, 2100, At-Kasba Peth, Phaltan, Tal-Phaltan, Dist. Satara; with built up area of GF=FF=19.96 sqm.

**Case no. 31**

(Shri Bhosale Sangram Rajendra, Tal Panhala, Dist. Kolhapur, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Parking+2 Floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at C.T.S. No. 185/C, At Panhala, Tal – Panhala, Dist. Kolhapur; with built up area of Parking/GF=35.53 sqm. & FF=SF=34.40 sqm. The NOC is recommended to be granted subject to re-verification of distance.

**Case no. 32**

(Smt. Priyanka Saha W/o. Shri Surendra Singh Saha, Kashipur Udham Singh Nagar, Uttarakhand)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 11.25 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 44, Min, Mauza-Ujjain, Tehsil-Kashipur, Distt. (U.S.Nagar), Uttarakhand; with covered area of GF=FF=97.21 sqm.





**Case no. 33**

(Smt. Asha Rani W/o. Shri Sanjeev Kumar, Bathinda, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition/alteration, repair of wall and change of roof on GF and construction of First Floor of existing building with the total height of building restricted to 8.07 mtrs. (including mumty, parapet, water-storage tank etc.) at Old House No. 3593 & New MCB Z-1/07711, Mohalla Molvian Wala Street No. 13, Mini Secritariat Road, Bathinda-151001; with floor area of GF Change of roof=30.75 sqm. & Proposed First Floor=22.76 sqm.

**Case no. 34**

(Shri Om Parkash S/o. Shri Babu Ram, Bathinda, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for change of roof on Ground Floor & First Floor and addition/alteration on Second Floor with the total height of building restricted to 11.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Part of Old House No. 4474, New MCB Z-1/10090, Arya Samaj Chowk, Bathinda; with floor area of GF Change of roof=FF Change of roof=21.21 sqm. & Addition Alteration area of SF=15.05 sqm.

**Case no. 35**

(Shri Balaram Govindadas, Nethaji Road, Madurai, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Stilt+GF+1 Floor with the total height of 10.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 46, 46/2, T. S. No. 19, Ward No. G (P), Block No. 1, Chinnakadai Street, Srirangam Zone, Trichirappalli City Corporation; with floor area of Stilt=GF=FF=144.36 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 36**

(Smt. M. Rani, Kumbakonam Taluka, Thanjavur District, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.84 mtrs. (including mumty, parapet, water-storage tank etc.) at R. S. No. 89/6, Sri Sakthi Nagar, Dharasuram Village & Town Panchayat, Kumbakonam Taluka; with floor area of GF=126.95 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 37**

(Smt. S. Sagunthala, Tambaram Taluk, Kancheepuram District, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor only at Survey No. 628/1, 628/2B, Madambakkam Village,



Tambaram Taluk, Kancheepuram District, Madambakkam Town Panchayat Limits. A copy of revised building plan of Ground Floor only should be submitted by the applicant. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 38**

(Shri G.S. Shiva Kumar, Abramham Street, Mylapore, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground floor+1 Floor with Head Room with the total height of 10.78 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 1 (Northern Portion), in Old S. Nos. 80/1B & 80/2, New Survey No. 80/2A1B, As per Patta No. 2124, V.G.P. Pon Nagar, Sembakkam Municipality Limit, Kancheepuram District; with floor area of GF=FF=60.10 sqm. & Head Room=9.94 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 39**

(Shri B.S. Baskar, Sembakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of building restricted to 7.92 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 1B, Survey No. 87/1A, Sembakkam Village, Sembakkam Town Panchayat Limits, Tambaram Taluk, Kancheepuram District; with proposed plinth area of FF=65.10 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 40**

(Shri H. Vasanthakumar, T. Nagar, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+3 Floors with Head Room, Stair Case & Lift Machine with the total height of 17.93 mtrs. (including mumty, parapet, water-storage tank etc.) at Survey No. 6/2A, Gowrivakkam Village, Tambaram – Velachery Main Road, Sembakkam Municipality, Chennai; with floor area of Stilt=247.00 sqm., FF=229.69 sqm., SF=TF=247.00 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 41**

(Shri R. Ramanan, Zamin Pallavaram, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground Floor + 1 Floor with the total height of 9.22 mtrs. (including mumty, parapet, water-storage tank etc.) at D. No. 120, Plot No. 120, Survey No. 36/3 & 37/1, "Union Carbide Colony", Zamin Pallavaram Village, Pallavapuram Municipality, Alandur Taluk, Kanchipuram District; with floor area of GF=FF=139.35 sqm. The color scheme of the monument should be kept in view while constructing the building.



**Case no. 42**

(Shri D. Vadivelu, Saidapet, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+1 Floor only at R. S. No. 73/5D, D. No. 19, Ranuva Colony, Darasuram Village, Kumbakonam Taluk, Thanjavur District, Tamil Nadu. A copy of revised building plan of Ground Floor+1 Floor only should be submitted by the applicant. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 43**

(Shri T. Praveen Kumar, Jafferkhanpet, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 9, Part-Eastern Side, Suba Mangala Nagar, Survey No. 21/13. C5, No. 21, Zamin Pallavaram Village; with floor area of GF=FF=61.87 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 44**

(Shri C. Wilson Raj, Sembakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 2 Floors with Lift Room and Head Room with the total height of 14.47 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 6, Selaiyur, Chennai, S. No. 80/1A2, Sembakkam Village; with floor area of GF=78.45 sqm., FF=151.19 sqm. & SF=84.49 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 45**

(Shri D. Sankara Vadivel, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with Porch Area and Balcony area with the total height of 9.38 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 609/1 Part & 609/2 Part, Plot No. 1B, Tellus Avenue, Madambakkam Village, Tambaram Taluk, Kancheepurm District, Madambakkam Town Panchayat; with floor area of GF=104.51 sqm., FF=118.44 sqm., Porch Area=17.75 sqm. & Balcony Area=11.61 sqm. The color scheme of the monument should be kept in view while constructing the building.



#### **Case no. 46**

(Shri B. Radhakrishnan, Kamarajapuram, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with Head Room with the total height of 6.36 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 77/2, Plot No. 3, "Bagiyam Nagar", Sembakkam Village, Tambaram Taluk, Sembakkam Municipality Limit, Kancheepuram District; with floor area of GF=100.46 sqm. & Head Room=9.29 sqm. The color scheme of the monument should be kept in view while constructing the building.

#### **Case no. 47**

(Shri T. R. Srinivasan, Sundakkamathur, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Second Floor over existing GF+1 Floor with the total height of 12.72 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 86/1B2 & 1C2, Plot No. 10 (PT) & 11 (PT), "Nesamani Nagar", Sembakkam Village, Tambaram Taluk, Sembakkam Municipality Limit, Kancheepuram District; with proposed plinth area of SF=60.05 sqm. & Head Room=9.48 sqm. The color scheme of the monument should be kept in view while constructing the building.

#### **Case no. 48**

(Shri T. A. Amarnath Hari Krishnan, Tambaram Sanatorium, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with Head Room with the total height of 9.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Door No. 7, Plot No. 5, "Muthumariamman Koli Street, Thiru.Vi. Ka, Nagar", Old S. No. 132/1B, Patta New S. No. 132B Part, (T.S. No. 100, Block No. 30, Ward No. B), Kadaperi Village, Tambaram Municipal Limits Tambaram Taluk, Kachipuram District; with Plinth area of GF=81.41 sqm., FF=106.32 sqm. & Head Room=10.59 sqm. The color scheme of the monument should be kept in view while constructing the building.

#### **Case no. 49**

(Shri A. Ganesa Subramaniyan (General Power of Attorney), Sembakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with Head Room with the total height of 10.67 mtrs. (including mumty, parapet, water-storage tank etc.) at Old S. No. 78/1B, 33/1B & 33/1C, Patta New S. No. 78/9, 33/10 & 33/1C2, Plot No. 26, Bagiyam Nagar, Sembakkam Village, Sembakkam Municipality Limits, Tambaram Taluk, Kancheepuram District; with floor area of GF=85.40 sqm., FF=90.71 sqm. & Head Room=19.60 sqm. The color scheme of the monument should be kept in view while constructing the building.



**Case no. 50**

(Shri C. Ramasundaram, Sembakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with Staircase with the total height of 6.67 mtrs. (including mumty, parapet, water-storage tank etc.) at "Baghiyam Nagar", 4<sup>th</sup> Street, Old S. No. 33/1, As per Patta New S. No. 33/1A, Patta No. 2520, Sembakkam Village, Sembakkam Municipal Limits, Tambaram Taluk, Kanchipuram District; with plinth area of GF=55.76 sqm. & Stair Case=7.43 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 51**

(Smt. C. Uma, Medavakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with Head Room with the total height of 9.14 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 2, S. No. 87/2A2, Patta No. 3293, N. M. Parvathipuram, Sembakkam Village, Tambaram Taluk, Kancheepuram District; with floor area of GF=FF=81.00 sqm., Head Room=6.50 sqm. & Balcony=6.03 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 52**

(Shri T. Vinod Kumar, Jafferkhanpet, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.65 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 9 (Part Western Side), Suba Mangala Nagar, Survey No. 21/13, C.S. No. 21, Zamin Pallavaram Village, Tambaram Taluk, Kancheepuram District; with floor area of GF=FF=61.87 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 53**

(Smt. R. Sumathi, West Mambalam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt + 2 floors with Head Room with the total height of 11.54 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 153/29, Plot No. 440, Thirumalai Nagar, Sembakkam Village, Tambaram Taluk, Kancheepuram District; with plinth area of Stilt=180.68 sqm, FF=SF=194.79 sqm. & Head Room=19.98 sqm. The color scheme of the monument should be kept in view while constructing the building.



**Case no. 54**

(Smt. P. Lakshmi, Old Pallavaram, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.77 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 3, Subham Nagar, Old S. No. 20/3, New S. No. 20/3B, Zamin Pallavaram Village, Alandur Taluk, Kanchipuram District; with floor area of GF=FF=111.48 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 55**

(Smt. V. Vijaya Sudha, Madambakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of building restricted to 8.84 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 1, Gramanatham Old S. No. 705/1 (pt), New S. No. 788/4, As per Patta No. 381, Sri Ramana Nagar, 2<sup>nd</sup> Cross Street, Madambakkam Village, Madambakkam Town Panchayat, Tasmbaram Taluk, Kancheepuram; with proposed floor area of FF=87.79 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 56**

(Shri Athmanathan, S/o. Santhanam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 3, Block No. 16, T.S. No. 788, D. No. 788, Kondirajapalayam, East Main Street, Thanjavur City Municipality Corporation Limit; with floor area of GF=SF=35.24 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 57**

(Smt. A. Vijaya Bharathi W/o. P. Jeyaseelan, West Mambalam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement + Ground floor + First Floor with the total height of 9.26 mtrs. (including mumty, parapet, water-storage tank etc.) at D. No. 76/118, 77/118A, 78/118B, 79/118-C, 80/118-D, 81/118-E, 82/118-F, 78/1/118-G, 78/2/118-H, 78/3/118-I, 78/4/118-J, 88/117, 87/117-A, 86/117-B, 85/117-C, 84/117-D, 83/117-E, 85/1/117-F, 85/2/117-G, 85/3/117-H, 85/4/117-I, at T.S. No. 129, 130, 134/2, Ward-C, Block-6, Thillaipuram Main Road, Namakkal Municipality, Namakkal Taluk, District; with plinth area of GF=FF=245.35 sqm. & Basement=245.35 sqm. with depth: -3.00 mtrs. The color scheme of the monument should be kept in view while constructing the building.



### Case no. 58

(Smt. R. Rajan & Shri R Purusothaman, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 3 Floors with the total height of 14.17 mtrs. (including mumty, parapet, water-storage tank etc.) at D. No. 28 & 28A, Ward No. F, Block No. 30, T. S. No. 73, 74 & 71, Butter Worth Road, Srirangam Zone, Tiruchirappalli City Corporation; with Floor area of GF=FF=SF=112.87 sqm. & TF=84.91 sqm. The color scheme of the monument should be kept in view while constructing the building.

### Case no. 59

(Shri A. Manikandan, Anna Nagar, Pammal, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 8.15 mtrs. (including mumty, parapet, water-storage tank etc.) at Survey No. 159/1, 2 & 3, Plot No. 9, Zamin Pallavaram Village, Thiruchandur Nagar, Tambaram Taluk, Kancheepuram District; with Floor area of GF=FF=58.27 sqm. The color scheme of the monument should be kept in view while constructing the building.

### Case no. 60

(Shri C. Damodaran & Smt. S.T. Vanitha, Chrompet, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction with the total height of building restricted to 9.0 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. 142, Subham Nagar, Part 1, Pallavaram Municipality, S. No. 17/2B & 17/3B, Ward B, Block-52, T.S. No. 116, Zamin Pallavaram Village, Tambaram Taluk, Kancheepuram District. A copy of revised building plan with the total height of building 9.0 mtrs. (including mumty, parapet, water-storage tank etc.) should be submitted by the applicant. The color scheme of the monument should be kept in view while constructing the building.

### Case no. 61

(Shri V. Loganathan, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement + Ground floor + 3 Floors with lift room with the total height of 15.96 mtrs. (including mumty, parapet, water-storage tank etc.) at T. S. No. 3, Ward No. F, Block No. 27, College Road, Tiruchirappalli City Corporation; with FSI area of GF=262.64 sqm. & FF=SF=TF=261.70 sqm. & Non-FSI area of GF=22.64 sqm., FF=SF=TF=23.58 sqm. & Basement=285.28 sqm. with depth: -2.33 mtrs. The color scheme of the monument should be kept in view while constructing the building.



**Case no. 62**

(Shri S. Syed Athhar Saqqaf S/o. Syed Moil Ahamed Saqqaf, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.83 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 3, Block No. 14, T. S. No. 649/3, Pattukkottai Kandekerao Lane, Saqqaf Sakif Thykal Lane, Kondirajapalayam, Thanjavur City Municipal Corporation Limit; with Floor area of GF=FF=37.44 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 63**

(Shri R. Saravanan & Smt. E. Gomathi, Sembakkam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First Floor & Head Room over existing Ground Floor with the total height of building restricted to 10.67 mtrs. (including mumty, parapet, water-storage tank etc.) at S. No. 100/1A Part, Plot No. A1, N.M. Parvathypuram, Sembakkam Village, Tambaram Taluk, Kancheepuram District, Sembakkam Municipality Limits; with proposed plinth area of FF=73.71 sqm. & Head Room=10.22. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 64**

(Shri V. Krishnamoorthy, S/o. N. Venkatachallam, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 8.46 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 4, Block No. 36, T. S. No. 2924 & 2927, D. No. 1 & 117/2927, South Main Street, V. No. 54, Kottai Palliyagraharam Village, Thanjavur City Municipal Corporation Limited; with Floor area of GF=124.45 sqm. & FF=59.94 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 65**

(Shri G. Mohammed Farooq & Smt. Rasheeda Banu, Alandur, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 Floors with Head Room with the total height of 12.38 mtrs. (including mumty, parapet, water-storage tank etc.) at Duraikannu Salai, Old Survey No. 60 & 72, Patta No. 297, As per patta S. No. 60 Part & 72/5B TSLR New Survey No. 60 Part 72/4 Part, Ward No. C, Block No. 9, T.S. No. 28, 40, Zamin Pallavaram Village, Pallavaram Taluk, Pallavaram Municipal Limits, Kancheepuram District; with Floor area of Stilt=FF=SF=66.88 sqm. & Head Room=9.05 sqm. The color scheme of the monument should be kept in view while constructing the building.





**Case no. 66**

(Shri S. Sriram S/o. T. Sitaraman, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 7.54 mtrs. (including mumty, parapet, water-storage tank etc.) at Ward No. 4, Block No. 65, Old T. S. No. 3018, New T. S. No. 38, D. No. 11/33, Rajaji Road, Srinivasapuram, Thanjavur City Municipal Corporation Limit; with Floor area of GF=177.64 sqm. & FF=94.62 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 67**

(Shri R. Tamilarasan S/o. Shri K.S. Ramasamy, Namakkal District, Tamil Nadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 2 Floors with the total height of 9.90 mtrs. (including mumty, parapet, water-storage tank etc.) at D. No. 1A/41, Thillaipuram Main Road, Ward C, Block-6, T.S. No. 57, Namakkal Municipality, Namakkal Taluk and District; with plinth area of GF=FF=SF=207.64 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 68**

(The Executive Engineer, Central Zone, Suraj, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Fish Market & SMC Office, Office Building and Toilet Block at C.S.No.2664/part, 2666, 2877 to 2880, 2882 to 2885, 2886/A and 2897, Ward No. 1, Nanpura, Surat; with details as follows:

<b><u>Fish Market &amp; SMC Office</u></b>	<b><u>Office Building</u></b>	<b><u>Toilet Block</u></b>
GF+1 floor	GF+2 floors	GF
GF=2752.30 sqm. FF=1975.76 sqm.	GF=FF=SF=274.68 sqm.	GF=35.05 sqm.
Height = 7.50 m (including parapet, mumty and water-storage tank etc.)	Height = 16.10 m (including parapet, mumty and water-storage tank etc.)	Height = 3.45 m (including parapet, mumty and water-storage tank etc.)

**Case no. 69**

(Sh. Parvez Ahmed, Jammu & Kashmir)

After perusal of the application, it was decided to **defer** the case. The case cannot be considered in the absence of detailed Heritage Impact Assessment Report as per the prescribed template since the built up area is more that 5,000 sqm. and proposed site is at a



distance of 123 mtrs. i.e. in the first line of construction from the nearby centrally protected monument. The applicant should furnish detailed Heritage Impact Assessment Report as per the template.

**Case no. 70**

(Smt. Pratibha Prakash Shirgaonkar, Tiswadi-Goa)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor + 1 Floor with the total height of 6.82 mtrs. (including mummy, parapet, water-storage tank etc.) at Survey No. 98/1-N of Ella Village, Tiswadi Taluka; with floor area of GF=100.23 sqm. & FF=63.83 sqm.

**Case no. 71**

(Chief Municipal Officer, Dhar, Madhya Pradesh) (Lohani Caves)

After perusal of the application, it was decided to **defer** the case and ask the applicant to make a PowerPoint Presentation of the work proposed.

**Case no. 72**

(Chief Municipal Officer, Dhar, Madhya Pradesh) (Rupmati Pavilion)

After perusal of the application, it was decided to **defer** the case and ask the applicant to make a PowerPoint Presentation of the work proposed.

**Case no. 73**

(The Additional Director, Department of Tourism, Rajasthan)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for repair/renovation/construction and reconstruction of the following at South Side open land of Brahma Temple, Pushkar, Ajmer (Rajasthan):

1. Landscaped Entry Garden
2. Central Green Area
3. Green Performance Centre
4. Walkways
5. Prasad/Flower shop and Kitchen platforms
6. Water Body
7. Overall traditional landscape of Brahma Temple surroundings
8. Repair of existing Gowshala
9. Benches, Signages and Dust Bins
10. Audio Visual & CCTV
11. Illumination

The NOC is recommended to be granted subject to following conditions:



1. No new construction is to be carried out within the prohibited area.
2. The conditions put forwarded by ASI should be complied with.
3. The proposed work should be carried out under supervision of ASI.

### Deferred Cases

#### Case no. 1

(Sri. Ashok C Nellikoppad, Behind P and T Quoters, Haveri, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of building restricted to 8.55 mtrs. (including mumty, parapet, water-storage tank etc.) at C.S. No.-3188/IV/2A/1, Behind P and T Quarters, Haveri. A copy of revised building plan with the total height of building 8.55 mtrs. (inclusive all) should be submitted by the applicant.

#### Case no. 2

(Shri Virendra Soni, Shri Bharat Soni S/o. Late Shri Vaini Prasad Soni & Smt. Rajni Soni W/o. Shri Bharat Soni, Khajuraho, Madhya Pradesh)

After perusal of the application and clarification received, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 6.32 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra no-1714/3, Ward no. 10, near the Govt higher Secondary School, Purani basti, Khajuraho, chhatarpur (MP); with GF area=166.29 sqm.

#### Case no. 3

(Shri Jugal Kishor S/o Shri Ram Sarup, Punjab)

After perusal of the application and revised building plan, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+2 Floors with the total height of 10.67 mtrs. (including mumty, parapet, water-storage tank etc.) at Mandi Road, Near Union Bank, Nurmahal, Tehsil Phillaur Distt. Jalandhar-144039; with area GF=FF=145.11 sqm. & SF=88.60 sqm.

#### Case no. 4 to Case No. 9

(Sh Prem Narayan Sharma, Flat No. 275, Block-DA, Shalimar Bagh, New Delhi)

(Sh Bipin Kumar Mishra and Smt Madhu Mishra, Flat No. 274, Block-DA, Shalimar Bagh, New Delhi)

(Smt. Magna Chauhan, Flat No. 276, Block-DA, Shalimar Bagh, New Delhi)

(Smt. Varsha Aggarwal, Flat No. 235, Block-DA, Shalimar Bagh, New Delhi)

(Smt. Nitto Das and sh Sanjay Gautam, Flat No. 480, Block-DA, Shalimar Bagh, New Delhi)



(mt. Reema and Sh Hari Prasad, Flat No. 532, Block-DA, Shalimar Bagh, New Delhi)

After perusal of these applications of Shalimar Bagh, it was decided to **defer** the cases and ask DDA to clarify whether the applicants can carry out the additional constructions in their flats or not.

#### **Case no.10**

(Smt. Madhuri Madan Demase, Nashik, Maharashtra)

After perusal of the application and clarification submitted by CA, it was decided to visit the proposed site near Pandav Lena Caves, before further consideration of the case.

#### **Case no.11**

(Mr. Vilas Kashinath Patil, Kantilal Rupchand Jain, Vijay Rupchand Jain, Ravindra Kashinath Patil, Maharashtra)

After perusal of the application and clarification submitted by applicant, it was decided to visit the proposed site near Seven Mohammadan & Three Mohammadan Tomb, before further consideration of the case.

#### **Case no. 12**

(Shri A. Sridharan, Kanchipuram, Tamil Nadu)

After perusal of the application and in view of the explanation received from the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 8.78 mtrs. (including mumty, parapet, water-storage tank etc.) at Old Survey No: 107 & 108, New Survey no: 108/IV3, New Perungalathur; with area of GF=73.21 sqm. & FF=210.33 sqm.

#### **Review Cases**

##### **Case no. 1**

(Shri Y.J. Bakir, Shri Y.J. Shamsuddin, Shri. Y.J. Abbas, Shri. Y.J. Shabir , Tamil Nadu)

After perusal of the application and the representation received from the applicant, it was decided to **defer** this case and ask for complete information regarding the section/elevation plan alongwith the floor plans. Thereafter, the case would be considered again.

##### **Case no. 2**

(Shri. P. Muraleedhara Menon, Kerala)

After perusal of the application and information received from the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of



9.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy. No. 27/3, Municipality Kodungallur, Village Methala, Taluk Kodungallur, Dt. Thrissur; with area of GF=235.71 sqm. & FF=155.47 sqm.

### Cases for reconsideration

#### Case no. 1

(Shri. Karyapalan Yantri, Gramin Yantriki Seva Sambhag, Raisen, Madhya Pradesh)

After perusal of the application and the letter received from the CA, it was decided to ask the C.A., Madhya Pradesh to consider the case under Section 2 and under Rule 6, 7 and 8 of AMASR Act.

#### Case no.2

(Mr. Moosa Haji and Sulaima Haji, Kerala)

After perusal of the application and the representation received from the applicant, it was decided to ask the applicant to submit Heritage Impact Assessment report as the proposed area is more than 5000 sqm. or the applicant may shift his proposal beyond the 300 mtrs. limit of the nearby Centrally Protected Monument.

### Additional Agenda:

#### Case no.1

(Mrs. Karthyayani, Kerala)

After perusal of the application and in view of the explanation received from the applicant, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 3.75 mtrs. (including mumty, parapet, water-storage tank etc.) at Sy No. 611/3 Ward No.1, Kadavallur Panchayath, Thalappilli Taluk, Thrissur; with plinth area of GF=70.93 sqm.

#### Case no.2

(Shri Rajeshbhai Nathani ,Dwarka, Gujarat)

After perusal of the application, it was observed that the applicant has applied for two different proposals (Building Part-I and Building Part-II). Hence, it was decided to recommend grant of NOC for construction of GF+4 floors for the Building Part-I with the total height of 16.70 Mtrs. (including mumty, parapet, water-storage tank etc.) at C. S. No. 2092 (Part), Sheet No. 37, Dwarka, Gujarat; with area of GF=FF=299.60 sqm., SF=TF=288 sqm. & FF=15.50 sqm. The applicant has to submit a separate proposal for the Building Part -II.



### Case no.3

(Ayukt, Nagar Nigam, Ajmer, Rajasthan)

After perusal of the application and the representation received, it was decided to discuss the case in 177<sup>th</sup> meeting of NMA to be held on 09.05.2018 at 11.30 am.

### Case no.4

(Shri Sanjesh Sharma S/o Shri Ramkhiladi Sharma & Smt. Monika Sharma W/o Shri Sanjesh Sharma, Khandwa, Madhya Pradesh)

After perusal of the application and in view of the representation received from the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+2 Floors with the total height of 11.20 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at Plot No. 105 & 106, Mandhata Dreams Colony, Onkareshwar, Khandwa (M.P.); with floor area of GF=49.88 sqm., FF=59.82 sqm. & SF=30.32 sqm; subject to the verification that the plot is in regulated area from notified limit of Centrally Protected Monument as per gazette notification.

### Case no.5

(Executive Engineer sub-division PWD, Hunagund, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for laying of Cement Concrete Road in Aihole Village under the supervision of ASI.

### Case no.6

(Sri Sai Shankar, Kalburgi, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor+1 Floor with the total height of 8.92 mtrs. (including mumty, parapet, lift room, water-storage tank etc.) at H. No. 9-171, CTS No. 1195, Part Chalta No. 65, Street No. 39, Katgapura, Shahbazar, Kalaburgi; with area of GF=FF=154.73 sqm.

### Agenda No. 4

### ONLINE CASES

#### Case 1 : Shri Awtar Krishan Ganju, Delhi

The case was recommended for construction of Basement+Stilt+GF+3 Floors of residential building with the total height of 18mt. (including mumty, parapet, lift room, water-storage tank etc.) at 27, Hanuman Road, Connaught Place, New Delhi; with floor area of Stilt=G.F.=500.69sqmt.;F.F.=S.F.=499.49sqmt.;T.F.=493.54sqmt. & Basement area:



500.55sqmt. with depth- 3.20mt. The NOC is recommended to be granted with the terms and conditions mentioned in the report of CA, Delhi.

**Case 2: Shri Sumit Arora, Delhi**

The case was recommended for construction of Basement+Stilt+GF+3 Floors of residential building with the total height of 18mt. (including mumty, parapet, lift room, water-storage tank etc.) at 112 Jor Bagh, South Delhi, New Delhi; with floor area of Stilt=279.524sqmt.; G.F.=FF=271.04sqmt.; S.F.=T.F.=276.596sqmt. & Basement area: 244.579sqmt. with depth- 3.15mt. The NOC is recommended to be granted with the terms and conditions mentioned in the report of CA, Delhi.

**Case 3: Mrs. Summita Devvi Pandey, Delhi**

The case was recommended for construction of Basement+Stilt+GF+3 Floors of residential building with the total height of 18mt. (including mumty, parapet, lift room, water-storage tank etc.) at D-10, Hauz Khas Enclave, New Delhi- 110016; with floor area of Stilt=G.F.=F.F.=S.F.=T.F.=170.65sqmt. & Basement area: 100.75sqmt. with depth- 3.20mt. The NOC is recommended to be granted with the terms and conditions mentioned in the report of CA, Delhi.

**Agenda No. 5**

**Discussion on Heritage Bye Laws**

Discussion on Heritage Bye-Laws of Amjad Ali Shah Mausoleum, Lucknow was deferred. The item will be discussed in the separate meeting to be held on 09.05.2018.

