

MINUTES OF THE 250th MEETING OF NMA

Venue - NMA Conference Room
Time & Date - 30th October, 2019 at 10:00 am

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairperson, NMA.
2. Prof. (Dr.) Ashvini Agrawal, Whole Time Member, NMA.
3. Prof. (Dr.) Ajay Khare, Whole Time Member, NMA.
4. Dr. Vinay Kumar Rao, Part Time Member, NMA.
5. Sh. Navneet Soni, Member Secretary, NMA.

Agenda no.1

The minutes of 249th meeting were confirmed.

Agenda no. 2

((1) Charulata Mansukhbhai Pokal (2) Kanaiyalal Jankilal Shah Both are Power of Attorney Holder of M/S Janki Developers Partners (1) Shantilal Bhogilal Shah (2) Alpesh Naranbhai Patel and others, C/o. Dholariya Design, (Jagdish Bhikhalal Patel), C/17, 2nd Floor, Padmavati Flat, Nr. Narannagar Bus Stop, Above Mukesh Bhaji Pav Naroda, Ahmedabad-382330 , Gujarat)I

It was decided to give an opportunity to the applicant to present his case to National Monument Authority before taking a final decision.



Agenda no. 3

Consideration of NOC applications

Defer Cases

Case no.01

(Shri Jayrambhai Talrshibhai Patel and Mrs. Aunaben Kiranbhai Lakhvi, Kuber Nagar Co. Op Housing Society, Katargam Darwaja, Kataggam, Surat, Gujarat)

After perusal of the application and revised plan received from CA, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+3 Floors+Stair Cabin with the total height of the building 15.22 mtrs (including mummy parapet, water-storage, lift machine room etc.) at T.P.S.No. 03, F.P.No. 440/A+B, R.S.No. 454, Plot No. 12 (12A+B) Kuber Nagar Hou. Soc., Vibhag-I, Katargam, Surat; with built up area of Basement=GF=FF=SF=TF=79.95 sqm & Stair Cabin=12.70 sqm.

Case no.02

(Shri Pravinsinh N. Chauhan, A/83, Setrunjay Nagar Society, Near Kalika Mata Temple, Tal. Dholka, Ahmedabad, Gujarat)

After perusal of the application and clarification received, it was decided to **reject** the case as the applicant has already carried out the construction work without taking prior approval of NMA.

Case no.03

(Sabinabanu Mo. Salim Shaikh, 12/610, Fourth Floor, Keshav Hambers, Lalgate, Surat-395003)

After perusal of the application and information received, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+5 Floors with the total height of the building 21.80 mtrs (including mummy parapet, water-storage, lift machine room etc.) at 1437, Shahpore, Choryasi, Surat, Gujarat; with floor area of GF=FF=SF=TF=FF=FF= 41.68 sqm/ each and Basement -41.68sqm with depth - 3meters.

Case no.04

(Sri Gokul Chetia, Shiva Singha Nagar, Near Ranghar, P.O. Jaysagar, Dist. Sivasagar, Pin- 785665)

After perusal of the application and clarification received, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of the building 10.50 mtrs (including mummy

parapet, water-storage tank, etc.) at Siva Singha Path, Dag No. 7419, P.P.No. 1379, Joysagar, Sivasagar, Assam; with floor area of FF =126.63 sqm.

Case No.05

(Shri R. Kailasnath, Managing Director M/s CPC Diagnostics Pvt. Ltd. D. No. A-23, Canary, Nest Apartments, Cenotaph Road, Rathina Nagar Main Road, Teynampet, Chennai- 600 018, Tamilnadu)

After perusal of the application and information submitted by Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of G+ 1 floor with lift machine room and overhead tank with the total height of 11.50 meters (including mumty, parapet, water storage etc.) at M/s CPC Diagnostics Pvt. Ltd. Village No. 54, Kalvoy Village, comprised in S. no. 249/1A, 250/3C1 & 250/3c2B of village No. 54, Kalvoy village, kattan kolathur union, Chengalpattu Taluk, Kanchipuram District- 603 108; with floor area of GF = 2405.05 sqm, FF = 2391.38 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 06

(Shri Kishor Bhagwan Tarawade, 414, Asha Complex, Manglwar Peth, Maldhakka Chowk, Pune - 411011, Maharashtra)

After perusal of the application and revised plan received from Competent Authority, it was decided to **recommend** grant of NOC in this case for reconstruction of Upper GF + Lower GF/Parking + 6 Floors with the total height of 24 meters (including Mumty, Parapet, lift room, Water Storage tank etc.) at C.T.S. No. 280, 282/1, 282/4, Kasba Peth, Pune; with floor area of Upper GF= 77.18 sqm, Lower GF/Parking= 81.60 sqm, 1st floor to 6th floor= 67.91 sqm/ each.

Case No. 07

(Smt Shubhangi B Keluskar & 2 others, C. S. No. 182, A/P Panhala Tal - Panhala, Dist - Kolhapur-416201, Maharashtra)

After perusal of the application and revised plan received from Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor with the total height of 10.65 meters (including Mumty, Parapet, Water Storage tank etc.) at C.S. No. 182 At Panhala, Dist – Kolhapur; with floor area of GF= 140.74 sqm, FF= 166.33 sqm with a clear setback so that the construction is at a distance of 103 mtrs from the Centrally Protected Monument. There should be no construction whatsoever in the prohibited area of the Centrally Protected Monument.

Case No. 08

(Nirmala Bhoite, Shripal Bunglow Naralibaug Laxminagar Phaltan Dist Satara 145523, Maharashtra)

After perusal of the application and recommendation received from Competent Authority, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 Floors with the total height of 12.70 meters (including Mumty, Parapet, Water Storage tank etc.) at 5626A/2/12 Naralibaug near Jabreshwar Temple Monument, Phaltan, Satara, Maharashtra; with floor area of GF=FF=SF= 139.27 sqm.

Case No.09

(Mr. Ramesh. M.K., Mathramkott House, Cheruvathoor Road, Kakkad, Kunnamkulam. P.O., Thrissur – 680503, Kerala)

After perusal of the application and the clarification submitted by Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 6.82 mtrs (including mumty, parapet, water storage, etc.) at Sy.No. 92/4, Kunnamkulam Municipality, Thalippilly Taluk, Thrissur District; with Plinth area of GF=FF= 27.90 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case no.10

(Sh. Darshan Singh S/o Sh. Shankar, Village Jahangir, Tehsil Nakodar Distt Jalandhar Pin No. 144040)

After perusal of the application and revised plan received from Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.230 mtrs. (including mumty, parapet, water-storage tank etc.) at Village Jahangir, Tehsil Nakodar Distt Jalandhar Pin No. 144040; with floor area of GF=140.477, FF=99.700 sqm.

Case no.11

(Shri Anupam Sachdev and Shri Anhad Sachdev through its SPA Shri Ravinder Dayal, S-296, Panchsheel Park, New Delhi)

After perusal of the application and as per the decision of NMA taken in its 215th meeting held on 14th February, 2019 regarding to dispense with the requirement of Schedule –II information for the NOC applications, it was decided to **recommend**



grant of NOC in this case for construction of Basement+Stilt+GF+3 Floors with the total height of the building 18 mtrs (including mumty parapet, water-storage tank, etc.) at S-296, Panchsheel Park, New Delhi; with floor area of Stilt=GF=FF=SF=TF=398.60 sqmt/ each, Basement area - 386.563 sqmt with depth -2.90 mt.

Case No.12

(Smt. Urmila Devi, Prahlad Das, Usha Devi and Govind Lal, D-36/275, Agustkunda, Dashaswasmedh, Varanasi, Uttar Pradesh)

After perusal of the application and clarification received from Competent Authority, it was decided to **recommend** the case for construction of Second Floor over existing Basement+Ground Floor+First Floor with the total height of 12.00 mtr (including mumty, parapet, water-storage tank, lift room etc.) at Arazi No. 899 and 2859P, Mouza- Kashipura, Pargana-De. Aa. District Varanasi with floor area of SF= 143.04 sqm.

Case No.13

(Sh. Sunil Kumar Jain, Nabajyoti Residency, 6th Floor, Near HDFC Bank, N.N Road, P.O-Cooch Behar, West Bengal-736101.)

After perusal of the application, the location of the plot vis a vis the monument and past cases, it was decided to **recommend** the case for construction of GF+4 floors with the total height of 17.20 mtr (including mumty, parapet, water-storage tank, lift room etc.) at Keshab Road Bye Lane, Plot No. LR 8329, Mouza Sahar Cooch Behar, JL. No. 130, P.S. -Kotowali Dist.-Cooch Behar, Holding No. 514, Ward No. 19, with floor area of GF=FF=SF=TF=FF= 200.38 sqm.

Reconsideration Cases

Case No.01

(M/s VGN Homes (P) LTD, No. 333, Poonamallee High Road, Amaindakarai, Chennai – 600 029, Tamilnadu)

After perusal of the application and revised plan submitted by Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of Stilt +3 floor with lift machine room, overhead tank with the total height of 14.80 meters (including mumty, parapet, water storage, lift room etc.) with following floor area:

Area Statement	Sq. mts	
	F.S.I	Non – F.S.I
Block – A		
Stilt Floor	402.91	66.78



First Floor	3712.63	---
Second Floor	3712.63	---
Third Floor	3712.63	---
Block – B	F.S.I	Non – F.S.I
Stilt Floor	144.63	69.03
First Floor	3269.95	---
Second Floor	3269.95	---
Third Floor	3269.95	---
Block – C	F.S.I	Non – F.S.I
Stilt Floor	182.68	33.55
First Floor	1622.82	---
Second Floor	1622.82	---
Third Floor	1622.82	---

& construction height of compound wall= 1.52 meters: at Survey Nos. 158/1 (Pt), 2, 159 (Pt), 162 (Pt), 164/1 & 166/1, Thiruneermalai Village, Alandur Taluk, Thiruneermalai Town Panchayat Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case no.02

(Shri Prafulkumar Trambaklal and others, 501, Panchsheel Residency, Opp. Dr. Nathubhai Hospital, Nr. Panchsheel Bus Stop, Usmanpura, Ahmedabad- 13, Gujarat)

The report submitted by Competent Authority, Gujarat was considered in which he mentioned that after joint survey conducted by Archaeological Survey of India, Vadodara Circle, it was found that the distance of the building is 99.18 mtrs from the protected limit of the Centrally Protected Monument. In view of this it was decided that a clear setback further 1 meter should be ensured from the protected limit. No construction will be allowed in the prohibited area under any circumstances. The building height should be restricted to 22.80 mtrs (including mumty, parapet, water-storage tank, lift room etc) as recommended in 210th meeting of National Monument Authority held on 14th January, 2019.

Case no.03

(Shri Jay Rajendrabhai Patel, Authorized Partner of Shivam Buildcon, 9-Suyash Society, Opp. Sahjanand Tower, Sterling Hospital Road, Gurukul, Ahmedabad-380052, Gujarat)

It was noted that the case was recommended in 130th meeting of NMA held on 28th & 29th December, 2015. However Competent Authority, Gujarat has reported that neither the NOC was issued in Form-IV to the applicant nor the certified building plan was provided. Competent Authority, Gujarat has also certified that the applicant has not started the construction as yet. Under these circumstances the case is **recommended** a fresh with a height of 21.86 mtrs (including mumty, parapet,

water-storage tank, lift room etc) and a Basement of 3.80 mtrs depth for parking as per the revised Form-II sent by CA, Gujarat for construction at Sur. No. 336/Paiki, F.P.No. 27/Paiki, T.P.S.No. 52 (Ghodasar North), Isanpur, Ahmedabad, Gujarat. The applicant may be asked to submit a revised building plan of 21.86 mtrs (including mumty, parapet, water-storage tank, lift room etc) in accordance with the above recommendation.

Case No.04

(Mrs. Dhanya, Vadakkepurakkal House, Eyyal. P.O., Thrissur - 680501, Kerala)

After perusal of the application and revised plan submitted by Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.25 mtrs (including mumty, parapet, water storage, etc.) at Sy. No.: 1121/P, Eyyal Village, Thalapilly Taluk, Thrissur District in Kakangode Grama Panchayath; with Plinth area of GF= 99.46 sqm & FF= 54.52 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.05

(Sri. Anandkrishnan. V.R, T.C 64/2110, Shiva ganga, Thiruvallam.P.O., Trivandrum- 27, Kerala)

After perusal of the application and the representation submitted by Competent Authority, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.55 mtrs (including mumty, parapet, water storage, etc.) at Survey No-44/13 (O) 49/10 (Re), Ward no. 64, Thiruvallam; with Plinth area of GF=FF= 86.88 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case no. 06

(1. Shri Sourabh Garg S/o Shri Saubhas Garg 2. Shri Sachin Khandwal S/o Shri Mahesh Chand Khandwal, 443, M.G. Road, Milan Drases, Barwaha Tehsil-Barwaha Distt-Khargon Madhya Pradesh -451115)

The representation submitted by the applicant was considered and in the light of facts brought out by the applicant it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 11.60 mtrs.

(including mumty, parapet, water-storage tank etc.) at Khasra No. 41/2, Plot No-8-9, Village Godarpura Patwari Halka no.5 Mandhata Tehsil-Punasa, Distt-Khandwa, M.P; with floor area of GF=FF=SF=98.67 sqm, Mumty & Water Tank area=74.39 sqm in superstition of the earlier decision taken in 233rd meeting of NMA held on 26th June, 2019.

Fresh Cases

Case No.01

(Shri B. Rajesh & Smt. S. Vasuntha, D. No. B3, B Block Anugraha Apartments, Amaravathy Street, Subham Nagar, Part III, Zamin Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with water tank with the total height of 9.83 meters (including mumty, parapet, water storage, etc.) & construction height of compound wall= 1.52 meters: at Plot No. 113, Subham Nagar, Part-III, old S. No. 20/6, as per patta New S. No. 20/6 part T.S. No. 231/1B ward No. B, Block No. 53, Zamin Pallavaram Village, Pallavaram Municipal Limits, Pallavapuram Taluk, Kanchipuram District; with floor area of GF=FF=48.88 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.02

(Shri T. Dhamodharan, Old No. 9, New No. 23, Swami Pillai Street Triplicane, Chennai-600 005, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with headroom and over head tank with the total height of 9.68 meters (including mumty, parapet, water storage, etc.) & construction height of compound wall= 1.52 meters: at Plot No. 22, Dhanusha Nagar, Old S. No. 603/1, as per Patta New S. No. 603/1A 1D, Patta No. 4767 Madambakkam Village and Town Panchayat, Tambaram Taluk, Kanchipuram District; with floor area of GF=FF=95.26 sqm, Headroom = 11.00 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.03

(Smt. K. Kalpana, D. No. 18/33, 1st South Street, Kanadi Square, Thiruvika Nagar, Perambur, Chennai- 600 011, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with headroom with the total height of 8.23 meters (including mumty, parapet, water storage, etc.) at T.S.F. No. 1707, Ward No.

Uthir

2, Block No. 4/21, D. No. 15A, Panjukotti Street, Kanchipuram Municipality, Kanchipuram Taluk & Kanchipuram District; with floor area of GF=FF=87.37 sqm, Headroom = 9.29 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.04

(Shri S. Kannan (General Power of Attorney), D. No. Plot No. 135, Jayachnadran Nagar, 5th Main Road, Jelandian Pettai, Chennai- 600 126, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/G+2 floors with the total height of 8.95 meters (including mumty, parapet, water storage, etc.) at Schedule -E, S. No. 105 Part, as per Patta S. No. 105/4, Sithalapakkam Village, St. Thomas Mount Panchayat Union, Tambaram Taluk, Kanchipuram District; with floor area of Proposed Stilt floor (part) = 164.25 sqm, Proposed Ground floor (part) = 341.23 sqm, Proposed First floor = 505.48 sqm, Proposed Second floor (part) = 164.25 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.05

(Shri S. Kannan (General Power of Attorney), D. No. Plot No. 135, Jayachnadran Nagar, 5th Main Road, Jelandian Pettai, Chennai- 600 126, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/G+2 floors with the total height of 8.95 meters (including mumty, parapet, water storage, etc.) at Schedule -D, S. No. 105 Part, as per Patta S. No. 105/3, Sithalapakkam Village, St. Thomas Mount Panchayat Union, Tambaram Taluk, Kanchipuram District; with floor area of Proposed Stilt floor (part) = 265.59 sqm, Proposed Ground floor (part) = 286.00 sqm, Proposed First floor = 551.51 sqm, Proposed Second floor (part) = 265.59 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.06

(Shri P. Doss, D. No. 99/6, Sri Perumal Nagar, 4th Main Road, Old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Stilt +2 floors with lift machine room, headroom and

water tank with the total height of 13.91 meters (including mumty, parapet, water storage, lift room, etc.) with following floor area:

Area Statement	FSI Area	Non-FSI Area
Stilt floor	---	109.76 sqmt
Plinth area of FF	109.76 sqmt	---
Plinth area of SF	109.76 sqmt	---
Lift machine room & headroom	---	15.43 sqmt

& Construction height of compound wall= 1.52 meters; at Plot No. 99B, Perumal Nagar 4th Main Road, Old S. No. 78/2, as per Patta Sub Division S. No. 78/14, as per Patta New S. No. 78/14A part, T. S. No. 89, Ward No. C, Block No. 14, Zamin Pallavaram Village, Pallavaram Municipality Limits, Pallavaram Taluk, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case No.07

(Shri E. Purushothamman, D. No. 3197/4, Kanchipuram Highway Thimmavaram- 603 101, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with water tank with the total height of 6.04 meters (including mumty, parapet, water storage, etc.) at S. No. 50, as per Patta S. No. 50/79, T. S. No. 38/2, Ward No. B, Block No. 39, R. P.T. No. 462/2016, Lingam Ricemill Street, Zamin Pallavaram Village, Pallavaram Municipality Limits, Pallavaram Taluk, Kanchipuram District; with floor area of Proposed Ground floor= 51.65 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.08

(Shri N. Kandavelsah, D. No. 20/2, Vaigundapuram Street, Kanchipuram Town and District-631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 7.09 meters (including mumty, parapet, water storage, etc.) at T. S. No. 1721/1B, D. No. Old; 20, New 2, Vaigundapuram Street, Ward No. 2, Block No. 45, Kanchipuram Town, Taluk and District; with floor area of Proposed GF=FF= 64.68 sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No.09

(Shri V. Kannan S/o Vengada Sariyar, D. No. 19/9, Kanthadai Street, Srivilliputtur, Virudhunagar District-626 125, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 7.56 meters (including mumty, parapet, water storage, etc.) at D. No. 19/9, Kanthadai Street T. S. No. 2085, T.S. Ward No. 1, Block No. 17, Srivilliputtur Municipality; with floor area of Proposed Ground floor= 80.27 sqm, Proposed First floor = 73.40 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.10

(Shri M. Kannan, D. No. 5/58, Perumal Nagar 4th Croos, old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Stilt+2 floors with headroom and overhead tank with the total height of 12.53 meters (including mumty, parapet, water storage, etc.) with following floor area:

Area Statement	FSI Area	Non-FSI Area
Stilt floor	---	99.40 sqmt
Plinth area of FF	115.29 sqmt	---
Plinth area of SF	115.29 sqmt	---
Headroom	---	7.90 sqmt

& Construction height of compound wall= 1.67 meters; at Plot No. 1A, Perumal Nagar, S. No. 75/10A, Part, T. S. No. 63, Block No. 12, Ward No. C Zamin Pallavaram Village, Pallavaram Municipality Limits, Pallavaram Taluk, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case No.11

(Smt. S. Asha Rani, Plot No. 15, Max Spring Apratment, Sikkandar Chavadi, Madurai- 625 018, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with headroom with the total height of 9.45 meters (including mumty, parapet, water storage, etc.) & construction height of compound wall+gate = 1.52 meters; at P. No. 151 & 152 S. No. 350/4, Patta No. 3702, as per Patta S No. 350/4, The south Chennai Co-operative Nagar, Gandhi

Nagar Society, Perumbakkam village St. Thomas Mount Panchayat Union Limit, Tambaram Taluk, Kanchipuram District; with floor area of Ground floor = 83.64 sqm, First floor = 87.54 sqm, Headroom = 21.56 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.12

(Shri R. Gopal, D. No. 7, New Agraharam, darasuram, Kumbakonam Taluk, Thanjavur- 612 702, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 6.47 meters (including mumty, parapet, water storage, etc.) at R. S. No. 32-13 B, New Agraharam Road D. No. 48, Dhatasuram Village & Town Panchayat Kumbakonam Taluk, Thanjavur District; with floor area of Proposed GF=FF= 111.52 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.13

(Shri R. Balusamy S/o Ramasamy, D. No. 7, New Agraharam, darasuram, Kumbakonam Taluk, Thanjavur- 612 702, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+2 floors with the total height of 9.44 meters (including mumty, parapet, water storage, etc.) with following floor area:

Area Statement	Plinth area	Carpet area
Ground floor	55.76 sqmt	49.00 sqmt
First floor	55.76 sqmt	49.00 sqmt
Second floor	55.76 sqmt	49.00 sqmt

at S. F. No. 86, Ward-C Block-10, Paramathi Main Road, Namakkal Municipal Limit, Namakkal Taluk and District. The color scheme of the monument should be kept in view while constructing the building.

Case No.14

(Shri S. Muthukumar, D. No. 2/32, East Street, Seerkachi Tuticorin- 628 001, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with headroom with the total height of 8.99 meters (including mumty, parapet, water storage, etc.) & construction height of

compound wall = 1.45 meters; at Survey No. 89/1A, 1A, 1A 1A, Plot No. 6G, St. Thomas Mount Panchayat Union, office limit, Sithalapakkam Village, Solinganallur Taluk, Kanchipuram District; with floor area of Ground floor = 72.56 sqm, First floor = 88.16 sqm, Headroom = 13.94 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.15

(Shri N. Seenusha, D. No. 20/2, Vaigundapuram Street, Kanchipuram Town and District-631 502, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of G+1 floor with the total height of 7.70 meters (including mumty, parapet, water storage, etc.) at T.S. No. 1721/1C, D. No. old 20, New; 2, Vaigundapuram Street Ward No. 2, Block No. 45, Kanchipuram Town, Taluk and District; with floor area of Proposed Ground floor = 48.60 sqm, First floor = 19.79 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.16

(Shri S. Peter Pugalendhi, D. No. 21, Bharma Colony, Thiruverumbur Trichy- 600 013, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.00 meters (including mumty, parapet, water storage, etc.) at S. F. No. 32/7, 32/10 186/4, Plot No. 15, Chola Avenue, Thiruverumbur Village Ponmalai, Trichy City Corporation; with floor area of Proposed Ground floor = 71.17 sqm, Proposed First floor = 62.02 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.17

(Shri S. Seenivasan, D. No. N3/26, Nehru Nagar, B.H.E.L. Township, Trichy- 14, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 8.15 meters (including mumty, parapet, water storage, etc.) at Plot No. 14, S. F. No. 188/2, Sri Lakshmi Nagar Extension Thiruverumbur Village Ariyamangalam Zone Thiruverumbur Sub-Registry & Taluk Trichy Corporation; with floor area of Proposed Ground floor =

89.56 sqm, Proposed First floor = 56.67 sqm, Portico = 4.46 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.18

(Smt. A. Nazira Akhthar, D. No. 119, Raja Street, Thiuvembur Taluk, Tiruchirapalli District- 620 013, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with headroom with the total height of 6.86 meters (including mumty, parapet, water storage, etc.) at S. F. No. 49/2-A, 49/3-A, 49/5, 49/6 & 49/77-A plot No. 17, Thiruverumbur Village Ariyamangalam Zone Tiruchirapalli City Corporation; with floor area of Proposed Ground floor = 138.25 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.19

(Shri B. Krishnamurthy, D. No. 14/60, 48th Street Ashok Nagar, Chennai- 600 083, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with water tank with the total height of 6.20 meters (including mumty, parapet, water storage, etc.) & construction height of compound wall = 1.67 meters; at Plot No. 31, Nagalakshmi Nagar S. No. 36/2A & 336/2B, Patta No. 5810, Patta S. No. 36/83, Sithalapakkam Village, St. Thomas Mount Panchayat Union, Tambaram Taluk, Kanchipuram District; with floor area of Ground floor = 92.90 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.20

(Shri K. Parthasarthy, Shri K. Chellamuthu & Shri K. Viswanathan, D. No. 6/6, Tank Street, 3rd Cross, Lakshmipuram, Chrompet, Chennai- 600 044, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors with headroom and water tank with the total height of 12.53 meters (including mumty, parapet, water storage, etc.) with following floor area:

Area Statement	F.S.I. Area	Non-F.S.I. Area
Stilt floor	---	117.47 sqmt
Ground floor	110.41 sqmt	---
First Floor	187.73 sqmt	---
Second Floor	81.97 sqmt	---
Staircase & Sit out area	---	149.81 sqmt

& Construction height of compound wall= 1.52 meters; at Plot No. 9, 10 & 11, Terrasa Street, Durga Nagar, Old Survey No. 378/2 & 378/4, Patta No. 3339, 3340 & 8703, as per patta S. No. 382/1A1B, 382/ 1A1C & 382/8, Thiruneermalai Village, Pallavaram Taluk, Thiruneermalai Town Panchayat Limit, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case no.21

(Shri Sunil Babulal Patel, 1375, Jadabhagat Ni Pole Dariyapur, Ahmedabad-380001, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+3 (Three)+Stair Cabin with the total height of the building 17.95 mtrs (including mumty parapet, water-storage, lift machine room etc.) at C.S.No. 1737, Sheet No. 29, Dariyapur-II, Ahmedabad, Gujarat; with built up area of GF=FF=SF=TF=69.50 sqm/each and Stair Cabin=7.25 sqm.

Case no.22

(Smt. Bhavna Naimish Patel, 8, Indra Baug Society, Near Ramesh Park, Usmanpura, Ahmedabad-380013, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of HP/GF+3 (Three)+Stair Cabin with the total height of the building 17.95 mtrs (including mumty parapet, water-storage, lift machine room etc.) at C.S.No. 1716, Sheet No. 29, Dariyapur-II, Ahmedabad, Gujarat; with built up area of HP/GF=FF=SF=TF=132.73 sqm/each and Stair Cabin=15.36 sqm.

Case no.23

(Shri Mohammed Ilyas Abdul Karim Memon, Shoeb Mohammed Ilyas Memon and Faridabanu Mohammed Ilyas Memon, 2769, Near Rajnagar Market, Sabuwala's Gali, Khamasa, Ahmedabad-380001, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of HP+GF+3 (Three) +Stair Cabin & Lift Room with the total height of the building 17.95 mtrs (including mumty parapet, water-storage, lift machine room etc.) at C.S.No. 2877 and 2879, Sheet No. 64+65, Raikhad-I, Ahmedabad, Gujarat; with built up area of HP=GF=FF=SF=TF=149.72 sqm/each and Stair Cabin & lift room=14.60 sqm.



Case no.24

(Shri Paritosh Ambalal Patel and Shri Praful Kumudchandra, A/1, Dwarkesh Apartment, In Lad Society, Vastrapur, Ahmedabad-380052, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+3 (Three)+Stair Cabin with the total height of the building 17.95 mtrs (including mumty parapet, water-storage, lift machine room etc.) at C.S.No. 1675, Sheet No. 28, kalupur-III, Ahmedabad, Gujarat; with built up area of GF=FF=SF=TF=94.70 sqm/each and Stair Cabin=20.80 sqm.

Case no.25

(Smt. Indraba Chetansinh Vala, Plot No. 72, Nokariyat Society, Talaja-364140, Dist. Bhavnagar, Gujarat)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Lower GF+GF+1 (One) with the total height of the building 10.63 mtrs (including mumty parapet, water-storage tank etc.) at Plot No. 43 and Talaja gamtal Society, Talaja and adjoining land Lagu, Plot No. 43, Talaja, Dist. Bhavnagar, Gujarat; with built up area of Lower GF= 135.82 sqm, GF=329.89 sqm & FF=313.57 sqm.

Case no.26

(Shri Praful Kumudchandra Patel and Shri Paritosh Ambalal Patel, 44, Sahajanand Palace, B/s. Sompol Flat, B/h. Sidhu Bhavan, Thaltej, Ahmedabad-380053, Gujarat)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of GF+3 (Three)+Stair Cabin with the total height of the building 17.95 mtrs (including mumty parapet, water-storage tank, lift room etc.) at C.S.No. 1603, Sheet No. 28, Kalupur-III, Ahmedabad, Gujarat; with built up area of GF=FF=SF=TF=118.92 sqm/each and Stair Cabin=23.56 sqm.

Case No.27

(Shri. Umesh Mohan, 10/224, Dhanya, Kannadi, Palakkad-678701, Kerala)

After perusal of the application, it was decided to **reject** the case as proposed construction is commercial while the land use of the property is residential as per revenue record.

Case No.28

(Sri. N. Abhilash, Sree Sankaram, Pazhathara, Thenkurissi. P.O., Palakkad-678671, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors+stair room with the total height of 15.55 mtrs (including mumty, parapet, water storage, etc.) at Sy. No. 5/29, Palakkad; with Plinth area of Basement=151.62 sqm with depth =2.38 mtr, GF=132.66 sqm, FF=SF= 151.94 sqm/each and stair room=21.47 sqm; subject to the condition that the proposed mixed land use is in accordance with the master plan and approved by the local body. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.29

(Mr. Viju, Machangalath House, Kakkad, Kunnamkulam. P.O., Thrissur-680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.55 mtrs (including mumty, parapet, water storage, etc.) at Re- Survey No. 87/3 at Kakkad, Kunnamkulam, Village, Municipality and Taluk Kunnamkulam, Thrissur Distirct; with Plinth area of GF=159.48 sqm, FF= 111.74 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.30

(Sri. Naushad, Meleyil House, Chirakkal, Kattakampal. P.O., Thrissur-680544, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+Stair room with the total height of 7.25 mtrs (including mumty, parapet, water storage, etc.) at Re-Survey no 303/10, Near door no. II/430, Village and Panchayath Kattakampal, District Thrissur; with Plinth area of GF=113.18 sqm & stair room= 14.96 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.



Case No.31

(Mr. Ajayan, Machanglath House, Kakkad, Kunnamkulam. P.O., Thrissur-680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.55 mtrs (including mumty, parapet, water storage, etc.) at Re-Survey no 87/3-3, at Kakkad, Kunnamkulam, Village and Municipality Kunnamkulam, Kunnamkulam Taluk, Thrissur District; with Plinth area of GF=159.48 sqm & FF= 111.74 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.32

(Mr. Shivaraman, Pulikkaparambil House, Kodungallur. P.O., Thiruvanchikulam, Thrissur- 680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+stair room with the total height of 6.55 mtrs (including mumty, parapet, water storage, etc.) at Survey no. 37/3, Ward no XX, Village Methala, Taluk Kodungallur, Municipality Kodungallur District Thrissur; with Plinth area of GF=89.85 sqm & stair room=9.30 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.33

(Mr. P.N. Jayadev, Pandinjaredath House, Kodungallur. P.O., Thiruvanchikulam, Thrissur- 680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+stair room with the total height of 8.00 mtrs (including mumty, parapet, water storage, etc.) at Survey no 884/5-3 Thiruvanchikulam, in Kodungallur Municipality; with Plinth area of GF=101.99 sqm & stair room= 16.52 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.34

(Smt. Suma, Cherai House, Chirakkal, Kattakampal. P.O., Thrissur-680544, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor+Toilet with the total height of the building 3.85



mtr and the Toilet 2.55 mtr (including mumty parapet, water storage tank, etc.) at Re-survey no. 318/9, Near door no 15/602, Ward no 15, Village Kattakampal, Thalluk Kunnankulam and District Thrissur; with Plinth area of GF=113.74 sqm & Toilet=7.34 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.35

(Mr. Zubair V Sidhik, Vellathingal House, Kadavallur. P.O., Thrissur-680543, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.05 mtrs (including mumty, parapet, water storage, etc.) at Survey no 752/4, 752/3, 752/1, nearest door no XX/452, Village Kadavallur, Taluk Kunnankulam, District Thrissur; with floor area of GF=177.78 sqm & FF=102.02 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case No.36

(Mr. Sojesh, Kannamparambil House, Kodungallu. P.O., Thiruvanchikulam, Thrissur-680664, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.35 mtrs (including mumty, parapet, water storage, etc.) at Survey no. 7/9, Ward no XXI, Village Methala, Taluk Kodungallur, District Thrissur; with plinth area of GF=77.12 sqm & FF=35.55 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a colour scheme of the monument should be kept in view while constructing the building.

Case no.37

(Sh. Jagdish Mitter-Bal Krishan S/o Sh. Madan Lal, Mohalla Surania, Nurmahal, Tehsil Phillaur, Distt. Jalandhar Pin No. 144039 Punjab)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.230 mtrs. (including mumty, parapet, water-storage tank etc.) at Mohalla Surania, Nurmahal, Tehsil Phillaur, Distt. Jalandhar Pin No. 144039 Punjab with floor area of GF=FF=92.414 sqm.



Case no.38

(Smt Sunita garg W/o Sh Ashwani Garg, M.C. No. 5010 & MCB Z-1-06484, Gali Afeem Wali, Back side Sirki Bazar, Bathinda. Pin no. 151001, Punjab)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.42 mtrs. (including mumty, parapet, water-storage tank etc.) at M.C. No. 5010 & MCB Z-1-06484, Gali Afeem Wali, Back side Sirki Bazar, Bathinda. Pin no. 151001, Punjab with floor area of GF=FF=57.96 sqm.

Case no.39

(Sh. Sourab Khosla S/o Late Avtar Krishan Khosla, Mohalla Soodan, Nurmahal, Tehsil Phillaur, district Jalandhar, Pin No. 144039)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1, mumty floors with the total height of 11.659 mtrs. (including mumty, parapet, water-storage tank etc.) at Mohalla Soodan, Nurmahal, Tehsil Phillaur, district Jalandhar, Pin No. 144039, Punjab with floor area of GF=FF=29.378 sqm and mumty=9.597 sqm.

Case no.40

(Sh. Rashpal Chand Mehmi s/o Sh. Prakash Ram, Nakodar Road, Near Chawala Mobile Shop, Nurmahal, Tehsil Phillaur, District Jalandher, Pin No.144039, Punjab)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.211 mtrs. (including mumty, parapet, water-storage tank etc.) at Nakodar Road, Near Chawala Mobile Shop, Nurmahal, Tehsil Phillaur, District Jalandher, Pin No.144039, Punjab with floor area of GF=23.185, FF=19.731 sqm.

Case no.41

(Sri. Narinder Singh s/o Sh. Jeet Raj, #3468 New MCB Z-1/07910, Mohalla Sirriain Wala, Mehna Chowk, Bathinda 151001, Pb)

After perusal of the application it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 8.38 mtrs. (including mumty, parapet, water-storage tank etc.) at #3468 New MCB Z-1/07910, Mohalla Sirriain Wala, Mehna Chowk, Bathinda 151001, Pb with floor area of GF=107.95, FF=47.19 sqm.



Case no.42

(Smt. Sneh Lata w/o Sh. Rajinder Kumar & Smt. Rashmi Garg w/o Sh. Ajay Kumar, #3029, Street No.2, Amrik Singh Road, Opposite Khurana Petrol Pump, Bathinda -151001, Pb.)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.06 mtrs. (including mumty, parapet, water-storage tank etc.) at Part of Old# 4545 & New MCB Z-1/10132, Gali Middu Mall, Backside Dhobi Bazar, Bathinda Fort-151001, Pb with floor area of GF=75.25, FF=37.62 sqm.

Case no.43

(Smt. Poonam Rani w/o Sh, Praveen Kumar, #5144, Navi Basti Gali No.6, Bathinda-151001, Pb)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.98 mtrs. (including mumty, parapet, water-storage tank etc.) at # 4448, New MCB Z-1/09998, Near Arya Samaj Chowk, Qila Road, Bathinda-151001 with floor area of GF=FF=25.91 sqm.

Case no.44

(Smt. Charan Kaur w/o Shri Paramjit Singh, Village Chhoti Haveli, Ropar, Pb.)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.33 mtrs. (including mumty, parapet, water-storage tank etc.) at M.C.R. No. 2842/4/3 Situated at Badi Haveli Road, Nehru Nagar, Ropar, Pb. with floor area of GF=FF=92.40 sqm & mumty-=7.20 sqm.

Case no.45

(Sh. Jagmohan Singh s/o Sh. Kartar Singh, MC No.86-A, New MC No.6136 & M.C.B.Z 1-05820, Gali Ganga Ram Wali, Mohalla Nohria, Bathinda-151001, Pb.)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 9.38 mtrs. (including mumty, parapet, water-storage tank etc.) at MC No.86-A, New MC No.6136 &



M.C.B.Z 1-05820, Gali Ganga Ram Wali, Mohalla Nohria, Bathinda-151001, Pb. with floor area of GF=FF=66.24 sqm & Mumty=7.48 sqm.

Case no.46

(Smt. Reeta Saini w/o Sh Ravinder Pal Singh and Smt. Sunita Saini w/o Sh. Kulwinder Singh, MCR No. 2842/4/1, Khavat No. 140/125, Khatouni No.180 Brua Intkal No.3915, Khasra No.19/24/2 (1-3) Hadbast No, Badi Haveli Road, Nehru Nagar, Ropar)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.211 mtrs. (including mumty, parapet, water-storage tank etc.) at MCR No. 2842/4/1, Khavat No. 140/125, Khatouni No.180 Brua Intkal No.3915, Khasra No.19/24/2 (1-3) Hadbast No, Badi Haveli Road, Nehru Nagar, Ropar with floor area of GF=FF=89.34 sqm & Mumty= 7.20 sqm.

Case no.47

(Sada Kant, Sada Kant IAS (RTD) s/o Shri Kapil Dev Shukla House No.2/29 sector 2, House No.29 Vikas Nagar Colony Kursi Road Lucknow U.P. India)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of residential building of GF+1 floor with the total height of 8.50 mtrs. (including mumty, parapet, water-storage tank etc.) at Village Katuligooth Patwaz Area Katuli Patti Darum Thesil Bhamali Almora UK with floor area of GF=158.16, FF=113.29 sqm.

Case No.48

(Smt. Aparna Adhikary, Vill.- Abasbari, P.O & P.S. -Tamluk, T.M. Ward No.- 06, Pin-721636, West Bengal)

After perusal of the application, it was decided to **recommend** the case for construction of GF+1 floor with the total height of 9.00 mtr (including mumty, parapet, water-storage tank, lift room etc.) at Dist. Purba Medinipur, P.S.-Tamluk, Mouza-Padumbasan, J.L. No.- 144, R.S.K. No. -913, 910, L.R.K.-1371, R.S. Plot No. 1885, L.R. Plot No. 6302, 6303, total 172.73 sqm. Nature-Bastu with floor area of Ground Floor= 81.18 sqm & First Floor=75 sqm.



Case no. 49

(Shri Praveen Kumar, B-1/73, Sector-D, LDA Colony, Kanpur Road, Lucknow-226012)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 12.00 mtrs. (including mumty, parapet, water-storage tank etc.) at Plot No. A/101, Sector- B, LDA Colony, Kanpur Road, Lucknow -226012; with prop. covd. area on Basement= 60.00 sqm, prop. covd. area on GF= 96.00 sqm, prop. covd. area on FF=SF = 91.74 sqm, prop. covd. area on mumty & mech room = 31.60 Sq.mt.

Case no. 50

(Shri Arun Kumar Dwivedi , House.No-B-12, Vivekanand Puri, Lucknow-226027)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors +porch with the total height of 12.4 mtrs. (including mumty, parapet, water-storage tank etc.) at House No-36/10-Gha, 21- A, Ashok Marg, Raja Rammohan Rai ward, Lucknow-226001; with covd. area on Basement= 132.28 sqm, covd. area on GF= 151.28 sqm, covd. area on FF=SF = 144.53 sqm, covd. area on Mumty = 11.62 Sq.mt, covd. area of porch=13.50 sqmt..

Case no. 51

(Shri Gulam Mohammad, Two-Dayudas, Main Road, T.P. Nagar Korba, Distt-Korba, Chhattisgarh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for new construction of Ground floor +Porch with the total height of 5.66 mtrs. (including mumty, parapet, water-storage tank etc.) at Kh.No-318/15, P.H.No-23, At Village-Pali, R.I.C & Tah-Pali, Distt- Korba (C.G); with floor area of GF=83.13 sqm, Porch= 7.36 sqm.



Additional Agenda

The following Heritage Bye-laws were placed before NMA for consideration and further necessary action:-

1. Cemeteries, Mauza Kydganj
2. Nandan Mahal and Ibrahim Chisti's tomb, Lucknow
3. Fazilnagar ka Kot, Fazilnagar
4. Queen Victoria's Memorial in Alfred Park
5. Tomb of Saadat Ali Khan, Tomb of Mashir Zaidi and Sapper's Tomb Kaiserbagh
6. Old Fort, Lanji
7. Ancient Site and Adamgarh rock Shelters, Hoshangabad
8. Dainut-ud-Daula's Karbala
9. Rani Lakshmi Bai Mahal, Jhansi
10. Jama Masjid on the Hardoi Road, Lucknow

