

MINUTES OF THE 272nd MEETING OF NMA

Venue – Conference room of NMA

Time & Date – 24th July, 2020 at 11am

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairman, NMA.
2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA.
3. Prof. (Dr.) Ajay Khare, Whole Time Member, NMA (through Webex application).
4. Prof . Vinay Kumar Rao, Part Time Member, NMA.
5. Smt. Sanjukta Mudgal, Joint Secretary and Member Secretary (I/C), NMA, MoC.

Agenda no. 01

Minutes of 271st meeting were confirmed.

Agenda no. 02

Consideration of Online NOC application

Case no. 416/2

(Mr. Chander Mohan Lall, Plot no. 140, Block no. 171, Sunder Nagar, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition/alteration of GF+2 floors the total height of the building restricted to 16.84 mtrs (including mumty, parapet, water storage tank, lift room etc) at Plot no. 140, Block no. 171, Sunder Nagar, New Delhi; with floor area of GF=283.95sqm, FF=281.78sqm, SF= 150.04sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the guidelines as stipulated in Heritage Bye-Laws "Humayun's Tomb- Sunder Nursery-Batashewala group of Monuments".

Case no. 449

(Mr. Surender Goel, Sh Narender Goel, Mrs Veena Goel, Sh Rohit Goel & Sh Mohit Goel, K-8, New Delhi South Extension Part-II, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mumty, parapet, water storage tank, lift room etc) at K-8, New Delhi South Extension Part-II, New Delhi; with floor area of Stilt=GF=FF=SF=TF= 125.39 sqm and basement= 125.39 sqm with depth= 2.92mtrs. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local bye-laws while constructing the building.

Agenda no. 03

Consideration of Offline NOC applications

Public Projects

Case no. 01

(The Managing Director, Kerala Medical Services Corporation Ltd. Thycaud. P.O., Thiruvananthapuram-14, Kerala)

After perusal of the application, it has been observed by the Authority that there is unauthorized construction in the building and therefore the authority is not empowered to regularize the proposed construction. Authority is also of the view that since the "Vadakumanatan Temple" is an extra ordinary monument local Member of Parliament/Assembly and State Govt. should take the responsibility to preserve the surrounding area of the monument. Hence, the case is rejected.

Case no. 02

(The Assistant Executive Engineer, Health and Family Welfare, Engineering Sub Division, Vijayapur District, Karnataka)

After perusal of the application, it was decided to ask the applicant to take up the matter with Archaeological Survey of India as the proposed site falls in the prohibited area of nearby Centrally Protected Monument and it may also be noted that while digging the sewage line no heavy machineries should be used.

Reconsideration cases

Case no. 01

(Sri. Subbaiah, S/o Late Dodda Karpaaiah, #1622, Gandhi Nagara, Rampal Road, Srirangapatna Town, Mandya District-571438, Karnataka)



After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.30 mtrs (including mumty, parapet, water storage tank, etc) at Katha NO. S-3997/PK-10, Gandhi Nagara, Srirangapatna; with built up area of GF= FF= 27.15 sqm.

Case no. 02

(Smt Vijaya Nayak, w/o Vijendra Nayak, Tirumala Jarkala, Kukkundur (West) Post, Karkala Taluk, Udupi District-576117, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of 8mtrs (inclusive all).

Case no. 03

(Sri. K.L. Prasanna Kumar, S/o Lt, K. Lakshmi Narasimhayya, No.178/A, 4th Main, Niveditha Nagar, 'D'-Cross, Mysore-570022, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.50 mtrs (including mumty, parapet, water storage tank, etc) at Katha No. S-2321/2230, Dodda Garadi Road, Srirangapatan; with floor area of GF= FF= 41.02 sqm.

Case no. 04

(Sri. B.K Nagaraju, S/o Krishnamurthy, Ramarayara Galli, Fort Belur Town, Belur Taluk, Hassan District-573115, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.46 mtrs (including mumty, parapet, water storage tank, etc) at Kh. No. 3931/2815, Ramarayara Street, Belur Purasabe, Ramarayara Galli, Belur; with floor area of GF= FF= 87.50 sqm.

Case no. 05

(Sri. Shivashankar Mayanalli s/o Vithal Mayanalli, Near Nimbaragi Layout, Athani Road, Vijayapura District-586104, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.90 mtrs (including mumty, parapet, water storage tank etc) at Sy.No. 746F, Plot No.13, Mahal Bagayat, Vijayapur; with floor area of GF= 67.00, FF=80.00 sqm.



Case no. 06

(Smt. Andal. R, D/o Raghothaman, R, Poonaiiah Beedi, Srirangapatna, Mandy District-571438, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 3.75 mtrs (including mumty, parapet, water storage tank etc) at Katha No. S-1950/1862 & S-1957/1864, Koladagudi Road, Srirangapatna; with floor area of GF= 59.27 sqm.

Case no. 07

(Sri. Baswaraj Shivaray Biradar, Sy.No.67/AA, Aliabad, Plot No. I, H.No. 19.06.166 (Behind Hanuman Temple), Shivnagar (North), Bidar District-585401, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for extension of FF over existing GF with the total height of the building restricted to 8.14 mtrs (including mumty, parapet, water storage tank etc) at CMC No. 19-6-166, Plot No.1, Sy.No. 67/AA, Aliyabad, Shivnagar North, Near Papanash Gate Bidar; with proposed floor area of GF= 126.45 sqm.

Case no. 08

(Dr. P Vinaya Bhat, W/o Gangadhar Bhat, Aramane Bagilu Road, Marpady Village, Moodbidri, Mangalore Taluk, Dakshina Kannada District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 12.50 mtrs (including mumty, parapet, water storage tank etc) at Khata No.07-501-71, Sy. No. 120/1B, Marpady Village, Moodbidri, Moodbidri Taluk; with floor area of GF= 194.12 sqm, FF=SF= 310.61 sqm.

Case no. 09

(Sri. N.M. Satish Chandra, S/o N M Chandra Mohan, Ward No. 32, Near Pola Hotel, Beside Subha Rao Hospital Bellary-583101, Karnataka)

After perusal of the application, it was decided to recommend grant of NOC in this case for construction of Cellar+GF+1 floor with the total height of 7.48 mtrs (including mumty, parapet, water storage tank etc) at Sy no. 97, Fort Area, Behind Subbarao Hospital Hospet Raod, Bellary; with floor area of GF= FF= 238.84 sqm and Cellar= 238.84sqm with depth= 1.57 mtrs.

Case no. 10

(Sri. Ishwargouda Shankargouda Patil, No. 25, 1st Floor, 5th A Cross, Defence Colony, Bagalagunte, Bangalore-560073, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.75 mtrs (including mumty, parapet, water storage tank etc) at Plot No.122, Sy NO. 886B, Mahalbagayat, Vijayapur ; with floor area of GF=65.84 sqm.

[Handwritten signature]

Case no. 11

(Sri G R. Nagakumar, S/o G.A Rathnaraj, Old Post office Road, Shravanabelagola, Channarayanpatna Taluk, Hassan District-573135, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.30 mtrs (including mumty, parapet, water storage tank etc) at Khata No. 151600503200500308, Asst No-283/298, Old Post Office Road, Shravanabelagola Hobli, Channarayanpatna Taluk, Hassan District; with floor area of GF=FF= 49 sqm.

Case no. 12

(Sri. Abduljabbar A Kakkamelali, Nagar Bavadi, Vijayapura District-586103, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 7.1 mtrs (including mumty, parapet, water storage tank etc) at CS No. 1081B/10, Ward No.7A, Vijayapur; with floor area of GF=77.65 sqm as per the local Bye-laws.

Case no. 13

(Sri. Kutubuddin R Mulla, C/o Abdul Razak H Saudi, Opp Ibrahim Roza, Habib Nagar, Jorapur Peth, Bijapur District-586101, Karnataka)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan with the total height of 8.55mtrs (inclusive all).

Case no. 14

(Sri. Md. Tajuddin s/o Md Hussain, H. No. 9-4-295, Qazi Colony, Gandhi Gunj Road, Bidar District -585403, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Cellar+GF+2 floors with the total height of 9.75 mtrs (including mumty, parapet, water storage tank etc) at CMC No. 9-1-70/1, Plot No. 03, Near Slar Tax Office On Crossing Gandhi Gunj, Bidar; with floor area of Cellar=GF=FF= 127.01 sqm, SF= 30.97 sqm.

Case no. 15

(Smt. Heena Kousar w/o Peera Inamdar, Gulam Hussain Gaalli, Managoli Road, Vijayapur District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.80 mtrs (including mumty, parapet, water storage tank etc) at RS No-1035, 1B/2, Plot No.78, Mahalbagayat, Bijapur; with floor area of GF= 110 sqm.





Fresh Cases

Case no. 01

(Shri Ramesh R. Bhosale, Ward no. 5, At Post- Panhala, Tal- Panhala, Dist- Kolhapur-416201, Maharashtra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 5 mtrs (including mumty, parapet, water storage tank etc) at Gat no. 60/6, 60/8, 60/9, Panhala Fort, At Post-Panhala, Tal-Panhala, Dist- Kolhapur-416201; with floor area of GF= 170.32 sqm.

Case no. 02

(Shri Anil Kumar S/o Shri Ram Kishan, Vill. Gopalgarh P.O., Aurangabad The Hodal Distt. Palwal, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.67 mtrs (including mumty, parapet, water storage tank etc) at Vill. Gopalgarh P.O., Aurangabad The Hodal Distt. Palwal, Haryana; with floor area of GF= 114.44 sqm, FF= 135.38 sqm. A letter will be sent to Ministry for suggestion for de-notified.

Case no. 03

(Shri Shailesh Kumar Mittal , 245, Kailash Hills, East of Kailash, New Delhi - 110065, Haryana)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors, Terrace/Mumty & Machine Room with the total height of 19.51 mtrs (including mumty, parapet, water storage tank, machine room etc) at Plot No. 39, Block-1, Phase-1, DLF industrial area, Faridabad, Haryana; with floor area of Basement= 1419.58 sqm, GF= 609.73 sqm, FF= 556.05 sqm, SF= 253.80 sqm, Terrace/Mumty & machine room = 66.55 sqm, stair case = 87.12 sqm.

Case no. 04

(Abdulkadir Mohammedshafi chiniwala and others, 12/1532, Shahpor Char Rasta, Surat, Gujarat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 floors+Terrace floor with the total height of 15.95 mtrs (including mumty, parapet, water storage tank etc) at Ward no-12, C.S. No. 1532, Surat, Gujarat; with floor area of GF= 29.48 sqm, FF=SF=TF= 33.34 sqm, Terrace floor= 10.12 sqm.

Case no. 05

Shri Amit Bhawe S/o Shri Devram Bhawe, Ward No. – 07, Marar Mohalla, Lanji, Tehsil- Lanji-Balaghat (MP) – 481 222.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.70 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/167/ka, 187/168/ka, Patwari Halaka no-19/60, Lanji; with floor area of GF=FF=112.80 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 06

(Smt. Panchshila Ganvir W/o Shri Madan Lal Ganvir, Ward No. – 10, Kumhar Mohalla, Lanji, Tehsil- Lanji-Balaghat (MP) – 481 222.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.85 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 490/5/ka/5, 491/2 ka, Patwari Halaka no-19/60, Lanji; with floor area of GF=47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 07

(Smt. Santkala Badme w/o Shri Sanjay Badme, Ward No. – 10, Lanji, Tehsil- Lanji-Balaghat (MP) – 481 222.

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.40 mtrs. (including mumty, parapet, water-storage tank etc.) at Khasra No. 187/11/ka, Patwari Halaka no-19/60, Lanji; with floor area of GF=FF=69.60 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 08

(Shri Ravindra Bhondekar s/o Late Shri Gend Lal Bhondekar, Ward No. – 10, Nearby Ravidas Mandir, Lanji, Tehsil- Lanji-Balaghat (MP) – 481 222.

After perusal of the application, it was decided to **defer** the case and ask SA to re-verify the distance from the nearby protected monument and proposed construction site.

Case no. 09

(Smt. Jayatri Bai Kamde w/o Late Shri Jay Kishan Kamde, Ward No. 07, Dhimar Mohalla, Lanji, Tehsil-Lanji-Balaghat (MP)- 481 222)

After perusal of the application it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 4.85 mtrs (including mumty parapet, water-storage tank etc.) at Khasra No. 187/138/Ka, Patwari Halaka no. 19/60, Lanji M.P; with floor area GF = 47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 10

(Shri Vijay Kumar Kushale S/o Shri Rambhau Kushale, Ward No. 09, Nearby Raja Rani Talab, Lanji, Tehsil-Lanji-Balaghat (MP)- 481 222)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 8.70 mtrs (including mumty parapet, water-storage tank etc.) at Khasra No. 506/3, 507/3, Patwari Halaka no-19/60, Lanji M.P; with floor area GF=FF= 126.30 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 11

(Smt. Surekha Chorwade W/o Late Shri Govind Chawade, Ward No. 06, Marar Mohalla, Lanji, Tehsil-Lanji-Balaghat (MP)- 481 222)

After perusal of the application it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with the total height of 7.90 mtrs (including mumty parapet, water-storage tank etc.) at Khasra No. 187/57/Ka/2, Patwari Halaka no-19/60 Lanji M.P; with floor area GF=FF= 29.60 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 12

(Smt. Chaitram Sonwane s/o Shri Jhadu Sonwane, Ward NO. 07, Dhimar Mohalla, Lanji, Tehsil-Lanji-Balaghat (MP)- 481 222)

After perusal of the application it was decided to **recommend** grant of NOC in this case for reconstruction of GF with the total height of 4.85 mtrs (including mumty parapet, water-storage tank etc.) at Khasra No. 520/1, Patwari Halaka no-19/60, Lanji M.P; with floor area GF= 47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 13

(Smt. Satyabhama bhargav w/o Late Shri Shyam Sundar Bhargav, Ward No. 07, Lanji, Tehsil-Lanji-Balaghat (MP)-481 222)

After perusal of the application it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.85 mtrs (including mumty parapet, water-storage tank etc.) at Khasra No. 187/193, Patwari Halaka no. 19/60, Lanji M.P; with floor area GF= 47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 14

(Shri Sanjay Thakre S/o Shri Radheshyam Thakre, Ward No. -06, Dhimar Mohalla, Lamnji, Tehsil –Lanji-Balaghat,(MP) -481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Ground floor with the total height of 4.85 mtr (including mumty parapet, water-storage etc.) at Khasra No. 187/57/ka/3, Patwari Halaka No. 19/60, Lanji; with floor area of GF =47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 15

(Smt. Sushila Randive w/o Shri Dinesh Randive, Ward No. – 10, Lanji, Tehsil- Lanji-Balaghat (MP)-481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground floor with the total height of 5.95 mtr (including mumty parapet, water-storage etc.) at Khasra No. 187/243, Patwari Halaka no-19/60, Lanji; with floor area of GF =107.60 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 16

(Smt. Niru Randive w/o Shri Lilesh Randive, Ward No. – 10, Lanji, Tehsil- Lanji-Balaghat (MP) -481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground floor with the total height of 5.95 mtr (including mumty parapet, water-storage etc.) at Khasra No. 187/259/kha, Patwari Halaka no-19/60, Lanji; with floor area of GF=67.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 17

(Smt. Pustkala Rangari W/o Late Shri Sadaram Rangari, Ward No. -10, Kumhar Mohalla, Lanji, Tehsil-Lanji-Balaghat (MP)-481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground floor with the total height of 4.85 mtr (including mummy parapet, water-storage etc.) at Khasra No. 490/5/ka/4, 491/5ka/4, Patwari Halaka No. 19/60, Lanji; with floor area of GF =47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 18

(Shri Surendra Asatkar S/o Shri Nohar Lal Asatkar, Roji Gali, Ward No.- 03, Lanji, Tehsil- Lanji- Balaghat(MP)- 481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.85 mtr (including mummy parapet, water-storage etc.) at Khasra No. 37/4/Ga, Patwari Halaka No. 19/60, Lanji; with floor area of GF =47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 19

(Smt. Shakuntala Bai Bhautik Wo/ Late Shri Budhan Bhautik, Ward No.- 10, Kumhar Mohalla, Lanji, Tehsil- Lanji- Balaghat(MP)-481 222)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.85 mtr (including mummy parapet, water-storage etc.) at Khasra No. 490/5/ka/3, 491/5ka/3, Patwari Halaka No. 19/60, Lanji; with floor area of GF =47.90 sqm. The applicant should ensure that no construction is allowed strictly in the prohibited area.

Case no. 20

(Smt. Insia Naaz w/o Mohd. Asim Beg, 466/112, Peer Bukhara, Hardoi road, Chowk, Police Station-Thakurganj, Lucknow, UP)

After perusal of the application, it was decided to **defer** the case and ask the Competent Authority, Lucknow to submit the specific recommendation on this proposed work proposal.

Case no. 21

(Smt. Keshri Devi w/o Sh. Shadev Prasad, Birdpur no.-1, Tola Aligarhwa, Th. Naugarh, Distt- Siddhart Naga, UP)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height 6 m (including mummy parapet, water-storage etc.) at Plot no. 1768, , Birdpur no.-1, Tola Aligarhwa, Th. Naugarh, Distt- Siddhart Naga, 272220, UP; with the floor area GF= 427 sqm.

Case no. 22

(Shri Sumit Pandey, Director, Newcon Buildwell Pvt. Ltd , 4th Floor, Ganj Trade Centre, 10, Kapper road, Lalbagh, Lucknow-226001, UP)

After perusal of the application, it was decided to **defer** the case and ask the Competent Authority, Lucknow to submit the specific recommendation on this proposed work proposal.

Case no. 23

(Shri Daya Ram Maury & Laxmi B- 2/95, Vikrant Khand, Gomti Nagar, Lucknow-226010, UP)

After perusal of the application, it was decided to **defer** the case and ask the Competent Authority, Lucknow to submit the specific recommendation on this proposed work proposal.

Case no. 24

(Mohammad Rizwan Khan ,H.No-456/309, Sajjad Bagh Colony, Daulatganj, Husainabad, Lucknow-226003, UP)

After perusal of the application, it was decided to **defer** the case and ask the Competent Authority, Lucknow to submit the specific recommendation on this proposed work proposal.

Case no. 25

(Sri. B.R. Giridhara & Sri B.R. Jagadish Kumar, 23, Vaikunta Street, Fort Belur, Hassan District-573115, Karnataka)

After perusal of the application, it was decided to defer the case and ask the applicant to submit revised building plan for 7.50 mtrs (including mummy parapet, water-storage etc.).

Case no. 26

(Sri. P. Srinivas Rao S/o P. Thippaiah, House No.66, Ramalingeshwara Nilaya, Soudhagar Colony, Vidhya Nagar, Ballary-583101, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Cellar+GF+1 with the total height 7.50 m (including mummy parapet, water-storage etc.) at T.S. No. 519/2, House No.13 MIG-II Housing Board Colony, Ward NO. 25,



Netaji Nagar, Infancy Road, Contonment Bellary-583101; with the floor area Cellar = 93.75 sqm, GF= FF= 80.10 sqm.

Case no. 27

(Sri. Vijayalaxmi Urf Nagamma Venkataraddy Bagewadi, Sri. Venkataraddy B Bagewadi Ku:-Anushree V Bagewadi (Minor) & Ku:-Adrika V Bagewadi (Minor), House No.1087, Gujjara Galli Vijayapur, Near Ragavendar math, Vijayapur, 586104, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of First floor over existing GF with the total height of the building restricted to 7.20 m (including mumty parapet, water-storage etc.) at CTS No 274/A/A1, 274/B/A/1, Mahalbhagayat, Vijaypur; with the floor area GF= FF= 65.38 sqm.

Case no. 28

(Sri. Prabhakar S, Sri Shekar S, Sri. Suresh S and smt Saraswathamma, W/o Late N.S. Swamy, 3rd Ward, T.B. Extention, No-114, Chamarajanagar Road, Gundlupet, Chamarajanagar District-571111, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of the building 4.35 m (including mumty parapet, water-storage etc.) at CTS No Asst No. 125/100, PID No: 12-8-7, 1st Division, 3rd Ward, T.B. Badavane, Chamarajanagar Road, Gundlupet ; with the floor area GF= 40.16 sqm.

Case no. 29

(Sri. Manjunath Hanamanthappa Kattimani, H.No. 583, Kanakadas Badavane, Near Z.P. Office, Vijayapur District-586109, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of the building 4.60 m (including mumty parapet, water-storage etc.) at Sy.No. 304/1+2B, Plot No.124, Vijayapur; with the floor area GF= 35 sqm.

Case no. 30

(Sri. Rajashekhar S. Bagalkoti, # 164, K.H.B. Colony, Solarpur Road, Vijayapura District-586103, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of the building 10.90 m (including mumty, parapet, water-storage etc.) at Sy.No. 23/3, Plot NO. 23, Mahalbagayat, Vijayapur; with the floor area Basement = 142 sqm, GF=FF=SF= 142 sqm.

Case no. 31

(Sri. A.S.Ganesha Deexith, C/o Ramesh Kumar, B.P. Sai Ganesh Enterprises, Gangadhara Swamy Temple Road, Srirangapatna, Mandya, District-571438, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of the building 7.50 m (including mumty, parapet, water-storage etc.) at Katha No. S-2045/1958, A Ramanna Road, Srirangapatan; with the floor area GF=FF=106.25 sqm.

Case no. 32

(Sri. Kumar C, S/o Late Chennegowda, Uttaradhi Matada Road Purnish Street, Srirangapatna, Mandya District-571438, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of the building 7.50 m (including mumty, parapet, water-storage etc.) at Katha No. S-2032/1945/2033, Darji Road, Srirangapatan; with the floor area GF=22.86 sqm & FF=23.97 sqm.

Case no. 33

(Sri. Kumar, S/o Late Subbaya, No. 234, Behind Court, Ranganathanagar Srirangapatha, Mandya District-571438, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of the building 7.90 m (including mumty, parapet, water-storage etc.) at Katha No. S-3534/113/114/35, Ranganatha nagara, Srirangapatan; with the floor area GF=FF=69.18 sqm.

Case no. 34

(Smt. Shantha Kumari, W/o G.M. Mallaesh No. 959, 2nd Cross, Bogadi, 2nd Stage (North), Mysore District-570026, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floors with the total height of the building 7.30 m (including mumty, parapet, water-storage etc.) at Katha No. S-234/211, Ranganatha nagara, Srirangapatan; with the floor area GF=FF=40.12 sqm.

Case no. 35

(Sri. Basawaraj S/o Lingayya Sindhol, Sindol Motors, K.EB Roads, Opp Forest Office, Bidar District-585401, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of the building 11.22 m (including mumty,

parapet, water-storage etc.) at CMC NO. 8-10-293/1, Plot No. 23, Sy No. 57, Gullar Haveli, Gurunanak Colony, Bidar; with the floor area GF=119.24 sqm, FF=82.83 sqm & SF=70.83 sqm.

Case no. 36

(Sri. Basawaraj S/o Lingayya Sindol, Sindhol Motors, KEB Roads, Opp Forest Office, Bidar District-585401, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 floors with the total height of the building 14.88 m (including mumty, parapet, water-storage etc.) at CMC NO. 8-9-270/A-23, Plot No. A-23, Sy No. 53, 54 & 58, Gullar Haveli, Gurunanak Colony, Bidar; with the floor area GF=125.58 sqm, FF=SF=251.16 sqm & TF=125.58 sqm.

Case no. 37

(Sri. Sumeet S/o Basavaraj Sindol, Sindol Motors, K.E.B Roads, Opp. Forest Office, Bidar District-585401, Karnataka.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 floors with the total height of the building 14.88 m (including mumty, parapet, water-storage etc.) at CMC NO. 8-9-218/A-22, Plot No. A-22, Sy No. 53, 54 & 58, Gullar Haveli, Gurunanak Colony, Bidar; with the floor area GF=125.58 sqm, FF=SF=251.16 sqm & TF=125.58 sqm.

Additional Agenda item no. 01

Tata Memorial Hospital, Maharashtra and Dy. Project Manager, U.P. State Bridge Corporation Ltd., Lucknow may be asked to confirm that they are ready with the Powerpoint Presentation. Therefore, these two cases may be placed before in NMA on top priority.

Additional Agenda item no. 02

NMA may design poster asking the applicants to apply through Online Portal of NMA wherever possible so that the same can be expeditiously.

Additional Agenda item no. 03

It was explained to the Members that the revised template circulated earlier was discussed in the meeting held on 23/07/2020 where DG, ASI and ASI officials were present. It was agreed that the revised template may be adapted after ensuring all the components prescribed under the Schedule-I and Schedule-II of AMASR Rules are included in the template.