

MINUTES OF THE 211th MEETING OF NMA

Venue - Conference Room, NMA Headquarters,
24, Tilak Marg, New Delhi 110001

Time & Date - 17th January & 18th January, 2019 on 11.00 am

The meeting was attended by the following:

1. Ms. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA
4. Dr. Ashvini Agrawal, Whole Time Member, NMA.
5. Dr. Vinay Kumar Rao, Part Time Member, NMA.
6. Sh. Navneet Soni, Member Secretary.

Agenda 1

Advise of M/o Culture on Rule 16 of NMA Rules- The clarifications received on Rules 16 were put up in front of the authority and everyone was made clear on the Rules.

Agenda 2

Confirmation of the minutes of 210th meeting

Agenda 3

Consideration of NOC applications

Public Projects

Case no. 1

(The Executive Engineer, North Zone, Surat Municipal Corporation, Katargam, Near Ramjinagar and Gajera School, Katargam Zone Office, Surat, Gujrat)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10.90 mtrs. (including mummy, parapet, water-storage tank, etc.) At T.P.S No. 03 (Karatgam), F.P.No.

Case no. 2

(The Executive Engineer, P.W.D., Nani Daman (UT), O/o The Executive Engineer, Public Works Department, Work Division-I, Fort Area, Moti Daman)

After perusal of the application and the Power Point Presentation made by the applicant, it has been observed that the proposed work proposal falls in both prohibited and protected area of CPMs. Hence, it was decided to ask the applicant to submit a revised proposal which would contain the proposals in protected area and in prohibited area separately.

Case No.03

(Kochi Metro Rail Ltd., 8th Floor, Revenue Tower, Park Avenue, Kochi - 682011, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of passenger jetty terminal building for GF with the total height of 9.50 mtrs (including mumty, parapet, water-storage tank, etc.) At Survey No-462/1, 2 , 1196/P, 1594, 1595/2, Revenue Tower Park avenue, Kochi; floor area of GF=1545 sqm, subject to verification of distance by ASI.

Case no. 4

(The Principal Secretary, CMDA, No.1 Gandhi Irwin Road, Thalamuthu Natarajan building, egmore, Chennai-600088)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Bus Terminus, with the total height of 34.00 mtrs and the details of floor area are mentioned below:

S. No.	Description	Sq.mts
1	Main Terminal building	
	a.First Basement floor	16,877.85
	b. Second Basement floor	16,877.85
	c.Ground floor	14,808.16
	d. First floor	11,703.08
	e.Terrace head room	298.00
2	Moffussil Bus Terminus area	55,831.54
3	MTC Bus Terminus area	22,037.70
4	Moffussil Bus Work Shop	1919.76
5	Bus finger Tiolet Block	654.00
6	U.G. Sump-Near Sub Station	
	a.Basement level	505.00
	b.Ground level	209.15

7	U.G. Sump near MTC Terminus	
	a.Basement level	302.60
	b.Ground level	35.20
8	Swerage treatment plant	552.40
9	Public Toilet Block	189.12
10	Bus Depot Staff Toilet Block	144.00
11	MTC Office	
	a.Ground floor level	364.00
	b. First floor level	364.00
	c.Terrace head room	40.00
12	Sub Station	
	a.Ground floor level	397.30
	b.First floor	397.30

at S. No. 183/1,2,4 & 5, 184/1, 3&4, 185/1,2,3,4,5A & 5B, 186/1,2,3,4 & 5,, 189/1,2,3,4 & 5, 190/1,2,3,4, & 5, 191, 192/1,2,3,4, & 5, 193/1,2,3,4, & 5, 195/2A, 2B,3,4, 5,6 & 7 196/1B, 2& 3, 197/1,2,3 & 4, 198/1,2,&3, 199/1,2,3,4 &5, 200/1,2,3,4, & 5, 201/1,2,3,4, 5, &6, 202/1,2,3,4,5, &6, 203/1,2,3, &4, 204/1,2, & 3, 205/2,&3, 5/2 206/1,2,3,4, & 5, 207/1,2,3, & 4, 208/1,2, & 3, Kilambakkam Village, Chengalpattu Taluk, Kanchipuram District; subject to the following conditions :

1. No development in the 100 mtrs prohibited area, except greenery.
2. Boundary of the site and signages should be done.
3. Space for education and interpretation of site for general public.
4. Involvement of Archaeologist while excavation.
5. Mitigation measures to be taken care at the time of construction.

Case no. 5

(The Registrar, Kannada University, Hampi, Vidyanarya, Hospet Taluk, Bellary District-583276)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floor with the total height of 11.95 mtrs. (including mumty, parapet, water-storage tank, etc.) At Survey No. 115/3(P), Anantasyana Gudi Village, Hospet Taluk, Bellary District; with floor area of GF=394.58 Sqm, FF=SF=398.58 Sqm.

Case no. 6

(Chief Municipal Officer, Nagar Parishad Bhedaghat, Jabalpur Nagar Parishad Bhedaghat, Distt- Jabalpur- Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of water tank (GF) with the total height of 20.85 mtrs. (including mumty, parapet, water-storage tank, etc.) At Khasra No. 74, in the front of Bhedaghat Nagar Parishad; floor area of GF = 20x20 metres=400 Sq.m,

Capacity=200 Kl, Staging = 15.00 m, Soil Bearing = 15 T/Sqm, Foundation depth= 2-3.0 m

Case no. 7

(Mumbai Port Trust, 2nd Floor, Port Bhavan, Shoorji Vallabhadas Marg Ballard, Estate Port, Mumbai-400001)

After perusal of the application, it was decided to ask the ASI to consider the case.

Deferred Cases

Case No. 01

(Secretary, Scindia Education Society, Scindia School, Fort, Survey No-345, Madhya Pradesh- 474008)

After perusal of the application and information received it was decided that the NMA will **visit** the proposed site for consideration of the case. Thereafter, the case will be considered again.

Case No. 02

(Secretary, Scindia Education Society, Scindia School, Fort, Survey No-350, Madhya Pradesh- 474008)

After perusal of the application and information received it was decided that the NMA will **visit** the proposed site for consideration of the case. Thereafter, the case will be considered again.

Case No. 03

(Chief Officer, Municipal Council, Paithan, Municipal Council, Paithan, Tal. Paithan Dist-Aurangabad-431107)

After perusal of the application, it was decided to ask the ASI to consider this case as the site falls in the prohibited area.

Case No. 04

(Shri Vikram V. Agarwal, 1041, Shukrawar Peth, Distt-Pune-411002)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of LGF+Stilt/GF+5 Floors with the total height of 24.00 meters (including Mumty, Parapet, lift room, Water Storage tank etc.) at C.T.S. No. 442+445, Budhwar Peth, Dist - Pune; with floor area of Lower GF=248.50 sqm, Stilt=221.19 sqm, FF=178.26 sqm & SF=TF=FF=FF=67.47 sqm.

Case No. 05

(Shri Vilas Kashinath Patil, Kantilal Rupchand Jain, Vijay Rupchand Jain, Ravindra Kashinath Patil Mutdak, At Post- thalner, Tal- Shirpur, Dist- Dhule)

After perusal of the application and HIA received from the applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+1 Floor for Type A to Type E. The details of the floor area as follows:

	Type A	Type B	Type C	Type D	Type E
No. of stories	GF+FF	GF+FF	GF+FF	GF+FF	GF+FF
Floor Area	63.77 GF 68.95 FF	82.70GF 80.70FF	61.64 GF 64.99 FF	59.75GF 64.86FF	50.62GF 50.62 FF
Ht. Excl.	6.90 mt	6.90 mt	6.90 mt	6.90 mt	6.90 mt
Ht. Incl	9.40 mt	9.40 mt	9.40 mt	9.40 mt	9.40 mt

at Gate No. 1028, Thalner, Tal- Shirpur, Dist- Dhule; subject to mitigation measures in the report of HIA.

Case No. 06

(Shri Rajnikant Ramanlal Dave, 11 Matheran Society Opp. Vishvkunj Society, Ahemdabad, Gujarat)

After perusal of the application, it was decided to **defer** the case and ask the applicant to submit revised building plan of GF+4 Floors with the total height of 18 mtrs (including Mumty, Parapet, lift room, Water Storage tank etc). Thereafter, the case would be considered again.

Case No.07

(Sh. Zulfkar Illiashbhai Khatri, Fatema Park Society, Dabhoi, Dist. Vadodara, Gujarat)

After perusal of the application and information received from SA, ASI Vadodara Circle, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.66 meters (including Mumty, Parapet, Water Storage tank etc.) at RS No. 966/1, 966/2, 967/1 & 967/2, Dabhoi; with floor area of GF = 918.00 sqm

Case No. 08

(Mr. Moosa Haji & Sulaima Haji, Eyayadath Puthenveetil House, Akaladu, P.O., Chavakkad, Thrissur, Kerala)

After perusal of the application and HIA report submitted by CA, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+3 Floors+stair room with the total height of 19.55 meters (including Mumty, Parapet, lift room, Water Storage tank etc.) at Sy. No. 63/2 of Pattambi Village, Ottapalam Taluk, Palakkad dt.; with Plinth area of GF = 1061.37 sqm, FF = 908.76 sqm, SF = 891.99 sqm, TF = 875.22 sqm, Stair room = 88.12 sqm, Basement = 1182.1 sqm with depth = 4.45 mtrs. The construction work should incorporate Mangalore Tiled Sloping Roof and a color scheme of the monument should be kept in view while constructing the building.

Case No.09

(Jwarish Kumar and Rishi Makhija, 401, Friends Ashiyana Master Plan Road, Khandari Agra – 282002, Agra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+3 Floors with the total height of 12.12 meters (including Mumty, Parapet, lift room, Water Storage tank etc.) at KH. No. 833/1, Mauza- Mau Mustquil, in Hariparwat – II, Ward, Agra; with Floor area of Basement = 58.05 sqm, Stilt=GF=FF= 129.82 sqm, Mumty+Lift Area=22.13 sqm.

Case No.10

(1) M/S Snigdha Narayan Housing (2) M/S Pushpanjali Hospital & Research Centre, (3) M/S Pushpanjali Construction Pvt. Ltd (Partnership Firm), Shri Mayank Aggarwal S/o Shri V.D. Aggarwal, Agra, Uttar Pradesh, 16A, Prabhu Nagra, Jaipur House, Agra)

After perusal of the application, and HIA received it was decided to **recommend** grant of NOC in this case for construction of Health Centre in Block A and Nursing Home in Block B with Two Basements+GF+4 Floors with the total height of 18.44 mtrs (including Mumty, Parapet, lift room, water Storage tank etc.) at Khasra No. 504 part to 511 Part Kale Ka Taal, Mauza Sarjapur, Hariparwat Ward, Tehsil & Distt. Agra Plot No. 1/115.1/115.1,2,3 etc; with built up area of Block A- Basement 1=Basement 2= 690.30 sqm, GF=414.29 sqm, FF=668.16 sqm, SF=TF=539.30 sqm, FF=420.08 sqm, Mumty & Mach. Room =35.60 sqm & Block B- Basement 1=Basement 2= 669.34 sqm, GF=400.16 sqm, FF=513.13 sqm, SF=TF=FF=605.19 sqm, Mumty & Mach. Room =36.78 sqm.

Case No.11

(Smt. M. Aruna Chowdary, Sri. M. Raghunath Chowdary, Smt. Usha Rani & Sri. Venkateshwara Rao, 1st Floor, 5th Cross, Srinagar Colony, Near Govindappa Kalyana Mantapa, Talur Road, Bellary District-583101)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.65 mtrs (including mumty, parapet, water-storage tank etc.) at Ward No.22, Block No. 10, T.S No. 83/1A18, 1A19, 1A20, 1A21, 2B5, 2B6, 2C1, 2C2, 2B10, 2B11, 2C8, 2C9, Behind Vasavi School Near Siddarth Nagar, MRC, Compound, Fort Ring Road, Ballari ; with floor area of GF=320.53 sqm & FF=275.28 sqm.

Case No.12 to 25

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

(Smt. R. Vasanti Ram Narayan, No.32, Ramachandra Road, Nehru Nagar, Chrompet, Chennai-600044)

After perusal of the applications and information received, it was decided to **defer** the case and ask the applicant to submit Heritage Impact Assessment Report prepared by REACH foundation in the template provided National Monuments Authority.

Reconsideration Cases

Case No. 01

(Shri Patel Shvetank Madhuveer and Patel Heenaben, P.O.A.H. of Shri Harshad Matilal Patel and others)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Basement+ GF+ 3 floors with the total height of 18.00 mtrs (including mumty, parapet, water-storage tank, lift room etc.) at C.S.No. 770, Shahpur-2, Sheet No.35, Shahpur, Gheekata, Ahmedabad, Gujarat; with floor area of Basement=359.68 sqm with Depth=3.25 mtr, GF= 500.35 sqm, FF=SF=494.99 sqm, TF=268.55 sqm, Stair Cabin & Lift =41.38 sqm & Lift Machine Room= 33.70 sqm.

Case No. 02

(The District Surgeon, District Hospital, Dharwad, Civil Hospital (District Hospital) Killa, Dharwad District, Karnataka)

After perusal of the application and information received it was decided to **defer** the case and ask the applicant to submit a revised building plan of GF+2 Floors with the total height of 12 mtrs.

Case No. 03

(Smt. Banani Bhattacharyya, Deputy Director, Archaeology & Museums Department of Archaeological Museums Haryana)

After perusal of the application it was decided to **reject** the case and ask the applicant to shift the proposed site beyond regulated area of nearly CPM.

Case No. 04

(Mulnidhi Wat Thai Khusinara Mahavihara Society, Phramaha Khomsaran, Joint Secretary, Mulnidhi Wat Thai Kusinara, Mahavihar Society, Village-Ghughuipur, P.O. Deoria, P.S, Balrampur Dehat, Distt, Balrampur, Uttar Pradesh-271201.)

After perusal of the application and information received it was decided to **defer** the case and C.A to ask ASI to prepare an Archaeological Impact Assessment Report.

Fresh Cases

Case No. 01

(Dr. Arunabh Kumar Dutt, Shri Kalyan Kumar Dutt & Shri Amitabh Kumar Dutt through GPA Dr. Arunabh Kumar Dutt, M-18, Green Park Main, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mumty, parapet, water storage tank, lift room etc.) at M-18, Green Park Main, New Delhi; with floor area of Stilt=GF=FF=SF=TF=180.51 sqm & basement = 180.51 with depth = 3.35 mtrs. The applicant should ensure that no construction is allowed in the prohibited area.

Case No. 02

(Shri Raghav Chandra Gupta, Shri Prabhakar Gupta, Shri Anil Gupta, Shri Mudit, Shri Ajay Gupta & Shri Paarth Gupta, 2, Anand Lok, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18 mtrs (including mumty, parapet, water storage tank, lift room etc.) at 2, Anand Lok, New Delhi; with floor area of Stilt=GF=FF=SF=TF=373.03 sqm & basement = 345.68 with depth = 3.50 mtrs.

Case No. 03

(Shri Avinash Chand Jain & Smt. Pavitra Kanta Jain, 40, Veer Nagar, Jain Colony, Delhi)

After perusal of the application, it was decided to ask the applicant to submit the revised building plan after leaving a setback of 4 mtrs from the nearest Centrally

Protected Monument and applicant should also ensure that no construction is allowed in the prohibited area.

Case No. 04

(Shri Sachin Subhash Mote, 141, Ganesh Chowk, Civil Hudco, Dist-Ahmednagar-414001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+1 floor with the total height of 12.25 meters (including mumty, parapet, water storage tank, etc.) at CTS No. 3869 property no. 2214085515, Nagre Galli, Dist.-Ahmednagar-414001 with floor area of Basement =43.96 sqm GF=45.47 sqm FF=47.12 sqm.

Case No. 05

(Shri Milind Gajanan Hingmire, 728, South Kasaba, Dist – Solapur – 413001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Parking/GF+4 floors with the total height of 18 meters (including mumty, parapet, water storage tank, etc.) at C.S. No. 775/B, H.No. 728A, South Kasba, Solapur with floor area of Basement=Parking/GF=FF=SF=TF=FF=15.76 sqm, Depth of Basement=1.50 mtrs for store.

Case No. 06

(Sh. Rajnish Rajkumar Kothadia, 67A, East Mangalwar Peth, Dist - Solapur- 413002)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Parking/GF+4 Floors with the total height of 18 meters (including mumty, parapet, water storage tank, etc.) at C.S. No. 327/A/1B+326/B, South Kasba, Dist – Solapur with floor area of Parking/GF=FF=SF=TF=FF=58.38 sqm.

Case No. 07

(Sh. Parmjit Singh S/o Shri. Preetam Singh, Old M.C. No. 2435 & MCB Z-1/09278, Mehna Chowk, Bathinda, Punjab Pin No.151001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1+Terrace floors with the total height of 10.06 meters (including mumty, parapet, water storage tank, etc.) at Old M.C. No. 2435 & MCB Z-1/09278, Mehna Chowk, Bathinda, Punjab Pin No.151001 with floor area of GF=FF=28.01 sqm Terrace=9.01 sqm.

Case No. 08

(Reliance Jio Infocomm Limited, C-135, Phase VIII, Industrial Area, S.A.S., Nagar, Punjab)

After perusal of the application, it was decided to **reject** the case and ask the applicant to construct the tower outside the boundary of 300 mtrs from the nearest Centrally Protected Monument.

Case No. 09

(Shri Nirmal Singh & Shri Jeevan Singh S/o Shri Jeet Singh, Khata No, Khasra No. 582/543, Khatuni No. 641, Killa No. 43/17/1 (7-2), Kitta 1 area 7K-2M, Jamabandi 2015-16, Hadbast No. 310, Punjab)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.62 meters (including mumty, parapet, water storage tank, etc.) at Khata No, Khasra No. 582/543, Khatuni No. 641, Killa No. 43/17/1 (7-2), Kitta 1 area 7K-2M, Jamabandi 2015-16, Hadbast No. 310 with floor area of GF=219.60 sqm FF=114.72 sqm.

Case No. 10

(Shri Kulwinder Singh S/o Shri Rana Singh, # 4061, New M.C.B./Z-1/09646, Neeta Street, Mohalla Godarrian, Backside Gali Gurudwara, Bathinda, Punjab Pin No.- 151001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for addition, alteration, change of roof in Ground Floor and construction of First floor with the total height of 8.38 meters (including mumty, parapet, water storage tank etc.) # 4061, New M.C.B./Z- 1/09646, Neeta Street, Mohalla Godarrian, Backside Gali Gurudwara, Bathinda, Punjab Pin No.- 151001 with floor area of FF=66.75 sqm.

Case No. 11

(Shri. Viri Singh S/o Sh. Samliya Singh, Rajiv Colony, Near F.C.I, Mathura Road, Bharatpur, Rajasthan)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 10 meters (including mumty, parapet, water storage tank, etc.) Near F.C.I Godam, Rajeev Colony, Bharatpur, Rajasthan with floor area of GF=FF=18.57 sqm.



Case No. 12

(Shri Om Prakash Aggarwal S/o Sh. Babu Lal Aggarwal and Vidhya Devi Aggarwal W/o Sh. Om Prakash Aggarwal)

After perusal of the application and information received it was decided to **defer** the case ask the CA to inspect the site by ASI.

Case no. 13

(Shri Rahul Agarwal S/o. Shri Laxminarayan Agarwal, M-71, Tansen Nagar, Gwalior (MP) – 474 002)

After perusal of the application, it was decided to **defer** the case and ask to CA to clarify whether the case is not Sub-judice.

Case no. 14 to 38, 40 to 48 & 50 to 61

As the complete layout plan for Lanji cases has not been received from District Magistrate, Balaghat, therefore it has been decided to defer the below mentioned cases:

Case No.	Name of the applicant	State
14	Shri Dilip Ramtekkar s/o Late shri Budhram Ramtekker	Madhya Pradesh
15	Shri Rajesh Kumar Jha s/o Shri kripanand jha	Madhya Pradesh
16	Smt Safiya begum D/o Sh. Abdul ahamad	Madhya Pradesh
17	Shri Abdul wahab S/o. Shri Abdul Abdul nawab shekh	Madhya Pradesh
18	Shri Mohammad Akhtar shekh s/o shri mohammad bashir shekh	Madhya Pradesh
19	Smt Latifa begum w/o late shri jafar mohammad	Madhya Pradesh
20	Shri Abdul rasid Khan S/o Late Shri Jamsheer Khan	Madhya Pradesh
21	Smt Imala Bai Badme W/o Late shri Naresh Badme	Madhya Pradesh
22	Smt Tara Bai W/o. Late Shri Devram Badme	Madhya Pradesh
23	Shri Gangaram s/o shri Govind Badme	Madhya Pradesh
24	Shri Ram Chandravanshi s/o shri samptal Chandravanshi	Madhya Pradesh
25	Shri Dharamchand Chandravanshi s/o shri Nandilal Chandravanshi	Madhya Pradesh
26	Smt. Aamna W/o Late Shri Jasmer Khan	Madhya Pradesh
27	Shri Riyaj Shekh S/o Shri Umar Farukh Shekh	Madhya Pradesh

28	Shrin Ram Wakle S/o Shri Ramlal Wakle	Madhya Pradesh
29	Shri Gulam Nawaj Shekh S/o Umar Farukh Shekh	Madhya Pradesh
30	Shri Mohammad sadik S/o Shri Mohammad Rafiq	Madhya Pradesh
31	Shri Kuldeep Asatkar S/o Shri Yadorao Asatkar	Madhya Pradesh
32	Mohammad rakib Khan S/o Shri Rafik Khan	Madhya Pradesh
33	Smt Mangala W/o Shri Ranjit Randive, Smt. Rajni W/o Shri Bramhjit Randive	Madhya Pradesh
34	Smt Usha Ramtekkar W/o Late Shr Ashok Ramtekkar	Madhya Pradesh
35	Shri Sampat Lal Chandrawashi S/o Shri Chattarlal Chandrawashi	Madhya Pradesh
36	Shri Ayub Shekh S/o Shri Gaur Mohammad	Madhya Pradesh
37	Shri Niyaj Ahemad Shekh S/o Shri Umar Farukh	Madhya Pradesh
38	Shri Pawan Badme S/o Late Shri Surendra Badme	Madhya Pradesh
40	Shri Om Prakash Wakle S/o Shri Sukhram Waklw	Madhya Pradesh
41	Shri Ganpat S/o Shri Chaitram Durugkar	Madhya Pradesh
42	Shri Amit Bilgour S/o Shri Kishor Bilgour	Madhya Pradesh
43	Shri Nandlal S/o Late Sh. Rambhau Badgaiya	Madhya Pradesh
44	Shri Manoj Wankhede S/o Sh. Ramji Wankhede	Madhya Pradesh
45	Shri chaitram Durugkar S/o Late shri Amaru Durugkar	Madhya Pradesh
46	Shri Dinesh Chand Tidke S/o Shri Nekram Tidke	Madhya Pradesh
47	Smt Manju Goswami W/o Shri Gajendra Goswami	Madhya Pradesh
48	Smt . Kautika W/o Late shri Bhauji Chapde	Madhya Pradesh
50	Smt Lalji S/o Shri Dayaram Badme	Madhya Pradesh
51	Smt. Kachara Bai W/o Shri. Chintu Sonwane	Madhya Pradesh
52	Mohammad Sajid shekh s/o Mohammd khalik shekh	Madhya Pradesh
53	Shri Mohammad Tarik Ansari S/o Late Shri Yusuf Ansari	Madhya Pradesh
54	Smt. Shamin Ajaz W/o Shri Ajaz D.Khan	Madhya Pradesh
55	Shri Sukhram S/o Shri Jhadu Wakle	Madhya Pradesh
56	Shri Sewakram S/o Shri Ratanlal Bilgour	Madhya Pradesh
57	Shri Tekchand S/o Shri Lakhan Badgaiya	Madhya Pradesh
58	Shri Yogesh Wankhede S/o shri Ramaji wankhede	Madhya Pradesh

59	Shri Sheshram Astkar S/o Late shri Bholaram Astakar	Madhya Pradesh
60	Shri Virendra Khongal S/o Late shri Rupchand Khongal	Madhya Pradesh
61	Shri Vinod wankhede s/o shri Ramji wankhede	Madhya Pradesh

Case no. 39

(Shri Nitin Chansoriya C/o. Reliance Jio Infocom Limited, Third Floor, Corporate Park, D.B. City Mall, Maharana Pratap Nagar, Bhopal, Madhya Pradesh)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF + Pedestal with the total height of 3.00 mtrs (including mumty, parapet, water-storage tank, lift room etc.) at Khasra No. 461/3, Rakba-0.081 Hectare, Village Baihar Maal, Halka and Tehsil Baihar, Dist. Balaghat; with floor area of GF= 22.265 sqm, Pedestal=03.50 sqm.

Case no. 49

(Shri Manoj Garg S/o. Late Shri Kishan Lal Garg, Khara Kua, Kashi Naresh Ki Gali, Gwalior, Madhya Pradesh- 474003)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of GF+1 floor with the total height of 8.72 mtrs (including mumty, parapet, water-storage tank, lift room etc.) at House no-1299, Ward no-2/10, Kashi Naresh Ki Gali, Gwalior; with floor area of GF= FF=116 sqm.

Day-2

Case No. 62

Partners of G.A. Associates 1) S/Shri Zaheerul Hussain J. Saiyed, 2) Mushir Sheed Kalimi 3) Mohd. Faruk. Kotwal and 4) Abdul Karim Abdulraheman Bhavnagari

After perusal of the application and information submitted by applicant, it was decided to **recommend** grant of NOC in this case for construction of GF+4 (Four) floors with the total height of 17.80 meters (including mumty, parapet, water storage tank, lift room etc.) at C.S.No. 2005/5/paiki, Sheet No. 41, Shahpur-II, Ahmedabad, Gujarat; with floor area of GF=FF=286.255 sqm & SF=TF=FF=152.958 sqm.



Case No. 63

(Smt. Deviben Mohanlal Mohinani, Sandipani Ghodasar Co. Op. Ho. Soc. Ltd., Samratnagar, Isanpur, Ahmedabad, Gujarat)

After perusal of the application it was decided to **reject** the case as the applicant had already constructed the building without taking prior approval of the authority.

Case No. 64

(Shri Vipulbhai Chaturbhai Patel, 1753, Dhobi Ni Pole, Near Khadia Gate, Ahmedabad-380001, Gujarat)

After perusal of the application it was decided to **reject** the case as the applicant had already constructed the building without taking prior approval of the authority.

Case No. 65

(Shri Shantilal Khusalbhai, 1515/6, Ek Toda's Masjid, Sarangpur Dolatkhana, Ahmedabad-380001, Gujarat)

After perusal of the application and information submitted by applicant, it was decided to **recommend** grant of NOC in this case for construction of First Floor over existing Ground Floor with the total height of 07.90 meters (including mumty, parapet, water storage tank etc.) at C.S.No. 2379, Sheet No. 71, Khadia -1, Gujarat; with floor area of FF =54.85 sqm.

Case No.66

(Sh. V. Narasmihan S/o (Late) R. Veeraragavan, Plot No. 28, 1st Street, E.B. Colony, Muvarasampattu, Chennai-600043)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 10.98 meters (including mumty, parapet, water storage, etc.) at Plot No. 29, First Street, E.B. Staff Colony, Chennai-43, S No. 42/7, Moovarasampattu Village, Saidapet Taluk, Chinglepat District; with floor area of Plinth GF=110.46 Sqm., Plinth FF=139.44 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.67

(Sh. T. S. Dhasaratha Rao S/o Somanatha Rao, - Door No. 779/780, Nagamaram Lane, Kondirajapalayam, Thanjavur-613001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Alternation in existing Ground Floor and Additional construction in existing



First floor with the total height of 7.83 meters (including mumty, parapet, water storage, etc.) at Ward No. 3, Block No. 16, T. S. No. 799 & 780, D. No. 779/780, Nagamaram Lane, Thanjavur city Municipal Corporation Limit; with floor area of FF=33.54 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.68

(Sh. A. Kumaresan S/o Arunachalam, Plot No. 58, Door No. 9/336, 10th Street, Nagalakshmi Nagar, Sithlapakkam, Chennai-600126)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in existing G+2 floor with water tank with the total height of 10.78 meters (including mumty, parapet, water storage, etc.) at Plot No. 58, Old S. No. 37/1, New s. No. 37/27, as per patta No. 3602, Nagalakshmi Nagar, Sithalappakkam Village, Sholinganallur Taluk, Kanchipuram District, St. Thomas Mount Panchayat Union Limit; with floor area of proposed GF=21.56 Sqm., proposed FF=109.20 Sqm and Proposed SF=32.52 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.69

(Sh. D. Thirumalai, No. 5, Thokappiar street, Pilalaikulam, Vandalur, Chennai-600048)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Re-construction of existing GF and construction of FF with water tank with the total height of 8.77 meters (including mumty, parapet, water storage, etc.) at Old S No. 150/1, patta No. 3789, as per patta New Survey No. 150/21, plot No. 5, "Tholkappiar Street", Vandalur Village, Chengalpet Taluk, Kanchipuram District, Kattankolathur Panchayat Union Limits; with floor area of GF=FF=43.57 Sqm.,. The color scheme of the monument should be kept in view while constructing the building.

Case No.70

(Sh. S. Bhaskaran, Plot No. 122, Door No. 2, 9th Cross street, Sri Perumal Nagar, Zamin Pallavaram, Chennai-600043)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Extension of Ground Floor and Additional construction of First and Second Floor with head room & water tank with the total height restricted to 12.65 meters (including mumty, parapet, water storage, etc.) at Plot No. 122, Sri Perumal Nagar, 9th Cross Street, S. No. 68/4, Jameen Pallvaram village, Tambaram Taluk, Kanchipuram District Chennai; with proposed floor area of Proposed GF (pt)=73.78

Sqm, Proposed FF=168.77 Sqm, and SF(Pt)=63.20 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.71

(Sh. Mitran Johnson, 40, State Bank Colony (Main), Palavanthangal, Chennai-600114)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with head room with the total height of 8.92 meters (including mumty, parapet, water storage, etc.) at Plot No. 8, P.G. Manickam Nagar, 1st Street, Old Survey No. 176/5 and 175/3, TSLR new survey No. 175/3A Part, 176/5 part, ward No. C, Block No. 4 T.S. No. 85, Keelkattalai Village, Pallavaram Municipality, Pallavaram Taluk, Kanchipuram District; with floor area of GF=FF=64.10 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.72

(Smt. S. Manjula, Plot No. 1/5, Venkateswara Nagar, Second Cross Street, Ramapuram, Chennai-600089)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 9.58 meters (including mumty, parapet, water storage, etc.) at S. No. 433/2D, Sirukalathur Village, Sriperumbudur Taluk, Kanchipuram District, Kundrathur Panchayat Union, Block No. 63, Ward No. 3; with floor area of GF=179.87 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.73

(Smt. S. Komala, – B-1, Anurak Apartemnts, No. 68 Gandhi nagar, 4th Main Raod, Adyar, Chennai)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with head room and water tank with the total height of 10.58 meters (including mumty, parapet, water storage, etc.) at S. No. 35/1A Part, patta No. 5847, patta S. No. 35/92, Sithalapakkam village, Sholinganallur Taluk, Kanchipuram District, St. Thomas Mount Panchayat Union Office Limit; with floor area of GF=319.40 Sqm, FF=324.32 Sqm, and head room=10.45 Sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No.74

(Smt. A. Gunasundari, Plot No. 7, Mullai Nagar Extension II, Madambakkam, Chennai-600126)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Extension of Ground Floor and Additional construction of First floor with water tank with the total height of 9.14 meters (excluding mumty, parapet, water storage, etc.) at Plot No. 7, Old S. No. 593/7 & 594, New S. Nos. 593/12 & 594/8, Patta Nos. 8445 & 8444, Mullai Nagar Extension-2, Madambakkam village, Tambaram Taluk, Kanchipuram District, Madambakkam Town Panchayat Limit; with floor area of Proposed GF=3.53 Sqm, Proposed FF=86.77 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.75

(Sh. K. Yuvaraj, D. No. 45A, Prasanna Vinayakar Koil, First Street, Puduot, Royapettah, Chennai-600014)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+2 floors with head room & water tank with the total height of 12.23 meters (including mumty, parapet, water storage, etc.) at Old S. No. 705/10, part, New S. No. 705/19, patta No. 8431, Madambakkam Main Road, Madambakkam Village, Tambaram Taluk, Kanchipuram District, Madambakkam Town Panchayat Limit; with floor area of Proposed Stilt= 153.28 Sqm, Proposed FF=SF=169.27 Sqm, and head room=11.80 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.76

(Smt. R. Saritha, No. 1/10, 21st Cross Street, Venkateswara Nagar, Ramapuram, Chennai-600089)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with the total height of 10.02 meters (including mumty, parapet, water storage, etc.) at Eastern Side Portion, Nedunkundram-Kolapakkam Road, Old S. No. 59/2A4, as per patta New S.No. 59/2A4, Patta no. 133, of Kolapakkam Village, Kattankulathur Panchayat Union, Chengalpet Taluk, Kanchipuram District; with floor area of GF=FF=305.89 Sqm. The color scheme of the monument should be kept in view while constructing the building.



Case No.77

(Smt. T. Gothawari, D. No. 307/4, Nedungundram Main Road, Kolapakkam, Chennai-600048)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt/GF+2 floors with the total height of 9.91 meters (including mumty, parapet, water storage, etc.) at Plot No. 12, Old Survey No. 594, New Survey No. 594/9, Patta No. 8805, Mulai Nagar, Extension-II, Madambakkam Village, Tambaram Taluk Kanchipuram District, Madambakkam Town Panchayat Limit; with floor area of Proposed Stilt=51.37 Sqm, Proposed GF Pt. (Commercial)=33.63 Sqm, Proposed FF= 87.42 Sqm, Proposed SF Pt.(residential)=55.65 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.78

(Sh. A. Ramesh, D. No. 14A, Madurkali Nagar West, 2nd Cross Street, Karthikeyapuram, Madipakkam, Chennai-600091)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with head room & water tank with the total height of 10.63 meters (including mumty, parapet, water storage, etc.) at Plot No. 6, Kumaran Colony, S. no. 75/2 part, patta S. No. 75/2A2 part, Zamin Pallavaram Village, Pallavaram Municipality, Tambaram Taluk, Kanchipuram District; with floor area of; GF=FF= 167.92 Sqm, and headroom=11.06 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 79

(Sh. Haji Mohamed Khaliullah, D. No. 12, GMAL Block, 2nd Floor, N.S.B. Link Road, Trichirapalli-620002)

After perusal of the application, it was decided to **defer** the case ask the applicant to submit the Schedule-II information.

Case No.80

(Smt. T. Manimegalai, Door No. 28, Plot No. 4, Perumal Nagar, 1st Main Road, Zamin Pallavaram, Chennai-600117)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 floor with head room & water tank with the total height of 11.27 meters (including mumty, parapet, water storage, etc.) at Door No. 28, Plot

No. 4, Perumal Nagar, 1st Main Road (Kalyan Colony), S. No. 76/1 & 2, patta No. 3531, as per patta New S. No. 76/2B, Jamin Pallavaram (Old Pallavaram), Alandur Taluk, Kanchipuram District, Pallavaram Municipality; with floor area of GF=127.00 Sqm., FF=136.00 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No.81

(Smt. J. Mythili Selvi, No. 15, Gopalakrishnan Street, Thiruvalluvar Nagar, (Behind DAV School), Adambakkam, Chennai-600088)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt +2 floors with headroom with the total height of 11.32 meters (including mumty, parapet, water storage, etc.) with the following floor area:

Area Statement	F.S.I. Area	Non F.S.I Area
Stilt part Area	---	176.00 sqmt
Head Room	---	9.10 sqmt
Plinth area of FF	168.00 sqmt	---
Plinth area of SF	168.00 sqmt	---

at Plot No. 18, Sri Venkateswara Nagar, patta No. 425, Sub divided S. No. 76/1, as per patta S. No. 76/1A1B, patta No. 787, Moovarasampet village, St. Thomas Mount Panchayat Union, Sholinganallur Taluk, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case No.82

(Sh. T. L. Satishwaran, Plot No. IIIB, Subham Nagar, Part-I, Survey No. 17/1A/1B, Shankara Salai, Old Pallavaram, Chennai-600117)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction of GF+1 floor with water tank with the total height of 8.74 mtr (Including, mumty, parapet water storage tank etc.) at Plot No. 3-B, Subham Nagar, S. No. 17/1A/1B, Zamin Pallvaram Village, Pallavaram Municipality, Alandur Taluk, Kanchipuram district; with floor area of Existing GF= 59.20 Sqm, Proposed FF=68.77 Sqm. The color scheme of the monument should be kept in view while constructing the building.

Case No. 83

(Sh. Shikhar Sethi GPA holder of Sh. Vimal Kumar Sethi, Flat 7160, Pocket D7, Vasant Kunj, New Delhi.)

After perusal of the application it was decided to **reject** the proposal because 90 % construction work completed by the applicant.



Case No. 84

(Shri M. Ramakrishna S/o It. Mayigaiah, #2/70, 2nd main road, near flour mill, Ranganathanagara, Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 9.75 meters (including mumty, parapet, water storage tank etc.) at Katha No.- S. 222/199, Site No-99 Ranganatha Nagara, Srirangapattana; with floor area of GF=34.59 Sqm and FF=44.41 Sqm.

Case No. 85

(Sri Kiran Chanda, Sri Deepak Chanda & Sri Prakash Chanda, Mini- Deepak Theatre Complex [CMC.No. 9-1-1380], Bidar District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of FF over existing GF with the total height of 8.62 meters (including mumty, parapet, water storage tank etc.) at CMC No. 9-1-380 to 9-1-393, Near Deepak Theater, Bidar with floor area of FF=420.22 Sqm.

Case No. 86

(Shri M Lokesh s/o Manjanna, Srinivasa Agrahara K. Shettahalli Hobali, Srirangapattana, Mandya District , Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.80 meters (including mumty, parapet, water storage tank etc.) at Katha No. S-3522/113/114/23, Ranganatha Nagara, Srirangapatan; with floor area of GF=63.97 Sqm and FF= 63.97 Sqm.

Case No. 87

(Smt. Yashodhamma W/o D.B. Nanjundaswamy, C/o Treasury Lingappa House, Poornaiah Street, Srirangapattana Mandy District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 7.50 meters (including mumty, parapet, water storage tank etc.) at Katha No. S- 1875/1790 & S-1876/1791, Chikka Maret Road, Srirangapatan; with floor area of GF=27.55 Sqm and FF= 27.55 Sqm.



Case No. 88

(Smt. Ashalatha w/o M. Puttegowda, Behind Old Karnataka Bank, Main Road, Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 7.50 meters (including mumty, parapet, water storage tank, etc.) at Property No: S-1536/1469/B & S-1528/4/1463/D, Anche Thippayya Street, Srirangapatna Mandya; with floor area of GF=423.56 Sqm and FF= 350.00 Sqm.

Case No. 89

(Smt. Mahadevi w/o Mallikarjun Malge, H.No. 9-933/1A Subhash Nagar, Shahabazar, Gulbarga- 585101, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Ground Floor with the total height of 4.57 meters (including mumty, parapet, water storage tank, etc.) at House No.- 9-319, CTS. No. 548, Sheet No. 31, Shah Bazar, Kalaburagi; with floor area of GF=73.04 Sqm.

Case No. 90

(Smt. Sabitha C/o Bharatharaj, Ashraya, Sri Nemigiri Road, Hiriyangadi, Karkala Taluk, Udupi District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.72 meters (including mumty, parapet, water storage tank, etc.) at R.S. No.- 200/1C, Karkala Taluk; with floor area of GF=86.58 Sqm and FF= 85.86 Sqm.

Case No. 91

(Sri M.R. Kiran Pawar, Shastri Chawl, Opp Civil Hospital, Fort, Dharwad District-580008, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+3 with the total height of 14.75 meters (including mumty, parapet, water storage tank, etc.) at CTS No. 100/25/2 MF, Shastri Chawl, Killa, Dharwad; with floor area of GF=34.88 Sqm and FF= SF=TF=76.61 Sqm.



Case No. 92

(Sri Manjunatha M.V., No. 5-57, Pete Narayana Street, Srirangapattana, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 7.50 meters (including mumty, parapet, water storage tank, etc.) at Khatha No- S-1270/1212, Petenarayanawamy Temple, Road; with floor area of GF=66.67 Sqm and FF= 66.67 Sqm.

Case No. 93

(Smt. Arati W/o Dayanand Shirsangi & Sri Dayanand S/o Sharanayya Shirsangi, Assistant Engineer (ele) O & M sub division, Muddebihal Taluk, Vijayapur District- 586212, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.60 meters (including mumty, parapet, water storage tank, etc.) at Sy. No- 887/C, Plot No. 32, Mahal Bagayat, Vijayapur; with floor area of GF=60.10 Sqm and FF= 60.10 Sqm.

Case No. 94

(Smt. T. Chandrika, Thirumangai Alvar Beedi, Melkote, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 8.80 meters (including mumty, parapet, water storage tank, etc.) at Property No: 430/350, Kunigal Road, Melkote Grama Panchayath Pandavapura Block, Karnataka State; with floor area of GF=228.90 Sqm and FF= 240.17 Sqm.

Case No. 95

(Sri Basavaraj Basappa Gobbargumpi, S/o Masappa Gobbargumpi, Hanamageri Oni, Saundatti Taluk, Belgavi District-591126, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 4.48 meters (including mumty, parapet, water storage tank, etc.) at TMC No. 1518/17 & CTS No. 3470, Ward No.11, Saundatti Taluk, Belgaum District; with floor area of GF=88.68 Sqm.

Case No. 96

(Shri Gangadhar S/o Venkatesh Murthy, No. 2485, Govindappa Street, Srirangapatna, Mandya District, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 with the total height of 7.50 meters (including mumty, parapet, water storage tank, etc.) at Site No.- S-2323/2232, Property No. 14-20-37 & 39, Ward No.06, A Ramanna Street, Srirangapatna (Town), Mandya District; with floor area of GF=73.439 Sqm and FF= 92.537 Sqm.

Case No.97

(Mr. Sidheeq & Subaidha, Kudachettil Hause, Eyyal. P.O, Thrissur - 680501, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction on GF & construction of FF with the total height of 7.20 meters (including Mumty, Parapet, Water Storage tank etc.) at Sy No: 1126/1p, 1126/2p, 1126//2p Thalapilly Taluk, Kadangode grama Panchayath, Thrissur(Dt.); with Plinth area of proposed GF =08.37sqm, FF = 61.10 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and a color scheme of the monument should be kept in view while constructing the building.

Case No.98

(Sanjay Dhawan, 4/8A/8, Bagh Farzana (inside Do. B.D. Sharma Gate) Agra - 282002, Agra)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+SF with the total height of 12.12 meters (including Mumty, Parapet, lift room, Water Storage tank etc.) at KH. No. 833/1, Mauza- Mau Mustquail, Agra; with Plinth area of Basement =58.05sqm, Stilt=GF=FF= 129.82 sqm.

Case no. 99

(Shri Sahid Ahmad, Mehnagar, Dist-Azamgarh, Varanasi, Pin code- 276204)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 7.31 mtrs (including mumty, parapet, water-storage tank, lift room etc.) at Aaraji No-67, Mauza-Mehnagar (Bela Doultabad), Tehsil-Mehnagar, Azamgarh; with floor area of GF= 263.45 sqm.



Additional Agenda

Case No. 1

(Chairman, Education Committee, SDMC, Porta Cabin, Delhi)

After perusal of the application and Powerpoint presentation made by applicant, it was decided to ask the CA to visit the site with the Surveyor to find out the exact distance from the nearest Centrally Protected Monument.

Case No. 2

(M. G. Vijay Kumar, General Manager (P) National Highway, Jammu & Kashmir)

After perusal of the application, it was decided to not consider the case in the absence of Architectural Design.

Case No. 3

(Order of Hon'ble High Court of Gujarat in the case of Sh. Moinuddin S. Shaikh & Others, Gujarat)

After perusal of the application, the matter has been considered and NMA has decided to **reject** the case for increase of height from 15m to 22.80 mtrs, as the applicant has illegally carried out the construction work and violated the provisions of AMASR Act.

Case No. 4

(Project Director, National Highway Authority, Rajasthan)

After perusal of the application, it was decided to **defer** the case and take legal opinion from the Ministry of Law.



MINUTES OF THE 211th (2nd day) MEETING OF NMA

Venue - Conference Room, 24, Tilak Marg,
New Delhi 110001

Time & Date - 11.00A.M on 18th January, 2018

The meeting was attended by the following:

1. Prof. Susmita Pande, Chairperson, NMA.
2. Sh. A.B. Shukla, Whole Time Member, NMA.
3. Sh. U.K. Sadhav, Whole Time Member, NMA.
4. Dr. Ashvini Agrawal, Whole Time Member, NMA.
5. Dr. Vinay Kumar Rao, Part Time Member, NMA.
6. Sh. Navneet Soni, Member Secretary, NMA

1. Heritage Bye-Laws of Nizamuddin Basti group of monuments

After going through the draft Heritage Bye-Laws of Nizamuddin Basti group of monuments, it was decided to restrict the height upto 15m (inclusive all) for construction of any kind of structure in the Regulated Area of the monuments. It was also decided to incorporate the inputs given by Dr. Ashvini Agrawal, Whole Time Member, NMA.

Subject to the above, the Authority approved the Heritage Bye-laws of Nizamuddin Basti group of monuments. The corrected Bye-Laws shall be published on the websites of National Monuments Authority, Archaeological Survey of India and Competent Authority, Delhi for inviting suggestion/objections, if any.

