Government of India Ministry of Culture National Monuments Authority 24, Tilak Marg, New Delhi

MINUTES OF THE 310th MEETING OF NMA

Venue – Conference room of NMA

Date & Time – 16th July, 2021 at 11:00 am

The meeting was attended by the following:

- 1. Shri Tarun Vijay, Chairman, NMA.
- 2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA.
- 3. Prof. Vinay Kumar Rao, Part Time Member, NMA.
 - 4. Shri Bhaskar Verma, Member Secretary, NMA.

Agenda No. 1

The minutes of 308th and 309th meetings were confirmed.

Agenda No. 2

Consideration of NOC applications

Online Case

Delhi Case no. 553

(Miss Manju Sharma Through Its GPA Mr Dinesh Sharma, Kh.no. 264, 265, prop. bearing Municipal no.-419, 420, 426, 427, 431, 432, Vill. Masjid Moth New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 18mtrs (including mumty, parapet, water storage tank etc.) at Kh.no. 264, 265, prop. bearing Municipal no.-419, 420, 426, 427, 431, 432, Vill. Masjid Moth New Delhi; with floor area of Basement =187.13sqm with depth= 2.90mtrs and Stilt=GF=FF=SF=TF=187.13sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

ority Ohn July

Delhi Case no. 554

(Mrs Deep Kaur, Plot no. 3153, Punjabi Basti, Subzi Mandi, Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+3 floors with the total height of 17.37mtrs (including mumty, parapet, water storage tank etc.) at Plot no. 3153, Punjabi Basti, Subzi Mandi, Delhi-110007; with floor area of Basement =85.446sqm with depth= 3.27mtrs Stilt=GF=FF=SF=TF=85.446sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

Karnataka Case no. 14

(Sri.Maheshiah R. Hiremathad, Advocate, Basapura Village, Haveri-Taluk & District, Karnataka-581108)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Cellar+GF+1 floor with the total height of 10.34 mtrs (including mumty, parapet, water storage tank etc.) at R.S No. 28 of Haveri Plot; with floor area of Cellar=96.74 sqm and GF+=FF=96.74 sqm.

Online Defer Case

Karnataka Case no. 11

(Shree Sanjeev S/o Sahebagouda Prabhugol, S/o Sahebagouda Prabhugol, Ward No:- 06, Near Solapur road Chalukya Nagar Vijayapur, Karnataka)

After perusal of the application and revised building plan received from CA, Karnataka, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 10.00 mtrs (including mumty, parapet, water storage tank etc.) at CTS No. 1763B/1A, Bijapur Karnataka; with floor area of Basement=221.00 sqm with depth 01.40 mtr and GF=FF=SF=128.15 sqm.

Deferred Cases

Case no. 01

(Shri S. Raja Annamalai, D. No. 37/14, Vaniyar Street, Near Mandakarai, Villupuram- 605 602, Tamilnadu)

After perusal of the application and revised building plan received from CA, Tamilnadu, it was decided to **recommend** grant of NOC in this case for construction

National Monuments Authority

of Stilt+3 floors with headroom and overhead tank with the total height of 14.45 mtr (including mumty, parapet, water storage tank etc.) with following floor area:-

Area Statement	F.S.I Area	Non F.S.I. Area	
Stilt floor	<u> 1949/942</u>	121.28 sqm	
First floor	121.28 sqm	near table	
Second floor	121.28 sqm	- Harring and the	
Third floor	121.28 sqm	Net tenev.	
Headroom		17.51 sqm	

at Plot No. 1-A, Sri Ganapathy Nagar S. No. 87/1, as per Patta T. S. No. 84/4, Block No. 15, Ward No. C, Zamin Pallavaram Village, Pallavaram Taluk, Pallavaram Municipality Limits, Chengalpattu District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 02

(Shri T.G. Saravanan, Old No. 29/2, New No. 8, Anupams FI First Floor Chinnathambi Street, Tripilicane, Chennai- 600 005, Tamilnadu)

After perusal of the application and revised building plan received from CA, Tamilnadu, it was decided to **recommend** grant of NOC in this case for construction of Stilt+3 floors with headroom and overhead tank with the total height of 14.45 mtr (including mumty, parapet, water storage tank etc.) with following floor area:-

F.S.I Area	Non F.S.I. Area
t ele affect, 3	130.06 sqm
130.06 sqm	444-Olt L
130.06 sqm	
130.06 sqm	(a) 2 <u>-1-1</u> -20
ana lana	19.16 sqm
	130.06 sqm 130.06 sqm

at Plot No. 1-C, Sri Ganapathy Nagar S. No. 87/1, as per Patta T. S. No. 84/5, Block No. 15, Ward No. C, Zamin Pallavaram Village, Pallavaram Taluk, Pallavaram Municipality Limits, Chengalpattu District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 03

(Smt. Lilly Francis Xavier, Shri Ligin & Shri Lifin, Plot No. 78, Union Carbide Employee Colony 3rd Street, Old Pallavaram, Chennai- 600 117, Tamilnadu)

After perusal of the application and revised building plan received from CA, Tamilnadu, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+3 floors with headroom and overhead tank with the total

Que Jue 4

height of 15.00 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.52 mtr, with following floor area:-

Area Statement	F.S.I Area	Non F.S.I. Area	
Stilt floor	<u> </u>	137.00 sqm	
First floor	137.00 sqm		
Second floor	137.00 sqm	North Control	
Third floor	137.00 sqm	Service of the market	

at Plot No. 78, as per Document Old S. No. 36/9 & 10, as per Patta Old S No. 36/9 part & 10 part, T. S. No. 43, Block No. 50, Ward No. B, Zamin Pallavaram Village, 3rd Street, Union Carbide Employee Colony, Pallavaram Taluk, Pallavaram Municipality Limits, Kanchipuram District. The color scheme of the monument should be kept in view while constructing the building.

Case no. 04

(Shri Mallikarjuna Rao & Smt. D. Sandhya, D. No. 5-B, High Breeze Apartments, 4th Street, Ormes Road, Kilpauk, Chennai-600 100, Tamilnadu)

After perusal of the application and revised building plan received from CA, Tamilnadu, it was decided to **recommend** grant of NOC in this case for construction of Stilt+ 5 floors with headroom and overhead tank with the total height of 19.80 mtr (including mumty, parapet, water storage tank etc.) with following floor area:-

Number of	Stilt+ 5	Stilt+ 5	Stilt+ 5	Stilt+5	Basement+
stories	floors	floors	floors	floors	G +3 floors
	with	with	with	with	
	headroom	headroom	headroom	headroom	
	and	and	and	and	
	overhead	overhead	overhead	overhead	
. E. NO. 8年度。	tank	tank	tank	tank	Strokhick
Floor area	Block-A	Block-B	Block-C	Block-D	Block-E
(Storey wise)	t to an embe	roles sell fr	anie Christ	uprijetti ete	MLT YOMEO OUT
Basement	NA	NA	NA	NA	1354.80
Stilt/Ground	1114.94	1141.99	1141.78	1138.35	982.44
floor					Chief Spinistration with a
First floor	1212.80	1259.04	1236.11	1227.25	1354.10
Second floor	1212.80	1236.32	1236.11	1227.25	1354.10
Third floor	1212.80	1236.32	1236.11	1227.25	1354.10
Fourth floor	1212.80	1236.32	1236.11	NA	NA
Fifth floor	1212.80	1236.32	1236.11	NA	NA
Terrace floor	75.06	75.06	75.06	67.78	129.80
Total area	7254.00	7421.37	7397.39	4887.88	6519.74

horiv

Height	19.80 mtr	19.80 mtr	19.80 mtr	14.40 mtr	17.5 mtr	
(Inclusive all)			(King)			
Compound wall	2.0 meters	meters all around the property				

at S. No. 410/1, Perumbakkam Village, St. Thomas Mount Panchayat Union, Tambaram Taluk, Kanchipuram District Zone 10. The color scheme of the monument should be kept in view while constructing the building.

Case no. 05

(Sri. Kalikesh Narayan Singh Deo The Director, Prachi Resorts Pvt. Ltd., G.A. Plot No. 1-5, Revenue Plot No. 209/2002 Jagamara, Nr. N.H-16, Bhubaneswar, Odisha-751030.)

After perusal of the application and revised building plan received from CA, Odisha, it was decided to **recommend** grant of NOC in this case for re-construction of LG+G+Service floor+2+ Terrace floor with the total height of 17.60 mtr (including mumty, parapet, water storage tank etc.) and depth of lower ground is 4.05 mtr with following area:

Parameter	Total	Shaft Area	Total	Service	Parking	Net
	Covered	Deducted (sqm)	Built up	area	area	F.A.R
	Area	Part Dunster Seature	Area	Deducted	(sqm)	Area
	(sqm)		(sqm)	(sqm)		(sqm)
Open Area					1812.6	
Lower	4029.7	<u></u>	4029.7	635.9	1336	2057.8
Ground	M. etau3	Stooms & Income	a to Proposition	(Water	rkanin (Vanstin	
Floor	Aleman 19 B		or the basement	Tank+Pum	Marian Carana	
	THE MATERIAL STATE OF THE STATE	STOREST PART PRINCE	of advantables	р	en e	All Commences and the second
			Control of the state of the sta	House+ST	A DESCRIPTION OF THE PERSON	
	t baylasan i	ista palistiui isak	er han al	P Area+LT	North Carrier	
Televis and managers as	ic engle fo	the set the set of	Sires Decrease	Panel)		
Ground	3451.4	205.6 (lift+toilet	3245.8	75.9	283.5	2886.4
Floor	y min wea	duct+open to	per samer or	(Guard		
	ato Carriologi	sky+firefighting	a ()(23)	room-	A STATE OF THE	
	DAM NEEDLE	shaft)	MIN DISI	1+meter	Marks wheel	
	.77104	: 12.34美 新州松中州市	edo bris i	room+ict+	CEPT MEE	
				atm+publ)	Page 1	
Service	3276.9	1668.8	1608.1	1608.1	1 20 to -0.000	0
Floor		(lift+toilet duct+	BOOKE LA	(Service		
	0.000	open to	1 200 320	area)	\$3. 1 LA 50 A	
	TOWNS STORESS	sky+firefighting	N ET TO LOAD	Total and the second		
		shaft)		Carameters and	THE COMPANY	
1 st Floor	1789.8	59	1730.8	0	0	1730.8
	of assure of	(lift+toilet duct+	trinis (hizaina)	in School repaire 2008	Every Service	
	The state of the s	open to	2011/4201	CALL AND	TRUM COMMON	
	Open Area Lower Ground Floor Ground Floor Service Floor	Covered Area (sqm) Open Area Lower Ground Floor Ground Floor Service Floor 3276.9	Covered Area (sqm) Open Area Lower Ground Floor Ground Floor Service Service Floor Service Floor 1st Floor 1st Floor Covered Area (sqm) Deducted (sqm) Deducted (sqm) Deducted (sqm) Service 4029.7 205.6 (lift+toilet duct+open to sky+firefighting shaft) 1st Floor 1789.8 Selvice Service Service Sky+firefighting shaft) 1st Floor 1789.8 Selvice Service Service Sky+firefighting shaft)	Covered Area (sqm) Area (sqm) Open Area Lower Ground Floor Ground Floor Service Floor Service Floor 1st Floor Covered Area (sqm) Deducted (sqm) Built up Area (sqm) Area (sqm) 4029.7 4029.7 4029.7 4029.7 4029.7 4029.7 4029.7 Service duct+open to sky+firefighting shaft) 1st Floor 1789.8 59 (lift+toilet duct+ duct+ duct) (lift+toilet duct+ duct+ duct) (lift+toilet duct+ duct+ duct) (lift+toilet duct+ duct+ duct) (lift+toilet duct+ duct	Covered Area (sqm)	Covered Area (sqm)

De file

	Total	14509.4	1992.4	12517	2523.2	3432.1	8374.3
7	Terrace Floor	203.3	15 11 Jan 20 15 17 Pre	203.3	203.3	Cares on	0
6	2 nd Floor	shaft) d Floor 1758.3 59 1699.3 (lift+toilet duct+ open to sky+firefighting shaft)	1699.3	0		1699.3	
		troffile ,	sky+firefighting	10 9		9 1	

at Plot No. 1-5, Revenue Plot No. 209/2002 Mouza-Jagamara, Bhubaneswar Dist-Khurda, Odisha.

Case no. 06

(Smt. Shashi Kala Devi & Smt. Mili Gupta, SA 1/206, Nai Basti, Pandeypur Varanasi-221002, Uttar Pradesh)

After perusal of the application and revised building plan received from CA, Varanasi, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 09.50 mtr (including mumty, parapet, water storage tank etc.) at Arazi No-366 Situated at Mauza, Baraipur Paragana Shivpur Ward Sarnath Tehashil & District-Varanasi; with Covered area of Basement area = 68.77 sqm and Cov area on GF=FF=SF=68.77 sqm.

Case no. 07

(Shri Santosh Kumar Gupta S/o Gopal Kumar Gupta And Smt.Chamela Gupta w/o Sri. Gopal Prasad Gupta, SA 10/15 P Mohalla Ganj Sarnath, Varanasi-221007, Uttar Pradesh)

After perusal of the application and revised building plan received from CA, Varanasi, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 09.50 mtr (including mumty, parapet, water storage tank etc.) at Arazi No.366 situated at Mauza, Baraipur Paraggana shivpur ward sarnath tehashil & district -varanasi; with Covered area of Basement area = 142.31 sqm and GF=FF=SF= 142.31 sqm.

Case no. 08

(Shri Santosh Kumar Gupta S/o Gopal Prasad Gupta And Shri Gopal Kumar Gupta S/o Late Ram Dhani, SA 10/15 P Mohalla Ganj Sarnath, Varanasi-221007, Uttar Pradesh)

After perusal of the application and revised building plan received from CA, Varanasi, it was decided to **recommend** grant of NOC in this case for construction of

thority July 1

Basement+GF+1 floor with the total height of 09.44 mtr (including mumty, parapet, water storage tank etc.) at Arajee No-MI 140/2, Mauza- Ganj, Pargana-Shivpur, Distt-Varanasi; with Covered area of Basement = 200.33 sqm, GF=FF=250.64 sqm and Mumty= 14.35 sqm.

Case no. 09

(Shri Amit kumar Gupta S/o Radhe Shyam Gupta, Plot No.76/2, Lohiya Nagar Ashapur Varanasi-221007, Uttar Pradesh)

After perusal of the application and revised building plan received from CA, Varanasi, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 09.50 mtr (including mumty, parapet, water storage tank etc.) at Arazi No-366 Situated at Mauza, Baraipur Paragana Shivpur Ward Sarnath Tehashil & District-Varanasi; with Covered area of Basement area = 141.18 sqm, covered area on GF=FF=SF=141.18 sqm.

Case no. 10

(Shri Veersen Kairati S/o Satya Prasad Kairati, Village, Post & Tahsil Katra, District-Srawasti-Pin-271845, Uttar Pradesh)

After perusal of the application and revised building plan received from CA, Lucknow, it was decided to **recommend** grant of NOC in this case for construction of LGF+UGF+2 floors with the total height of 12.96 mtr (including mumty, parapet, water storage tank etc.) at Plot/Gata No-357, 359, Vill. Chakra Bhandaar, Pargana & Tahsil-Ikauna, Distt-Srawasti; with Covered Area of LGF (Parking)= 79.00 Sqm, UGF (Comm)=79.00 Sqm, FF (Comm)=68.26 Sqm, SF(Residl)=54.04 Sqm, mumty= 7.80 Sqm and Overhead Water Tank: 16.70Sqm.


Case no. 11

(Sri. R. Venkatapathi Jois and Smt. Jayalakshmi V. Jois, #497/7, 2nd division, 7th Ward, Old Hospital Road, Gundlupet, Chamarajanagar-571111, Karnataka)

After perusal of the application and revised building plan received from CA, Karnataka, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 09.00 mtr (including mumty, parapet, water storage tank etc.) at Ts No. 370/1B, Ward No. 22, Block No.33, Beside Kumarswamy Temple, Infantry Road, Bellary; with floor area of GF=FF= 127.40 sqm and SF= 71.52 sqm.

Case no. 12

(Chief Executive Officer, U.P. Braj Teerth Vikas Parishad, Mathura, Uttar Pradesh Braj Teerth Vikaas Parishad, 32 Civil Lines, Mathura, Uttar Pradesh)



After perusal of the application and information received from CA, Agra, it was decided to **Reject** the case as the applicant had already start the construction work without taking prior approval from the Authority in violation of section 20C (2) of AMASR Act. 1958 and Show Cause Notice was issued by SA, ASI.

Case no. 13

(Smt. Dr. Sheela Achar, W/o Dr. B.G. Achar, 11th Ward, Shanthi Nagar, Beside Raitha Bhavan Hospet, Bellary-583201, Karnataka)

After perusal of the application and revised building plan received from CA, Karnataka, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 12.00 mtr (including mumty, parapet, water storage tank etc.) at Survey No. 94 part, Asst No. 63, PID no. 9-3-553-77, 9th ward, Anathshayana Gudi Area, Hospet; with floor area of Basement=GF=634.75 sqm, FF=634.48 sqm and SF=689.14 sqm.

Re-consideration Cases

Case no. 01

(Smt. P. Surekha & Shri M. Vishal, D. No. 50/88, Panchaliamman Koil Street, Sam's Court, AA Phase-II, Arumbakkam, Chennai- 600 106, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+3 floors with headroom with the total height of 13.72 mtr (including mumty, parapet, water storage tank etc.) at Door No. 5, Old Door No, 26, Plot No. 26, T.S. No. 46, Old S. No. 33/1A Part, Block No. 48, Union Carbide Colony, Zamin Pallavaram Village, Ward No. 13, Pallavaram Taluk, Pallavaram Municipality, Kanchipuram District; with floor area of Stilt=FF=SF=TF=139.35 sqm and Terrace floor = 14.30 sqm. The color scheme of the monument should be kept in view while constructing the building.

Case no. 02

(Mrs. Jayanthi Mohandas, Valore House, Peruvanam, Cherppu, P.O. Thrissur, Kerala- 680317)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.45 mtr (including mumty, parapet, water storage tank etc.) at Re-survey No. 40/8, Cherpu Grama Panchayath, Ward no. 2; with Built-up area of GF=145.64 sqm and FF=92.41 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

National Monuments Authority

Case no. 03

(Sri. Paulose, Pulikkottil House, Chirakkal, Kattakampal. P.O., Thrissur-680544, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction in existing GF+Stair room with the total height of 06.65 mtr (including mumty, parapet, water storage tank etc.) at Near door No XIV/148A, Re-Survey no. 422/12, Village Kattakampal, Panchayath Kattakampal and District Thrissur.; with plinth area of GF=13.30 sqm and FF=53.86 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 04

(Sri. P. Thimmappa (Secretary), Bellary Zilla Gollara Sangha®, Bellary, club Road, Devinagar, Beside Kumarswamy Temple, Bellary-583104, Karnataka)

After perusal of the application, it was decided to **Reject** the case as the applicant had already started the construction work without taking prior approval from the Authority in violation of section 20C (2) of AMASR Act. 1958. This case was rejected earlier in 279th meeting held on 11.09.2020 on the same grounds. CA's comments may be called for as to why this case was recommended for grant of NOC when CA in her recommendations has stated that the construction work of community building is already carried out and reached upto ground floor RCC slab level without prior permission.

Fresh Cases

Case no. 01

(Smt. K. Saraswathi & Shri E. Keerthinathan, D. No. 73A/5, Mettu Street, Kanchipuram-631 501, Tamilnadu)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 04.70 mtr (including mumty, parapet, water storage tank etc.) at T. S. No, 2236, part 2235/2 part Plot No. 24, Eastern Part, Kailasanathar Koil Mettu Street Kailash Garden Ward No. 3, Block No. 46, Kanchipuram Town Taluk and District; with floor area of Proposed Ground floor = 89.1 sqm and Compound wall = 40.8 Rm. The color scheme of the monument should be kept in view while constructing the building.

	\sim		
National Monuments Authority	رت	her	ue V

Case no. 02

(Shri Manish Agrawal S/o Shri Premchandra Agrawal and Shri Ajay Agrawal S/o Shri Premchandra Agrawal, Fort Road, Gwalior Madhya Pradesh-474003)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Basement+GF+2 floors with the total height of 12.00 mtr (including mumty, parapet, water storage tank etc.) at At-H.No. 566, 1635,1637, 1639 & 1640 Fort Road Gwalior Madhya Pradesh; with floor area of Basement= 63.14 sqm with depth=2.50 mtr, GF=FF=SF=63.14 sqm and Mumty & water tank height = 2.55 mtr.

Case no. 03

(Smt. Padma Yangzin w/o Tsering Norfail, Leh Skanos Near polo ground Leh.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+2 floors with the total height of 11.27 mtr (including mumty, parapet, water storage tank etc.) at Skanos Leh; with floor area of GF=78.62 sqm, FF=114.12 sqm and SF= 114.12 sqm.

Case no. 04

(Sri. K.A. Ajeesh, Kovatte House, Kakkad, Kunnamkulam. P.O., Thrissur-680503, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.10 mtr (including mumty, parapet, water storage tank etc.) at Survey No. 86/10-7, Kunnamkulam Municipality, Kunnamkulam Taluk, Thrissur district.; with Plinth area of GF=FF= 93.96 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 05

(The Secretary & President, Palakkad Government Employees Cooperative Society, Civil Station, Palakkad-678001, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 10.65 mtr (including mumty, parapet, water storage tank etc.) at Rsy. 49, Base Rsy. No. 35, R.Sy.No. 1924, Ward No. 5, Rsy. Blcok No. 41, Old Blcok No. 33, T.P. No. 4980 at Yakkara Village and Taluk, in Palakkad Municipality; with Plinth area of

() de la m

Basement=208.11 sqm with depth 3.15 mtr and GF=FF=SF=231.16 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 06

(Sri. M. Venkatesan, 39/722, Venkatadri, Harikkara Street, Palakkad-678001., Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor+stair room with the total height of 09.98 mtr (including mumty, parapet, water storage tank etc.) at Survey No. 3293/4, 3294/5, Re Sy Blcok No. 66 in Palakkkad 3 Village at Palakkad Municipality.; with Built up area of GF (Out House)=40.15 sqm, GF=334.36 sqm., Porch=48.62 sqm., FF=382.98 sqm. and Stair room=32.65 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 07

(Sri. Mahesh Kumar. V., 39/722, Venkatadri, Harikkara Street, Palakkad-678001, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 09.66 mtr (including mumty, parapet, water storage tank etc.) at Ward No. 5, Survey No. 3290/2C, 3293/2, 3294/3, Re. Sy. Block No. 66, In Palakkad 3; with Built up area of GF=276.11 sqm, FF=220.85 sqm. and Porch=37.26 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 08

(Mrs. Aminumma & Hairunneesa, Koppath Parambil House, Melepattambi. P.O., Palakkad-679306., Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 09.55 mtr (including mumty, parapet, water storage tank etc.) at Sy No. 77/1, Ward No. XXI, at Pattambi Municipality; with built up area of GF=FF=SF=327.20 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Case no. 09

(The Maruti Suzuki India Limited, No. 1, Nelson Mandela marg, Vasant Kunj, New Delhi-110067., Kerala)

Oheles

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of compound wall with the total height of 02.40 mtr (including all) at Old Sy No. 1942/1, 1946/1E 1A2, Re. Sy. No. 55/pt, Block no. 43, Yakkara Village, Palakkad District; with Perimeter=247.34 mtr.

Case no. 10

(Mr. Sivakumar. S.M., Kadavallur Marath, Kadavallur. P.O., Thrissur-680543, Kerala)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.40 mtr (including mumty, parapet, water storage tank etc.) at Survey No. 558, Ward No. 1 at Kadavallur Gramapanchayath, Thalappilly Taluk, Kadavallur Desam.; with Plinth area of GF=77.05 sqm., FF=60.18 sqm. The construction work should incorporate Mangalore Tiled Sloping Roof and colour scheme of the monument should be kept in view while constructing the building.

Additional Agenda I

Online Cases:

Karnataka Case no. 15

(Smt Raziyabegam L Jamadar, W/O Ladlemashak Jamadar, H.No.-73 Athani Road, Al-Ameen Hospital, Sana Nagar, Vijayapur-586108, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 floors with the total height of 12.34 mtr (including mumty, parapet, water storage tank etc.) at Ward No.3 C.T.S No 1411, Near Ganpati Chowk Indi Road Vijayapur, Bijapur, Karnataka; with floor area of Basement=207.90 Sqm with depth 01.20 mtr and GF=FF=SF=123.70 Sqm.

Karnataka Case no. 16

(Shri Nitin S/o Ramkrishnarao Nagare Civil Hospital Road, Vidya Nagar, Vijayapur-586102, Karnataka)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of 1st floor over existing ground floor with the total height of 08.00 mtr (including mumty, parapet, water storage tank etc.) at Sy.No. 660/B, P.No. 77, Mahalbagayat, Bijapur, Karnataka; with floor area of Proposed FF=70.00 Sqm.



Online Defer Case

Uttarakhand Case no. 14

(Smt. Sunita D/o Shri Balveer Singh, R/o Moh-Dilla Singh Jaspur Distt. U.S. Nagar, Uttarakhand)

After perusal of the application and information received from CA, Uttarakhand, it was decided to **recommend** grant of NOC in this case for Construction of GF+1 floor with the total height of 08.90 mtr (including mumty, parapet, water storage tank etc.) at Khasra No. 44-Min, Vill.-Ujjain, Kashipur (U.S. Nagar), Udham Singh Nagar, Uttarakhand; with floor area of GF=FF= 87.52 sqm.

Uttarakhand Case no. 15

(Shri Ravi Pratap Singh, Present- Vill.-Jaspur, Khurd Kashipur U.S. Nagar, Uttarakhand)

After perusal of the application and information received from CA, Uttarakhand, it was decided to **recommend** grant of NOC in this case for Construction of GF+1 floor with the total height of 08.90 mtr (including mumty, parapet, water storage tank etc.) at Khasra No. 48-Min, Kundeshwari Road Vill.-Ujjain, The-Kashipur (U.S. Nagar), Udham Singh Nagar, Uttarakhand; with floor area of GF=FF= 77.73 sqm.

Uttarakhand Case no. 17

(Shri Akshay Kumar Bhalla & Smt Rashmi Bhalla, R/o Moh-.-Niwas Nagar Kajibagh Kashipur, Uttarakhand)

After perusal of the application and information received from CA, Uttarakhand, it was decided to **recommend** grant of NOC in this case for Construction of GF+1 floor with the total height of 08.90 mtr (including mumty, parapet, water storage tank etc.) at Khasra No. 280-Min,Mauza-Jaspur, The-Kashipur, Udham Singh Nagar, Uttarakhand; with floor area of GF=FF= 212.73 sqm.

Uttarakhand Case no. 18

(Smt. Mamta Sharma, House No. -73, Prakash Harmony, Darhiyal Road, Kashipur, Uttarakhand)

After perusal of the application and information received from CA, Uttarakhand, it was decided to **recommend** grant of NOC in this case for Construction of GF+2

Authority Der 1

floors with the total height of 09.00 mtr (including mumty, parapet, water storage tank etc.) at Khasra No. 44-Min, Kashipur, Udham Singh Nagar, Uttarakhand; with floor area of GF= 208.82 sqm and FF=SF=201.22 sqm.

Defer Case

Case no. 01

(Anand Singh Negi S/o Late Shri Ummed Singh Negi, Village- Phulwari Gunth Baijnath, Tehsil-Garur District Bageshwar, Uttarakhand)

After perusal of the application and revised building plan received from CA, Uttarakhand, it was decided to **recommend** grant of NOC in this case for Construction of GF+1 floor with the total height of 07.00 mtr (including mumty, parapet, water storage tank etc.) at Phulwari Gunth Baijnath, Kheat No.1839, Rakba=0.006; with floor area of GF= 68.267 sqm and FF= 76.96 sqm.

Additional Agenda II

Approval of the following Heritage Bye Laws to be put on the public portal for inviting suggestions/ comments from the public at large:

- Archaeological Site of AsvamedhaYajna 1, 2 & 3 Jagatgram, Dehradun, Uttrakhand
- 2. Karan Chaupar Cave, Sudama Cave and Lomas Rishi Cave, Barabar and Nagarjuni Hills, District Jehanabad, Bihar
- 3. Megheswar Temple with its minor shrine, Basuaghai, Bhubaneshwar, Odisha
- 4. Nabakeswar Temple, Bhubaneswar City, Locality- Baragarh, District- Khurda, Odisha
- 5. Nanda Lal Temple, JoraMandir, Radhagobinda Temple, Radhamadhab Temple and Kala Chand Temple, Locality-Bishnupur, District- Bankura, West Bengal
- 6. Javari Temple, Khajuraho, District- Chhatarpur, Madhya Pradesh
- 7. Amleshwar alias Maleshwar Group of Temples including Kaleshwar Temple together with adjacent land at Omkareshwar, Khandwa, Madhya Pradesh
- 8. Radhashyam Temple, Locality- Bishnupur, District- Bankura, West Bengal
- 9. Mounds locally known as PenahiaJhar, KharahuaJhar, OraJhar situated on the road from Balrampur near the ancient remains of Saheth-Maheth (Sravasti) District Balrampur, Uttar Pradesh

Queller

- 10. Cemetery at Alambagh, Lucknow
- 11. Bhubaneswari Temple, Rajnagar Gomati, Tripura
- 12. Temple of Vishnu, Bishenpur, District- Bishnupur, Manipur

Minutes will be circulated separately.

Additional Agenda III

Consideration of the comments of Director, Archaeology, Assam on the draft Heritage Bye Laws of Rangnath Dole, Sivasagar, Assam.

Minutes will be circulated separately.

National Monuments Authority

Constitutive file of the first state of the or the entropy architecture, through on the contract of the contra

1