

Government of India  
Ministry of Culture  
National Monuments Authority  
24, Tilak Marg, New Delhi

**MINUTES OF THE 311<sup>th</sup> MEETING OF NMA**

Venue – Conference room of NMA

Date & Time – 28<sup>th</sup> July, 2021 at 02:30 pm

\*\*\*\*\*

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairman, NMA.
2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA.
3. Shri Bhaskar Verma, Member Secretary, NMA.

**Agenda No. 1**

The minutes of 310<sup>th</sup> meeting were confirmed.

**Agenda No. 2**

**Consideration of NOC applications**

**Online Case**

**Delhi Case no. 555**

**(Mrs. Parveen Arora, C-8/4, Rana Pratap Bagh, Delhi-110007)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt+GF+3 floors with the total height of 18mtrs (including mumty, parapet, water storage tank etc.) at Plot no. C-4/16, Rana Pratap Bagh, Delhi-110007; with floor area of Stilt=GF=FF=SF=TF=140.645sqm. The NOC is recommended to be granted with the terms and conditions mentioned in report of Competent Authority, Delhi. The applicant should follow the local building bye-laws while constructing the building.

**Gujarat Case no. 30**

**(Shardanen Bhikhubhai Patel and others, 3595, Darwaja's Khancho Maganasha's Khadki, Shahpur, Ahmedabad 380001, Gujarat)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the Competent Authority to submit the specific recommendation clearly mentioning whether permission/NOC is recommended or not to enable the Authority to further process the application.

**Gujarat Case no. 31**

**(Jayshriben Ashokkumar Rana, 115, Fatashapol, Gandhiroad, Ahmedabad 380001, Gujarat)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the Competent Authority to submit the specific recommendation clearly mentioning whether permission/NOC is recommended or not to enable the Authority to further process the application.

**Gujarat Case no. 32**

**(Mohammed hanif Jafarhusen Mansuri, 3296, Nani Salepari, Dariyapur, Ahmedabad, Gujarat)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the Competent Authority to submit the specific recommendation clearly mentioning whether permission/NOC is recommended or not to enable the Authority to further process the application.

**Uttarakhand Case no. 20**

**(Smt. Manju Arora W/O Shri Sanjeev Pal Arora, R/O Basant Vihar Girital Kashipur Distt.- U.S.Nagar, Uttarakhand)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.90 mtrs (including mumty, parapet, water storage tank etc.) at Khasra No. 280-Min, Mauza-Jaspur Khurd, Tehsil-Kashipur, Distt-Udham Singh Nagar (Uttarakhand); with floor area of GF=FF= 184.91 sqm.

**Uttarakhand Case no. 21**

**(Shri Tushar Sharma S/o Late Sh Dharamveer Sharma & Smt Sashi Sharma W/o Late Sh Dharamveer Sharma, R/O Drona Sagar Road Kashipur Distt. U.S. Nagar, Uttarakhand)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.90 mtrs (including mumty, parapet, water storage tank etc.) at Khasra No. 295-Min, Mauza-Ujjain, Tehsil-Kashipur, Distt-(U.S.Nagar) (Uttarakhand); with floor area of GF=FF= 241.13 sqm.

### **Uttarakhand Case no. 22**

**(Smt Ranjna Devi W/o Sh Brajesh Kumar Singh, Vill.-Malhowa Tehsil Bansihi Distt.- Baliya (U.P.))**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.90 mtrs (including mumty, parapet, water storage tank etc.) at Khasra No. 47-Min, Mauza-Ujjain, Tehsil-Kashipur, Distt-(U.S.Nagar) (Uttarakhand); with floor area of GF=FF= 62.40 sqm.

### **Uttarakhand Case no. 23**

**(Smt. Simranjeet Kaur W/o Shri Nishan Singh, R/o Vill.-Jaspur Khurd The.-Kashipur, Uttarakhand)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.90 mtrs (including mumty, parapet, water storage tank etc.) at Khasra No. 368-Min, Vill.-Jaspur Khurd, Tehsil-Kashipur, Distt-(U.S.Nagar) (Uttarakhand); with floor area of GF=FF= 387.63 sqm.

### **Maharashtra Case no. 11**

**(M/s Shradha Lifestyle LLP through its Partner Bhavesh G Sanghrajka, 229/1-15, Rugnath Chambers, 3rd Floor, Opp. GTB Nagar Station, Sion (E), Mumbai-400022, Maharashtra)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the Competent Authority to submit the present status report with clear color photograph to enable the Authority to further process the application.

### **West Bengal Case no. 04**

**(Naren Dey, Manging Trustee Chinsurah Netaji Welfare Trust, Barabajar, Chinsurah, Hooghly, 712101, West Bengal)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the Competent Authority to submit the specific recommendation clearly mentioning whether permission/NOC is recommended or not to enable the Authority to further process the application.

### **Online Defer Case**

### **Gujarat Case no. 18**

**(S.R.Investment, Prakashbhai A Shah S.R. Investment B/o, 54/P, Opp. BB Bazar, Near Raipur Gate, Ahmedabad, Gujarat)**

After perusal of the application and revised building plan received from CA, Gujarat, it was decided to **recommend** grant of NOC in this case for reconstruction of Basement+GF+3 +LMR and OHWT with the total height of 17.98 mtrs (including mumty, parapet, water storage tank etc.) at TP 2 Kankaria FP 54, Ahmedabad, Gujarat; with floor area of Basement =68.65 sqm with depth=03.20 mtrs, GF=FF=SF=96.95 sqm, TF=91.96 sqm and LMR & OHWT=23.20 sqm

### **Public Project Cases**

#### **Case no. 01**

**(The Executive Engineer, Gujarat State Police Housing Corporation, Akota Railway Police Line, Akota, Vadodara-390020, Gujarat)**

After perusal of the application, it was decided to **Reject** the case as the applicant had already completed the construction work without taking prior approval from the Authority in violation of section 20C (2) of AMASR Act. 1958 and Notice was issued by SA, ASI.

#### **Case no. 02**

**(Senior Project Engineer, Bihar Rajya Pul Nirman Nigam Limited, Works Division, Gaya, M.O- Dandibagh, P.O.- - Chandchoura, P.S. Vishnupad, District-Gaya, Pin Code -823001, Bihar)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to prepare a Power Point Presentation and present it before the Authority.

#### **Case no. 03**

**(Managing Director, Bihar Rajya Pul Nirman Nigam Limited, 7, Sardar Patel Marg, Patna, Bihar -800015)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to prepare a Power Point Presentation and present it before the Authority.

#### **Case no. 04**

**(Executive Engineer Division No.-1, Urban Development Department Bihar Sharif Nagar Nigam, Nalanda Bihar, Pin- 803101)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Construction of Reservoir (for drinking water supply scheme under AMRUT yojna) with the total height of 07.77 mtrs (including mumty, parapet, water storage

tank etc.) at Badi Phadi, Bihar Sharif, Nalanda; with floor area of Single Storey=235.44 sqm.

**Case no. 05**

**(Archaeology & Museums, Department through Government of Haryana, Art and Design Building, Sector-10 Chandigarh)**

The members of the Authority visited the proposed site on 28<sup>th</sup> & 29<sup>th</sup> June 2021. They have submitted their report which was discussed in the meeting also. The members in their report had stated that the construction of the structure had already been carried out. It was decided to **defer** the case.

**Case no. 06**

**(General Manager (Project), Lucknow Smart City Ltd., Office Lucknow Nagar Nigam, Bhopal House, Trilokinath Marg, Lalbagh, Lucknow-226001)**


After perusal of the application, it was decided to **Send back/Return** the case and ask the CA to submit the clarifications about the proposed construction in consultation with SA, ASI.

**Case no. 07**

**(Managing Director, Lucknow Metro Rail Corporation Ltd., Administrative building, Vipin Khand, Gomti Nagar, Lucknow-226010, Uttar Pradesh)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of underground Metro Station and tunnels along with the three centrally protected monuments (CPM) i.e. Agra Fort, Delhi Gate and Jama Masjid with a depth about: 10.00 meters to 16.00 meters below the surface level and height of the entry and exit gate is 04.00 meter with subject to the following conditions:

- a) Mitigation measures to be taken care of at the time of construction
- b) The whole work should be done under the supervision of ASI
- c) A Joint Committee shall be set up under the Chairmanship of the Competent Authority, Agra which will include technical experts CEPT Research and Development Foundation (CRDF) and officers of Uttar Pradesh Metro Rail Corporation Ltd. This Committee shall monitor the proposed works and shall ensure all possible measures which are required to be taken for the safety of the 3 monuments in question. A monthly report on the progress of the project shall be submitted to NMA and Director General, ASI.
- d) Threat to the historic monuments during various stages of construction/post construction is the concern expressed repeatedly, as also the need to monitor this effectively on real time basis. For this purpose Uttar Pradesh Metro Rail Corporation Ltd. shall install monitoring equipments on all protected monuments along the proposed route capable of measuring vibrations and



structural impacts when the construction activities are on as well as during the metro operations. This should be done in association with the proposed joint committee.

- e) The area around the proposed entry and exit gates of the metro stations near the protected monuments shall be designed and developed to create a planned and pleasant environment. For this purpose, advice may be taken from local eminent architects.
- f) The facades of entry and exit gates shall be in consonance with the art and architecture of the respective nearest protected monuments.
- g) The interior of the metro stations near the protected monuments shall reflect the art and architecture of their periods.
- h) The metro stations falling on the proposed route should have special photo galleries/maps and information kiosks promoting the heritage and history.
- i) Necessary sanction prior to carrying out the proposed construction, may be obtained as per the local laws from the local authorities.
- j) A certificate will be submitted to the Competent Authority on completion of proposed construction that all the conditions of the permission have been complied with.
- k) Uttar Pradesh Metro Rail Corporation Ltd. shall support, cooperate and participate in all activities and programs of ASI, which are helpful in preservation, conservation, security, up-keep and maintenance of the protected monuments of the locality.

### **Reconsideration Case No. 01**


**(The Estate Officer, Ahmedabad Municipal Corporation , C/o. Dholariya Design (Jagdish Bhikhabhai Patel) C/17, 2nd Floor, Padmavati Flat, Nr. Narannagar Bus Stop, Above Mukesh Bhaji Pav, Naroda, Ahmedabad-382330, Gujarat)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to submit the revised building plan with the total height of building restricted to 22.80 meters (including mummy, parapet, water storage, etc.) as the proposed construction falls outside of walled city of Ahmedabad where the maximum height is restricted to 22.80 mtrs (including all).

### **Deferred Cases**

#### **Case no. 01**

**(Mr. Antonio Maria Bertoldo Vicita Do Rosario, R/o. Assucena Road, Nr. Football Ground, Moti Daman-396220)**



After perusal of the application and revised building plan received from CA, Daman, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 08.85 mtr (including mumty, parapet, water storage tank etc.) at PTS NO. 79/6-D, Assucena Road, Moti Daman ; with Built up area of GF=58.25 sqm and FF= 47.75 sqm.

**Case no. 02**

**(Shri Bipin Narotam Mamtora, R/o. Opp. Nehru Park, Firangiwada, Diu)**

After perusal of the application and revised building plan received from CA, Daman, it was decided to **recommend** grant of NOC in this case for construction of GF+2 floors with the total height of 09.90 mtr (including mumty, parapet, water storage tank etc.) at PTS NO. 91/40/1/3, Behind Museum, Firangiwada, Diu; with Built up area of GF=68.52 sqm, FF=72.30 sqm and SF=54.73 sqm.

**Case no. 03**

**(Shri Jagdishbhai Laljibhai Soni and Vipul S. Shah Partners of Shiv Developers, 3, Shakti Park, Opp. TJSB bank, BPC Road Alkapuri, Vadodara-390007, Gujarat)**

After perusal of the application and revised information received from CA, Gujarat, it was decided to **recommend** grant of NOC in this case for reconstruction of GF, GF(Mezzanine Floor)+3 (Three) floors with the total height of 17.05 mtr (including mumty, parapet, water storage tank etc.) at Vibhag-B, Tika No. 11/1, C.S.No. 48, Ward No. 2, Vadodara City, Gujarat; with Built up area of GF=130.01 sqm, GF (Mezzanine) = 70.64 sqm FF=SF=121.98 sqm /each and TF (part) = 70.67 sqm.

**Case no. 04**


**(Sub Divisional Officer (Civil) Narnaund, Hisar, Sub Divisional Officer (Civil) Narnaund, Hisar, Haryana)**

The members of the Authority visited the proposed site on 28<sup>th</sup> & 29<sup>th</sup> June 2021. They have submitted their report which was discussed in the meeting also. The members in their report had stated that the construction of the structure had already been carried out. It was decided to **defer** the case.

**Case no. 05**

**(Shri Matiullah S/o Late Saleh Mohd., Village- Birdpur No.1, Tola-Piprahwa, KSADA, Tahsil-Naugarh, Distt. Siddharth Nagar-272202 U.P)**

After perusal of the application, as this is the most sensitive and Important site, it was decided to **Defer** the case for further investigation and site visit of the Authority.



## Fresh Cases

### Case No. 01

**(Shri S. Sankara Narayana, D. No. 4, VOC Street, New Perungalathur, Chennai- 600 063, Tamilnadu)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to submit the revised plan with the total height restricted to 13.91 mtr (inclusive all) as the maximum height given by Authority near the monument is 13.91 mtr (inclusive all).

### Case No. 02

**(Shri V. Rajakumar, D. No. 1298, Golden Colony, Anna Nagar West Extension, Chennai- 600 050, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+1 floor with overhead tank with the total height of 08.54 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.50 mtr; at Old Patta No. 179, Old Survey No. 108/1, New Patta No. 9098, As per Patta New Survey No. 108/1L2, Plot No. 54B, Door No. 14/2, "Veeraraghavan Street", Peerkankaranai Village, Tambaram Taluk, Peerkankaranai Town Panchayat Limits, Chengalpet District; with floor area of GF=FF= 135.92 sqm. The color scheme of the monument should be kept in view while constructing the building.

### Case no. 03


**(Smt. V. P. Vijayalakshmi, New Door No. 73, Old No. 37, V. O.C. Street, Kamaraj Nagar, Peerkankaranai, Chennai-600 063, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of G+1 floor with overhead tank with the total height of 09.57 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall = 1.50 mtr; at Old Survey No. 183/3A, part New Patta No. 223, as per Patta New Survey No. 230/18, Plot No. 162, Door No. 73/37, Grama Natham Site V.O.C. Street, Kamaraj Nagar", Peerkankaranai Village, Tambaram Taluk, Peerkankaranai Town Panchayat Limits, Chengalpet District; with floor area of GF=FF= 128.58 sqm. The color scheme of the monument should be kept in view while constructing the building.

### Case no. 04

**(Shri A. Mohanraj, D. No. 27/12, G.N. Chetty Street, Mylapore, Chennai- 600 004, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+2 floors with headroom water tank and lift machine





room with the total height of 11.70 mtrs (including mumty, parapet, lift room, water storage tank etc.) & construction height of compound wall = 1.50 mtr; at Old Survey No. 145B/pt & 477/19, Patta No. 880, As per Patta New Survey No. 477/19A, Plot No., 12b, Grama Natham Site as Arunagiri Nathar Street Perungalathur Village, Tambaram Taluk, Chengalpet District, Perungalathur Town Panchayat Limits; with floor area of GF=FF=SF=52.40 sqm, Stair case room= 8.73 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 05**

**(Shri Jeevaraj Jesudoss Hundson, D. No. 1, Kalaivanar Street, New Perungalathur, Chennai- 600 063, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional & Alteration of Stilt+2 floors with staircase and lift room with the total height of 11.40 mtrs (including mumty, parapet, lift room, water storage tank etc.) & construction height of compound wall = 1.50 mtr; at Patta No. 3490, as per Patta Survey No. 146/12A, Plot No. 5, door No. 1, Kalaivanar Street Perungalathur Villge, Tambaram Taluk, Chengalpet District; with floor area of Existing GF=FF= 82.50 sqm, Additional Stilt/FF=48.12 sqm, Proposed Second floor= 51.19 sqm, Stair case room/Lift room area = 11.89 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 06**

**(Shri Selvam Dominic, V.S., Shri V. Britto, Smt. Clemantic Christadass, Shri V. Stephen & Smt. Maria Janitha Sophie, No. 1/5D, E.V.R. 1st Street, G.K.M. Colony, Agaram,, Chennai-600 082, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of Stilt+2 floors with staircase and lift room with the total height of 12.62 mtrs (including mumty, parapet, lift room, water storage tank etc.) & construction height of compound wall = 1.52 mtr, at Old S. No. 183/3A Part New Patta No. 835, Patta New Survey No. 221/4, D. No. 7/9, Grama Natham Site V.O.C. Street Peerkankarnai Village, Tambaram Taluk, within Peerkankarnai Town Panchayat Limits, Chengalpet District; with floor area of GF=108.60 sqm, FF= SF=196.58 sqm, Stilt=87.98 sqm, Stair case/lift room= 20.07 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 07**

**(Shri M. Moorthi & Smt. M. Nagalakshmi, No. 22/26A, Ellai Mariyamman Kovil Street, Jeeva Nagar, Trichy- 620 008, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 07.76 mtrs (including mumty, parapet, water storage tank etc.) at New T.S. No. 31/1 & 31/2, New Ward

No. P, Block No. 2, Arabikulam Street, Srirangam Zone, Tiruchirappalli City Corporation; with floor area of GF=65.49 sqm, FF=56.62 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 08**

**(Shri R. Saravanan & Smt. Sangeetha, D. No. 10A, Keela Andar Veethi, Vasantharaya Pillai Sandhu, Tiruchirappalli- 620 002, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction of GF+1 floor with the total height of 08.15 mtrs (including mumty, parapet, water storage tank etc.) at Old T.S. No. 2980, D. No. 11, New T.S. Nos. 346 part & 347, Ward F, Block 34, D. No. 10A, Vasantharaya Pillai Street, Srirangam Zone, Tiruchirappalli City Corporation; with floor area of GF=54.40 sqm and FF=18.48 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 09**

**(Shri A. Senthamarai Kannan, D. No. 2/54, Pandara Street, Venkatapuram, Kundrathur, chennai- 600 069, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Stilt +2 floors with overhead tank with the total height of 11.50 mtr (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, with following floor area:-

Area Statement	FSI Area	Non-FSI Area
Stilt Floor	---	253.25 sqm
Proposed FF	253.25 sqm	---
Proposed SF	253.25 sqm	---

at Patta No. 73, as per Patta Grama Natham S. No. 222/10, G.S.T. Road, Kilambakkam Village, Kattankolathur Panchayat Union, Chengelpet Taluk & District. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 10**

**(Smt. M. Kalavani, D. No. 5/17, 5<sup>th</sup> Street, Ragupathy Nagar, Pazhavanthangal, Chennai- 600 114, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with water tank with the total height of 09.52 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 6, Thiruvalluvar Cross Street, Old S. No. 144, As per Sub-division S. No. 144, part, as per Patta New S. No. 144/20B, Patta No.

283, Kilambakkam Village, Kattankolathur Panchayat Union, Vandalur Taluk, Chengelpet District; with floor area of GF=FF= 148.14 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 11**

**(Shri R. Ramesh, D. No. 20/88, Cholan Street, New Perungalathur, Vandalur Post, Chennai- 600 048, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with water tank with the total height of 09.52 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 24B, Old S. No. 150/2A1, as per Patta New S. No. 150/10, Patta No. 1854, Vandalur Village, Kattankolathur Panchayat Union, Vandalur Taluk, Chengalpet District; with floor area of GF= FF= 76.11 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 12**

**(Shri J. Gopi, D. No. 1/286A, Moogambigai Amman Kovil Street, 3rd Cross Singarathottam, Vandalur, Chennai- 600 048, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with water tank with the total height of 09.52 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at S. No. 163A/9A2C, Patta No. 864, Vandalur Village, Kattankolathur Panchayat Union, Vandalur Taluk, Chengalpet District; with floor area of GF= FF= 67.00 sqm, Staircase = 7.60 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case No. 13**

**(Shri K. Bhaskaran, 42 A/9, Orandiamman Koil Avenue, Velachery, Chennai- 600 042, Tamilnadu)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to submit the revised plan with the total height restricted to 12.65 mtr (inclusive all) as the maximum height given by Authority near the monument is 12.65 mtr (inclusive all).

**Case no. 14**

**(Shri R. Vivek S/o Shri L.K. Ramesh, Plot No. 10, Harichandra Nivas, Kanaga Raja Street, Sembakkam, Chennai- 600 073, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with headroom and overhead tank with water

tank with the total height of 10.78 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 18A, Old Survey No. 612/14, New Survey No. 612/14A1 as per Patta No. 9265, Sri Chandra Prabhu Nagar, Madambakkam Village, Tambaram Taluk, Chengalpet District Madambakkam Town Panchayat Limit; with floor area of GF=FF = 91.79 sqm Headroom = 12.82 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 15**

**(Shri G. Nedunchezian, 2<sup>nd</sup> Main Road Amar Nagar, Kadaperi, Tambaram, Chennai- 600 045, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for additional construction of GF+1 floor with staircase and water tank with water tank with the total height of 09.53 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 57, Amar Nagar, 2<sup>nd</sup> Cross Street (MES Road), S. No. 129/2, Kadaperi Village, Tambaram Municipal Limits, Tambaram Taluk, Chengalpet District; with floor area of GF=FF= 90.52 sqm, Open Staircase = 7.43 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 16**


**(Smt. S. Sinduja, No. 17, 3<sup>rd</sup> Street, Duraisami Nagar, Chitalapakkam, Chennai- 600 064, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with water tank with the total height of 10.71 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 3, Old S. No. 150/2, New Survey No. 150/22 as per Patta No. 8261, Charlu Street, Vandalur Village, Kattankolathur Panchayat Union, Vandalur Taluk, Chengalpet District; with floor area of GF= 80.30 sqm, FF= 76.11 sqm, Headroom= 9.39 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 17**

**(Smt. R. Gayathri, Plot No. 149, D. No. 2, Cheran Street, RMK Nagar, New Perungalathur, Chennai- 600 048, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with water tank with the total height of 09.52 mtrs (including mumty, parapet, water storage tank etc.) & construction height of compound wall= 1.52 mtr, at Plot No. 24A, Old S. No. 150/2A1, as per Patta New Survey No. 150/10 Patta No. 1854, Vandalur Village, Kattankolathur Panchayat Union, Vandalur Taluk, Chengalpet District; with floor area of GF=FF= 78.53 sqm.



The color scheme of the monument should be kept in view while constructing the building.

**Case no. 18**

**(Shri S. Ganapathy S/o Shri S. Sekar, Old No. 4, New No. 2, Swami Street, Maruthi Nagar, Rajakilpakkam, Chennai- 600 073, Tamilnadu)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with overhead tank with the total height of 05.94 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 17B, (South part), Survey Nos. 599/2A, 599/2G, 5992H, New Patta No. 8660, as per Patta New S. No. 599/2b1B, 599/2G1D, Rajambal Nagar Phase III, Madambakkam Village, Tambaram Taluk, Kanchipuram District; with floor area of GF=55.76 sqm. The color scheme of the monument should be kept in view while constructing the building.

**Case no. 19**

**(Shri Nishit Ashokchandra Panchal, Partners of Shiv Infratech, 202, Shiv Dharna Residency, Beside Gahanan, Heights, Darbar Chokdi, Manjalpur, Vadodara-390011, Gujarat)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF+3 floors with the total height of 16.95 mtr (including mumty, parapet, water storage tank etc.) at Vibhag-B, Tika No. 12/3, C.S.No. 62/A, 62/B, 68/1, 68/2, 68/3, 68/4, 68/5 and 68/6, Ward No. 2, Vadodara City, Gujarat; with Built up area of GF=FF=SF=TF=215.34 sqm /each and Terrace=28.68 sqm.

**Case no. 20**


**(Shri Gopaldas Bhimjibhai Raithatha, (POAH) of Shri Jigar Dipakbhai Thakkar, Flat No. A-32, M.M. Building, Thakkar Plaza, Station Road, Thane, Maharashtra )**

After perusal of the application, it was decided to **Send back/Return** the case and ask the applicant to submit the revised plan with the total height restricted to 15.00 mtr (inclusive all) as the maximum height restricted by Authority near the monument is 15.00 mtr (inclusive all).

**Case no. 21**

**(Shri Hanifbhai Rasulbhai Shaikh and others, Plot NO. 1 to 4, Chandan Society, Ward No. 2, C.S.No. 2197, Ruderpura, Surat-395001, Gujarat)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for reconstruction of GF, Parking +5 (Five) floors with the total height of 21.45 mtr (including mumty, parapet, water storage tank etc.) at C.S.No. 2197, Sub Plot No. 1 to 4, Sheet NO. 68, Surat, Gujarat; with Built up area of GF(Parking)=FF=SF=TF=FF=FF=79.92 sqm/each.



**Case no. 22**

**(Shri Rameshkumar Vasraj Jain, Shed NO. H/12, Block No. E-81, Abhishek Estate-II, Near Asarwa Gam, Asarwa, Ahmedabad-380016, Gujarat)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Additional construction of 1<sup>st</sup> Floor on the existing ground floor with the total height of 10.00 mtr (including mumty, parapet, water storage tank etc.) at Shed No. H/12, (Block No. E/81) T.P.S.No. 8, Asarwa, F.P. No. 137/paiki, C.S.No. 4958/2/113, Ahmedabad, gujarat ; with Built up area of First Floor = 62.76 sqm.

**Case no. 23**

**(Shri Ajay Gautam S/o Shri Ram Milan Gautam and Aparna Gautam D/o Shri Ram Milan Gautan, Ward No.11, Seva Gram, Khajuraho Distt-Chhatarpur (M.P)-471606)**

After perusal of the application, it was decided that the Authority will **visit** the proposed site of construction with local officials of Archeological Survey of India and Competent Authority, Madhya Pradesh before making any final recommendation.

**Case no. 24**

**(Shri Govind Gautam S/o Late Shr S.K Gautam, Govind Gadi, Ward No-07, Shankar Garh, Khajuraho Distt-Chhatarpur Madhya Pradesh-471606)**

After perusal of the application, it was decided that the Authority will **visit** the proposed site of construction with local officials of Archeological Survey of India and Competent Authority, Madhya Pradesh before making any final recommendation.

**Case no. 25**


**(Mrs. Shalu Gupta, Mrs. Parmodh Gupta and Mrs. Seema Gupta, 101, Anand Lok, New Delhi)**

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+Stilt+GF+2 floors with the total height of 16.52 mtr (including mumty, parapet, water storage tank etc.) at 101, Anand Lok, New Delhi; with floor area of Basement = 227.46sqm with depth= 3.66mtrs and Stilt=GF=FF=SF= 227.46sqm.

**Case no. 26**

**(Smt. Deepak Kaur, 56, Friends Colony (East), New Delhi-110022, Delhi)**

After perusal of the application, it was decided to **Send back/Return** the case and ask the CA/SA, ASI to submit the Present Status Report along with the previous permission given to the application.



## **Additional Agenda I**

### **Online Case:**

**Delhi online case no.: 556**

**(Sh. Sushil Ansal, M/S Amba Bhawani Prop Pvt. Ltd., M/S Apna Hgar Prop (P) Ltd. Chiranjivi Investment (P) Ltd. V3 Technologies Pvt. Ltd. Prop Pvt. Ltd., 26, Ferozshah Road, New Delhi)**

After perusal of the application, it was decided that the Authority will visit the proposed site of construction with local officials of Archeological Survey of India and Competent Authority, Delhi before making any final recommendation.

## **Additional Agenda II**

### **Resolution passed on declaration of "Dholavira" as UNESCO World Heritage site**

The following resolution was passed by the Authority on the inclusion of Sindhu Saraswati Civilization Site, Dholavira:

"National Monuments Authority (NMA) congratulates all our colleagues in the ASI on having India's greatest Sindhu Saraswati civilizational site, Dholavira on UNESCO World Heritage list. It is the result of the hard work and perseverance of ASI Archeologists and each & every worker. Dholavira archaeological site has established scientifically and put India on the world map as the world's first fully civilizationally developed people thousands of years before."

